

Endowment per FTE bar chart

```
library(readxl)
library(ggplot2) # see http://ggplot2.tidyverse.org/reference/ for references
library(dplyr) # to group categories for bar charts

##
## Attaching package: 'dplyr'


## The following objects are masked from 'package:stats':
##
##   filter, lag

## The following objects are masked from 'package:base':
##
##   intersect, setdiff, setequal, union
```

Including Plots

You can also embed plots, for example:

```
## Don't know how to automatically pick scale for object of type
tbl_df/tbl/data.frame. Defaulting to continuous.
```



```

## function (mapping = NULL, data = NULL, stat = "count", position = "stack",
##     ..., width = NULL, binwidth = NULL, na.rm = FALSE, show.legend = NA,
##     inherit.aes = TRUE)
## {
##   if (!is.null(binwidth)) {
##     warning("`geom_bar()` no longer has a `binwidth` parameter. ",
##       "Please use `geom_histogram()` instead.", call. = "FALSE")
##     return(geom_histogram(mapping = mapping, data = data,
##       position = position, width = width, binwidth = binwidth,
##       ..., na.rm = na.rm, show.legend = show.legend, inherit.aes =
inherit.aes))
##   }
##   layer(data = data, mapping = mapping, stat = stat, geom = GeomBar,
##     position = position, show.legend = show.legend, inherit.aes =
inherit.aes,
##     params = list(width = width, na.rm = na.rm, ...))
## }
## <environment: namespace:ggplot2>

```