



Consuming data

Consuming data



SQL extraction - Overview

Consumption of data will take place mainly on:

- The **golden data** tables (**GD_%**)
 - Contains the **golden records**
- The **master data** table (**MD_%**)
 - Contains the **master records** linked to the golden records
 - Master records contain the references to the source records
 - Using the master data allows:
 - Cross referencing golden data and source systems data
 - Re-integrating golden data into source systems

Golden data – Customer entity - Example #1

Select all the golden records for the customer entity

```
SELECT G.CUSTOMER_ID, G.CUSTOMER_NAME, G.PHONE,  
EMAIL  
From GD_CUSTOMER G
```

Master data to golden - Customer entity - Example #1

Getting the golden data for a given source record ID

```
SELECT M.B_SOURCEID, G.<attribute_list>
FROM MD_<entity> M
INNER JOIN GD_<entity> G ON
  (      G.<primary_key> = M.<primary_key> A)
WHERE
  M.B_PUBID = '<publisher_code>'
  AND  M.B_SOURCEID = '<sourced_source_id>'
```

Master data to golden - Customer entity

Example #2 (Fuzzy matching)

Select the golden values for a given *Source PK* in the CRM system.

- Use the results to update the CRM with the golden values.

```
SELECT  M.B_SOURCEID, G.CUSTOMER_NAME, G.PHONE
FROM    MD_CUSTOMER M
INNER JOIN GD_CUSTOMER G ON
  (
    G.CUSTOMER_ID = M.CUSTOMER_ID
  )
WHERE
  AND    M.B_PUBID = 'CRM'
  AND    M.B_SOURCEID = '27030'
```

Master data to golden - Customer entity

Example #3 (ID matching)

Select the golden values for a given *Source PK* in the CRM system.

- Use the results to update the CRM with the Golden values.

```
SELECT  M.CUSTOMER_ID, G.CUSTOMER_NAME, G.PHONE
FROM    MD_CUSTOMER M
INNER JOIN GD_CUSTOMER G ON
  (
    G.CUSTOMER_ID = M.CUSTOMER_ID
  )
WHERE
  AND    M.B_PUBID = 'CRM'
  AND    M.CUSTOMER_ID = '27030'
```

Master Data - Contact entity

Example #4 (Fuzzy matching)

Select all duplicates for a given PK

```
SELECT  M.B_PUBID, M.B_SOURCEID, M.CUSTOMER_NAME, M.PHONE
        G.CUSTOMER_NAME GOLD_NAME, G.PHONE GOLD_PHONE
FROM    MD_CUSTOMER M
INNER JOIN GD_CUSTOMER G ON
(
    G.CUSTOMER_ID = M.CUSTOMER_ID
INNER JOIN MD_CUSTOMER MM ON
(
    MM.CUSTOMER_ID = M.CUSTOMER_ID
)
WHERE
    AND M.B_PUBID = 'CRM' /* Publisher ID */
    AND M.B_SOURCEID = '27030' /* Source ID */
/* AND M.B_PUBID = MM.B_PUBID */
/* Uncomment the previous line to restrict the duplicates
   to duplicates within the CRM application */
```