



Deploying model

Model edition



Model Editions - Principles

A model is either **open** or **closed** for editing

- An **open** model is being designed. When design is complete, the model should be closed.
- A **closed** model can no longer be edited. To edit it, you must either open a **new edition** of this model on the same branch or in a different branch
- **Branching** allows you to maintain two or more parallel lines of model editions

Version Numbers are automatically generated:

- **<Model Name> [<branch>.<edition>]**
- E.g.: CustomerAndFinancialMDM [0.3]

Open Model Edition

First select a model branch in the Branches tree and then select one of the model editions for this model in the Model Editions list. Finally click Finish to open this model edition.

Branches:

- BusinessGlossary
 - BusinessGlossary_Root
- Customer360
 - Customer360_Root
- IDMPDemo
 - IDMPDemo_Root
- InsuranceProducts
 - InsuranceProducts_Root
- LegalEntityMgmt
 - LegalEntityMgmt_Root
- Organization
 - Organization_Root
- PDT
 - PDT_Root
- ProductCatalog
 - ProductCatalog_Root
- ProductComponents
 - ProductComponents_Root
- ProductDemoFull
 - ProductDemoFull_Root
- ProductRetailDemo
 - ProductRetailDemo_Root**

Branch ID: 0

Branch Name: ProductRetailDemo_Root

Description: The root branch for Product Retail Demo

Created On: Thu Mar 09 23:25:45 UTC 2017

Created By: matt.dahlman@semarchy.com

Branched From Model Edition:

Model Editions:

ID	Comment	Created On	Created By	Status
2	4.0.1 release complete - ...	Thu May 25 22:03:10 UTC 2017	anna.li@se...	OPEN
1	4.0.0 release complete - ...	Sun Apr 02 01:03:40 UTC 2017	salah.kame...	CLO...
0	The root branch for Prod...	Thu Mar 09 23:25:45 UTC 2017	matt.dahl...	CLO...

Model Editions in Action

Dec 2019
Iteration #1: Create model edition 0.0
with *Customer, Contact, Employees,*
Cost Centers

Jan 2020
Close model edition 0.0 and deploy to production.
Open edition 0.1 for iteration #2.


Mar 2020
Close edition 0.1 and deployed to
production.
Open edition 0.2 for iteration #3.

April 2020
Branch closed model edition 0.1 into
maintenance version 1.0 to fix issues in
production.

April 2020
Close edition 1.0 and deploy maintenance
fix to production.

April 2020
Fix is also applied to edition 0.2.

June 2020
Close edition 0.2 and deploy to production.
Iteration #4 starts.





Deploying model

Deployment process




Deployment in a Nutshell

A designed model is **deployed** for run-time


- **Physical tables** are created in the MDM schema
- **Application** and **workflow definitions** are deployed
- **Job definitions** are deployed
- **APIs** are **generated** and **documented**

Deployment differs in development and production data locations


- **Production**
 - Can install only **closed** model edition
 - Updating or deploying a model being edited is not supported
- **Development**
 - Install or update **open or closed** Model Editions
 - Installing/Updating models being edited



Closing and Opening a New Edition



2



Use a useful comment



Deploying model

Deployment patterns



Best practice: three repositories

