




Building business views

**Business views**



# What are business views?

- Define how users can **browse** the hub
  - Related to **business entities**
  - **Transitions** to other entities
- Define **actions** available to users
- **Multiple views** can be configured to support different use cases
  - E.g.: View of all accounts
  - E.g.: View of the accounts hierarchy
  - E.g.: View of the accounts in the US and a separate view of the accounts in the UK
- Can be limited to a **subset of data**



# Business views

**Business views** associate a **root business entity** with **collections/forms** to **navigate** in the context of an **application**. They are composed of:

- **Transitions**: User navigation between associated business entities
  - **Collection** and **Forms** used for each transition
    - **Search forms** available to users
    - **Filters** to create specific views
  - **Reference browsing**: How to display parent business entities
  - **Embedded collections**: How to display children business entities
- **Hierarchy**: Graphical tree view to browse transitions



Building business views

**Business entity**



# Business entities

- Based on one **entity** of the model and an **action set**
- Business views start from a **root business entity**, linked to other business entities through **transitions**
- Require a **form** and a **collection**
- Ability to restrict **search** methods available
- Can bootstrap **built-in filters**





Building business views

# Reference browsing & Embedded collection



# Reference browsing

Reference browsing options define how to navigate references appearing in the form defined for a business entity.

For each form used in a transition, define reference browsing:


The screenshot shows a configuration window for a 'Business Entity: Contact'. The window has a sidebar with several tabs: 'Name and Definition', 'Display Properties', 'Collection Configuration', 'References Browsing' (which is selected), 'Embedded Collection', 'Built-In Filters', and 'System Properties'. The main area of the window is a table with three columns: 'Form Field', 'Browsing Target', and 'Target Business View'. The first row of the table is highlighted in blue and contains the following data: 'FDN\_Customer' in the 'Form Field' column, 'Business View' in the 'Browsing Target' column, and 'Customer' in the 'Target Business View' column. The table has four rows in total, including the header row.

| Form Field   | Browsing Target | Target Business View |
|--------------|-----------------|----------------------|
| FDN_Customer | Business View   | Customer             |
|              |                 |                      |
|              |                 |                      |
|              |                 |                      |

# Embedded collection

Embedded Collection Browsing options define how to navigate when a user clicks an item from an embedded collection placed in the form defined for a business entity.

For each embedded collection, define browsing capabilities:



The screenshot shows a web application interface for configuring a business entity. At the top, there are tabs for 'Properties', 'Progress', and 'Validation Report'. Below these, a sidebar on the left lists various configuration options for the 'Business Entity: Customer', including 'Name and Definition', 'Display Properties', 'Collection Configuration', 'References Browsing', 'Embedded Collection' (which is currently selected), 'Built-In Filters', and 'System Properties'. The main area of the interface is a table with three columns: 'Embedded Collection', 'Browsing Target', and 'Target Business Entity'. The first row of the table is pre-filled with 'Collection' in the first column, 'Business View' in the second, and 'Contact' (with a contact icon) in the third. Below this, there are four empty rows for additional configurations.

| Embedded Collection | Browsing Target | Target Business Entity |
|---------------------|-----------------|------------------------|
| Collection          | Business View   | Contact                |
|                     |                 |                        |
|                     |                 |                        |
|                     |                 |                        |
|                     |                 |                        |





Building business views

# Transitions




# Transitions

- Based on **reference relationships** in the model, define the **navigation** between two business entities.
  - E.g.: child *CostCenters* or *Employees* reporting to the *CostCenters*
- Also allow browsing **lineage relationships**
  - E.g.: Showing the master records consolidated into the golden record.
- Represented as a **tab** in the form, its display can be conditional
- Support **filters** to restrict return records


# Configure transition

From the starting entities, define transitions :



| ▼ Transitions |                                        |
|---------------|----------------------------------------|
| Name          | Details                                |
| Customer      | CustomerCollection, CustomerForm       |
| Contacts      | Contacts,                              |
| Contact       | ContactCollection, ContactForm         |
| BankDetails   | BankDetailses,                         |
| BankDetail    | BankDetailsCollection, BankDetailsForm |

For each transition, define collection and form to be used :



|                                  |                          |                                                                        |
|----------------------------------|--------------------------|------------------------------------------------------------------------|
| Properties                       | Progress                 | Validation Report                                                      |
| <b>Business Entity: Customer</b> |                          |                                                                        |
| Name and Definition              | Customized Display Card: |                                                                        |
| <b>Display Properties</b>        | Browsing Collection:     | CustomerCollection                                                     |
| Collection Configuration         | Browsing Form:           | CustomerForm                                                           |
| References Browsing              | Outline Visible:         | <input type="checkbox"/>                                               |
| Embedded Collection              | Display Record Count:    | Always                                                                 |
| Built-In Filters                 | Search Configurations:   | Text(Built-in), By Form(Built-in), Advanced(Built-in), SemQL(Built-in) |
| System Properties                |                          |                                                                        |




Building business views

# Embedded collection transitions



# Embedded collection transitions

- **Only** for business entities with forms containing **embedded collection**
- Associated to a child business entity
- Configure which records are displayed with a **filter**
- Define how browsing takes place when clicking these records



**Create New Transition**

**Transition**

Transitions link the level of a business view hierarchy through many paths

Embedded Collection: Collection [Embedded Collection]

Name: Products

< Back Next > Finish Cancel





Building business views

# Hierarchies



# Hierarchies Tree View

Graphical view to display transitions within a sidebar


The image displays two screenshots of the Semarchy Intelligent Data Hub interface, illustrating the 'Hierarchies Tree View'.

**Top Screenshot:** Shows the 'Customers by Manager' view for 'Steven King' under 'BLAND CORPORATION'. The left sidebar displays a hierarchy tree with 'Customers by Manager' expanded, showing 'Managed Customers' and 'BLAND CORPORATION'. The 'Contacts' section is selected, listing users like Ellen Kumar, Alyssa Abel, Eric Charles, Isabelle Szczepski, Nancy Lorentz, and Daniel Greenberg. The main panel shows 'Contacts (6)' with tabs for 'CUSTOMER', 'CONTACTS', and 'PAST RECORDS'. A callout box points to the 'CONTACTS' tab with the text 'Show/Hide Hierarchy Panel'.

**Bottom Screenshot:** Shows the 'Nomenclatures SU' view for 'PGC' under 'Boissons' (Soft Drinks). The left sidebar displays a hierarchy tree with 'Nomenclatures SU' expanded, showing 'PGC', 'Epicerie', 'Boissons', 'Alcools', 'Vins', 'Surgelés, glaces', 'Glaces', 'Glaces bac', 'Cônes', and 'Pizzas'. The 'Soft Drinks' section is selected. The main panel shows 'CATÉGORIE' details for 'Soft Drinks' (Nomenclature SUID: 111, Libelle: Soft Drinks, Statut: Actif, Catégorie parente: Boissons). A callout box points to the 'Soft Drinks' section with the text 'Synchronized Navigation' and 'Left & right panels are synchronized, filter and sort supported.'

# Define hierarchy

You can define a hierarchy on a business view :



**▼ Hierarchy Configuration**


Enable Hierarchy View: ☒

Open Hierarchy by Default: ☐

Display Root Node As:

You can define how each transition appears in the hierarchy :



- Choose a transition



**▼ Transitions**

| Name            |
|-----------------|
| CustomerEO      |
| <b>Contacts</b> |
| Contact         |
| BankDetails     |
| BankDetail      |

- Define how you want it to appear



**Transition: Contacts**

|                                |                                                                         |
|--------------------------------|-------------------------------------------------------------------------|
| Name and Definition            | Enable in Hierarchy: <input checked="" type="checkbox"/>                |
| Icon and Labels                | Transition Node Visible: <input checked="" type="checkbox"/>            |
| <b>Hierarchy Configuration</b> | Expand by Default: <input type="checkbox"/>                             |
| Display Properties             | Display Transition Node As: <input type="text" value="Icon and Label"/> |
| System Properties              |                                                                         |