




Deploy and browse

Development life cycle



Life cycle





Deploy and browse


**Browse with the
default application**



Default application

Models have a default application containing:

- Folder and actions
 - With a default browsable entities folders to access data
- Navigation drawer
 - Define sidebar links
- Global search





Deploy and browse



Validating a model



Validating a model

An application **must be validated** to ensure its correct behavior after deployment and raise possible issues.

Available from the **application builder** it produces a validation report.






Deploy and browse

Data location & deployment



Data location

- Mandatory to deploy a **valid** model
 - Validate before deploying!
- Stored in a database schema
 - Connected through a JDBC datasource
 - **Platform Datasources** must be declared in the Platform Configuration



Create New Data Location

Data Location
Data location bound to a JEE datasource to deploy model editions.

Auto Fill: ☒

Name: CustomerB2CMdmDemo

Label: Customer B2C Mdm Demo

Data Source Name: dev4_customer_b2c_demo

Description:

Location Type: Development Location

Deployed Model Edition: CustomerB2CDemo [0.0] [Model Edition]


Finish Cancel



You create the data location the first time you deploy the model. Subsequent model changes are applied by redeploying the model into the data location.

You are all set!

Your application is available on the Welcome page:



Application Builder



Dashboard Builder



Discovery



Configuration



REST API