



## Lab 3 : Enrichers and validations

### Lab 3: Enrichers and Validations

#### Task 1: Create a SemQL enricher

1. Create a new **SemQL enricher** on **Customer**
2. Give it a good name. Practice good naming conventions
3. Uppercase and remove all punctuation in customer names and store it in the *NormalizedName* attribute (which you created in Lab2)  
**Hint:** Click on the “Expression” column to enable SemQL editor  
**Hint:** UPPER(REGEXP\_REPLACE( CustomerName, '[:punct:]', ' ', 'g' ) )
4. Check for SemQL parsing errors

#### Task 2: Create a SemQL validation rule

1. Create a new **SemQL Validation rule** on **Customer** to ensure that we have a customer name of sufficient length.
2. Provide a meaningful Name.
3. Add a rule to check that all customer names are longer than one character.  
**Hint:** LENGTH(CustomerName) > 1
4. Check for SemQL parsing errors

**Note:** Remember, for validation rules; if the condition evaluates to true, the record passes through successfully, if the evaluation evaluates to false, the record is rejected.

#### Task 3: Create a unique key constraint

1. Add a **unique key** constraint to *Customer* using the *CustomerName* and *Email* attributes

#### Task 4: Create a plug-in enricher

1. Add an **API enricher** to the **Customer** entity, using the **Java Plug-in** option with the **Semarchy Text Enricher**.

Use the transformation **DOUBLEMETAPHONE** to have a phonetic version of the **NormalizedName** attribute. Use **PhoneticName** as the output.

To see this cheat sheet and its attached documents, please visit  
<https://academy.semarchy.com/course/play/62a856afd364bc069b570c61>