



Matching - Fuzzy Matching Algorithms

Fuzzy Matching functions SEM_EDIT_DISTANCE and SEM_EDIT_DISTANCE_SIMILARITY

The SemQL matching functions **SEM_EDIT_DISTANCE** and **SEM_EDIT_DISTANCE_SIMILARITY** evaluate the number of single character **Substitutions, Inserts and Deletions** that are required to transform one string to another.

The *_SIMILARITY is expressed as a percentage.

Example

To compare the two names: **KAROLINA** to **CAROLINA**

- The SEM_EDIT_DISTANCE = **1** (There is a **1** character difference: the 'K' is substituted by 'C')
- The SEM_EDIT_DISTANCE_SIMILARITY = **87.5** (Expressed as a percentage - it is a 12.5% difference or **87.5% similar**)

Example

To compare the two names: **KAROLINA** to **CAROLINE**

- The SEM_EDIT_DISTANCE = **2** (**2** character difference: the 'C' is substituted to 'K' and the 'A' becomes an 'E')
- The SEM_EDIT_DISTANCE_SIMILARITY = **75** (Expressed as percentage - it is a 25% difference, that is, **75% similar**)

Please see the following slides for examples of these SemQL functions in action.

To see this cheat sheet and its attached documents, please visit
<https://academy.semarchy.com/course/play/62a87081d9ff658470496bda>