




Configuring match and merge

Survivorship



What is Survivorship?

- Survivorship rules select the most appropriate value from the various source records which get matched together
- xDM Application provides data stewards the ability to override values when default rules are not optimal



The screenshot displays the 'Chevron' entity page in the Semarchy xDM application. The page title is 'Chevron Mining, Quarrying, and Oil and Gas Extraction'. Below the title, there are three tabs: 'COMPANY', 'MASTER RECORDS' (which is selected and underlined in red), and 'SOURCE AUTHORIZING RECORDS'. The 'Master Records (5)' section contains a table with 5 rows and 8 columns: Publisher ID, Source ID, Company Name, Website, Address1, City, and State. Each row has a checkbox in the first column. The data in the table is as follows:

	Publisher ID	Source ID	Company Name	Website	Address1	City	State
☐	CRM	20	Chevron Corporation	http://www.ch...	6001 Bollinger...	San Ramon	CA
☐	CRM	35	Chevron Corporation	chevron.com		San Ramon	CA
☐	CRM	39	Chevron Corporation		6001 Bollinger...		CA
☐	FINANCE	1022	Chevron	www.chevron....	6001 Bollinger...	San Ramon	CA
☐	WEB	5872	Chevron		Bollinger Cany...	San Ramon	CA

Survivorship Rules

- Survivorship applies only to ID and Fuzzy-matched entities
- **Survivorship rules** define how golden record values are computed:
 - **Consolidation rule.** Consolidates source data (SD) from publishers.
 - **Override rule:** Apply user overrides (SA) on top of consolidated values.
- Special rules:
 - **Default survivorship rule** applies to attributes not assigned to a given rule.
 - **Master ID survivorship rule** defines how the ID of one of the master records attached to a golden record consolidates into this golden.

Consolidation Rule

Choose the best values to compute the golden record using **Consolidation Strategy**:

Custom ranking	The SemQL Ranking Expression is used to rank duplicates, and the first value by rank is used.
Largest/smallest value	Values are ordered alphabetically or numerically
Longest/Shortest value	The length of the values are ordered
Most frequent value	The first most frequent non null value.
Preferred publisher	Publishers are manually ordered. The first one returning a value for the field is used.

The screenshot shows a configuration window titled "Consolidation Rule". It contains four labels on the left and a dropdown menu on the right. The labels are "Consolidation Strategy:", "Preferred Publishers:", "Ranking Expression:", and "Skip Nulls:". The dropdown menu is currently open, displaying a list of options: "Preferred Publisher", "Custom Ranking", "Largest Value", "Longest Value", "Most Frequent Value", and "Preferred Publisher". The first "Preferred Publisher" option is highlighted with a blue background.

▼ Consolidation Rule	
Consolidation Strategy:	Preferred Publisher
Preferred Publishers:	Custom Ranking
Ranking Expression:	Largest Value
Skip Nulls:	Longest Value
	Most Frequent Value
	Preferred Publisher

Override Rule

Defines how to overwrite consolidated values with values authored by users using an **Override Strategy**:

Always Authored in the MDM

The value is always authored in the MDM application. Values coming from other sources (if any) are always ignored.

No Override

The value is always consolidated according to the consolidation rules.

Override - until consolidated value changes

Value override is allowed. Values coming from the publishers consolidate according to the consolidation rules. When an override is made, the value is maintained until the value consolidated from the publishers changes.

Override - until next user changes

Value override is allowed. Values coming from the publishers consolidate according to the consolidation rules. When an override is made, the value is maintained until a user enters a new value or removes the override.



Override values update only the golden record and not the master records, so they won't be used for upcoming matching executions.

Automatically generated rules

- Each entity is created with:
 - **Master ID Survivorship Rule**
 - **Default Survivorship Rule**
- Both created with a Custom Ranking consolidation strategy with no ranking expression:
 - You should modify these 'blank' rules!
 - And/or create additional rules.



Cheat sheet – Basic vs ID & fuzzy-matched entities

Basic entities



SA table
source authoring



AE table
Authoring data errors



No MD or MI tables
No matching or survivorship



No golden override
Edit happens at source data



Faster processing
Designed for reference data, helper tables,
join tables etc.,

ID & fuzzy-matched entities



MD table
Up-to-date version of source data



MI & GI tables
Integration tables facilitate matching



Publisher and source ID
Identify source systems



Golden override
Data stewards override consolidated values



Fuzzy matching
Designed for people, addresses,
organizations, etc.

Entity Type

	 Basic	 ID-Matched	 Fuzzy-matched
Publishers	One or none	Multiple	Multiple
Match and Merge	Not supported Dups detected at creation time	Yes , using exact match on a shared ID Dups detected at creation time	Yes , using match rules Dups detected at creation time
Survivorship	Not supported	Consolidation is supported Value override is supported	Consolidation is supported Value override is supported
Id	Golden ID=Source ID	All source systems use a shared ID Golden ID=Source ID	Source systems have different IDs The Golden ID is generated
Recommended for	Centralized pattern Single source system Reference Data	Consolidation pattern, for entities with a shared ID.	Consolidation pattern, for entities with no shared ID.
Example	Product Family, Cost Centers	Products (with a shared SKU)	Customers, Contacts, Products (with no shared SKU)