


REMOVING DUPLICATES FROM THE DATASET USING AWS GLUE


step-1: create a bucket

create two folders name as new-data and older-data



Step 2:

- Create a lamda function
- Add s3 trigger
- Choose s3 put during s3 trigger creation



Step2: Create a virtual ETL

Source -> amazon s3(choose folder where row data is placed)

Transform -> drop duplicates

Target -> amazon s3(choose folder to save the output)

The screenshot displays the AWS Glue console interface for a job named 'aws-shivam-etl-glue'. At the top, a green notification bar states 'Successfully updated job' and provides instructions to run the job. Below this, the job's configuration is shown in the 'Visual' tab. The configuration consists of three main components: a 'Data source - S3 bucket Amazon S3', a 'Transform - Drop Duplicates', and a 'Data target - S3 bucket Amazon S3'. The 'Data source' and 'Data target' are both connected to the 'Transform' step. On the right side of the console, there are several configuration options: 'Choose if you want the output to be saved into autogenerated or in a predesignated number of partitions.' (with 'Autogenerate files (Recommended)' selected), 'Multiple file output' (set to '1'), 'Partition keys - optional' (with 'dd partition keys.' and an 'Add a partition key' button), 'Check data quality' (with an 'Info' link), 'Data quality rules' (with a rule 'Column count is always greater than 0'), and 'Data quality actions' (with the action 'Continue processing when bad data is detected.').

Step 3:

- Click first aws s3, browse the the bucket bucket -> older-data
- Choose file format

This screenshot is identical to the one above, showing the AWS Glue console for the 'aws-shivam-etl-glue' job. It displays the same configuration in the 'Visual' tab, including the data source, transform, and target steps, as well as the various configuration options on the right side of the console.

Step 4:

- Tab to the IAM roles
 - Choose the one if you already created
 - Either tap to create role
 - Tab to the created glue
 - Choose two permissions:
-
- Cloud full access
 - Aws s3 full access

Note : no need to add other permissions just add those two

Policy was successfully attached to role.

Permissions policies (4) [Info](#)

You can attach up to 10 managed policies.

Filter by Type: All types

☐	Policy name ↗	Type	Attached entities
☐	AmazonCloudWatchEvidentlyFullAccess	AWS managed	1
☐	AmazonS3FullAccess	AWS managed	2
☐	AWSGlueConsoleFullAccess	AWS managed	1
☐	AWSGlueServiceRole	AWS managed	1

▶ **Permissions boundary** (not set)

▼ **Generate policy based on CloudTrail events**

You can generate a new policy based on the access activity for this role, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#) [↗](#)

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Step 5:

Click to save and run the ETL (glue)

aws-shivam-etl-glue

Last modified on 7/11/2026, 11:35:12 AM

Actions Save Run

Visual Script Job details Runs Data quality Schedules Version Control

Successfully started job
Successfully started job aws-shivam-etl-glue. Navigate to [Run details](#) for more details.

Choose if you want the output to be saved into autogenerated or in a predesignated number of partitions.

Autogenerate files (Recommended)

Multiple file output

1

Partition keys - optional
Add partition keys.

Add a partition key

Check data quality [Info](#)
Evaluate data quality before loading data to target. Enable this to check your data for common issues to ensure the data being loaded to target is complete.

Data quality rules
Column count is always greater than 0

Data quality actions
Continue processing when bad data is detected.

Step 6:

Check the running process go to the Runs

aws-shivam-etl-glue

Last modified on 7/11/2026, 11:35:12 AM

Actions Save Run

Visual Script Job details **Runs** Data quality Schedules Version Control

Job runs (1/1) [Info](#)

Last updated (UTC) July 11, 2026 at 06:09:41 [View details](#) Stop job run Troubleshoot with AI [Table View](#) [Card View](#)

Filter job runs by property

Run status	Retries	Start time (Local)	End time (Local)	Duration	Capacity (DPUs)	Worker type	Glue version
✓ Succeeded	0	07/11/2026 11:37:56	07/11/2026 11:39:40	1 m 36 s	10 DPUs	G.1X	5.1


Run details Input arguments (11) Logs Run insights Metrics Troubleshooting analysis Spark UI

Job name Start time (Local) DPU Hours Glue version

Step 7:

Check the target folder

You will see the updated file in the folder



Before transform

|

After transform

	A	B	
1	name	gender	
2	nikhil	male	
3	raj	male	
4	devendra	male	
5	hello	male	
6	hello	male	
7	hello	male	
8			
9			
10			
11			

	A	B	
1	name	gender	
2	nikhil	male	
3	raj	male	
4	devendra	male	
5	hello	male	
6			
7			
8			
9			
10			
11			
12			
13			
14			