


REMOVING DUPLICATES FROM THE DATASET USING AWS GLUE


step-1: create a bucket

create two folders name as new-data and older-data



Step 2:

- Create a lamda function
- Add s3 trigger
- Choose s3 put during s3 trigger creation



Step2: Create a virtual ETL

Source -> amazon s3(choose folder where row data is placed)

Transform -> drop duplicates

Target -> amazon s3(choose folder to save the output)

Successfully updated job
Successfully updated job aws-shivam-etl-glue. To run the job choose the Run Job button.

aws-shivam-etl-glue
Last modified on 7/11/2026, 11:35:12 AM

Visual Script Job details Runs Data quality Schedules Version Control

Choose if you want the output to be saved into autogenerated or in a predesignated number of partitions.

Autogenerated files (Recommended)

Multiple file output

1

Partition keys - optional
Add partition keys.

Add a partition key

Check data quality Info
Evaluate data quality before loading data to target. Enable this to check your data for common issues to ensure the data being loaded to target is complete.

Data quality rules
Column count is always greater than 0

Data quality actions
Continue processing when bad data is detected.

Step 3:

- Click first aws s3, browse the the bucket bucket -> older-data
- Choose file format

Successfully updated job
Successfully updated job aws-shivam-etl-glue. To run the job choose the Run Job button.

aws-shivam-etl-glue
Last modified on 7/11/2026, 11:35:12 AM

Visual Script Job details Runs Data quality Schedules Version Control

Choose if you want the output to be saved into autogenerated or in a predesignated number of partitions.

Autogenerated files (Recommended)

Multiple file output

1

Partition keys - optional
Add partition keys.

Add a partition key

Check data quality Info
Evaluate data quality before loading data to target. Enable this to check your data for common issues to ensure the data being loaded to target is complete.

Data quality rules
Column count is always greater than 0

Data quality actions
Continue processing when bad data is detected.

Step 4:

- Tab to the IAM roles
 - Choose the one if you already created
 - Either tap to create role
 - Tab to the created glue
 - Choose two permissions:
-
- Cloud full access
 - Aws s3 full access

Note : no need to add other permissions just add those two

Policy was successfully attached to role.

Permissions policies (4) [Info](#)

You can attach up to 10 managed policies.

Filter by Type: All types

☐	Policy name ↗	Type	Attached entities
☐	AmazonCloudWatchEvidentlyFullAccess	AWS managed	1
☐	AmazonS3FullAccess	AWS managed	2
☐	AWSGlueConsoleFullAccess	AWS managed	1
☐	AWSGlueServiceRole	AWS managed	1

▶ Permissions boundary (not set)

▼ Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this role, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#) [↗](#)

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Step 5:

Click to save and run the ETL (glue)

aws-shivam-etl-glue

Last modified on 7/11/2026, 11:35:12 AM

Actions Save Run

Visual Script Job details Runs Data quality Schedules Version Control

Visual workflow diagram showing the ETL process:

- Data source - S3 bucket Amazon S3
- Transform - DropDuplicates Drop Duplicates
- Data target - S3 bucket Amazon S3

Configuration options on the right:

- Autogenerate files (Recommended)
- Multiple file output
- Partition keys - optional
- Check data quality Info

Step 6:

Check the running process go to the Runs

aws-shivam-etl-glue

Last modified on 7/11/2026, 11:35:12 AM

Actions Save Run

Visual Script Job details Runs Data quality Schedules Version Control

Job runs (1/1) Info

Filter job runs by property

Run status	Retries	Start time (Local)	End time (Local)	Duration	Capacity (DPUs)	Worker type	Glue version
Succeeded	0	07/11/2026 11:37:56	07/11/2026 11:39:40	1 m 36 s	10 DPUs	G.1X	5.1


Run details

Input arguments (11) Logs Run insights Metrics Troubleshooting analysis Spark UI

Step 7:

Check the target folder

You will see the updated file in the folder



Before transform

|

After transform

	A	B	
1	name	gender	
2	nikhil	male	
3	raj	male	
4	devendra	male	
5	hello	male	
6			
7			
8			
9			
10			
11			
12			
13			
14			

	A	B	
1	name	gender	
2	nikhil	male	
3	raj	male	
4	devendra	male	
5	hello	male	
6	hello	male	
7	hello	male	
8			
9			
10			
11			