WAANEE AI - MTF CDR TOOLKIT SUITE (v2.0)

Complete Operational Reference & Step-by-Step Training Manual

OVERVIEW

ENTERPRISE PRODUCTION READY ARCHITECTURE

Full-stack React 19 + Node.js/Vercel Serverless. 100% Client-side conversions + Supabase Cloud Database + Browser Fallback.

SECURITY, AUTHENTICATION & MULTI-USER ACCESS ARCHITECTURE

- **Stateless HMAC-SHA256 Signed Tokens:** Tokens stored in HttpOnly secure cookies. No memory overhead on server.
- **Unlimited Simultaneous Users:** Stateless architecture allows 5, 20, or 100+ team members to log in concurrently.
- **12-Hour Continuous Session (SESSION_MAX_AGE):** Log in once at 8 AM and work uninterrupted till 8 PM without re-login.
- **Brute-Force Rate Limiter Protection:** 5 failed password attempts automatically trigger a 15-minute security lock on IP.
- **SSRF-Protected REST API Proxy (/api/send):** Direct gateway queries block private/loopback/cloud metadata IP ranges.
- **100% In-Browser Privacy & Speed:** CDR processing, Excel generation, and JSON parsing execute in client RAM.

COMPLETE TOOLKIT MODULE DIRECTORY (ALL 7 INDEPENDENT TOOLS)

Tool 1	**Disposition Remark Converter**	Map QA/Agent remarks to matched Lead IDs & export formatted Excel	Page 2
Tool 2	**Excel to JSON Converter**	Multi-sheet workbook parser & structured JSON payload generator	Page 2
Tool 3	**API Request Sender**	SSRF-protected REST API client for testing CRM webhook endpoints	Page 3
Tool 4	**Answer Null CDR Filter**	Segregate Answered calls with empty CRM status for redialing campaigns	Page 3
Tool 5	**Lead to Answer Null Generator**	Map raw dialer fields into 57-column standardized CRM lead schema	Page 4
Tool 6	**Sub-Disposition Pivot Converter**	Dual Mode: Portal API Fetch or CSV drop + Automated Pivot + 8 PM Save	Page 4-5
Tool 7	**Daily Analytics & Trend Tracker**	Multi-month comparative dashboard, profit/loss trend & Supabase database	Page 6

TOOL 1 & TOOL 2: DATA TRANSFORMATION SUITE

Remark Injection, Column Mapping, and Structured JSON Generation

MODULES 1 & 2

1 Disposition Remark Converter

site/tools/1-disposition-remark

PURPOSE & BUSINESS IMPACT:

Inject custom agent feedback or QA remarks into matched Lead IDs for CRM

STEP-BY-STEP OPERATION:

1. Upload raw CDR CSV/XLSX file via drag-and-drop zone.
2. Select target campaign filter (Default: MTF-CROSS SELL).
3. Paste Lead IDs in the textarea (separated by commas or newlines).
4. Type the Remark text (e.g. 'Interested - Call Back Tomorrow').
5. Select Match Mode ('Interested Only' or 'All Dispositions').
6. Click 'Download Excel (.xlsx)' to get updated file with 'Remark' column.



2 Excel to JSON Converter

site/tools/2-excel-to-json

PURPOSE & BUSINESS IMPACT:

Convert complex multi-sheet Excel spreadsheets into clean, structured JSON

STEP-BY-STEP OPERATION:

1. Drop multi-sheet workbook (.xlsx, .xls) into converter.
2. Choose the exact sheet to convert from the dropdown list.
3. Toggle 'Trim whitespace' and 'Include empty sub_disposition' options.
4. Live JSON preview renders instantly with syntax validation.
5. Click 'Copy JSON' for 1-click clipboard paste or 'Download JSON File'.

TOOL 3 & TOOL 4: API CLIENT & ANSWER NULL FILTER

Hardened SSRF Proxy Gateway & Dialed Call Segregation

MODULES 3 & 4

3 API Request Sender (SSRF Proxy)

site/tools/3-api-sender

PURPOSE & BUSINESS IMPACT:

Test CRM endpoints & send JSON payloads securely through native backen

STEP-BY-STEP OPERATION:

1. Enter Target Endpoint URL (HTTPS protocol required).
2. Select HTTP Method (POST, GET, PUT, PATCH, DELETE).
3. Paste Authorization Bearer token or custom headers.
4. Paste JSON payload into the Body editor (can be copied from Tool 2).
5. Click 'Send Request' - request is forwarded via backend SSRF proxy.
6. Inspect HTTP response status, execution latency, and formatted response



4 Answer Null CDR Filter

site/tools/4-answer-null-cdr

PURPOSE & BUSINESS IMPACT:

Identify calls that connected at telecom gateway but dropped before agent C

STEP-BY-STEP OPERATION:

1. Upload raw daily dialer export CDR file.
2. Automatic detection filters: Gateway = 'Answer' AND CRM = 'null' / blank.
3. View segregation summary: Total calls vs Answer Null count.
4. Isolate numbers for immediate automated redialing campaigns.
5. Click 'Download Filtered Excel' to generate clean list for campaign manage



TOOL 5 & TOOL 6: CRM LEAD FORMATTING & PORTAL FETCH

57-Column Mapping & Direct Waanee Portal Integration

MODULES 5 & 6

5 Lead to Answer Null Generator

site/tools/5-lead-to-answer-null

PURPOSE & BUSINESS IMPACT:

Format isolated Answer Null records directly into CRM's official 57-field uploa

STEP-BY-STEP OPERATION:

1. Input Answer Null records generated from Tool 4.
2. Mapper maps Phone, Contact Name, DID, and custom metadata fields.
3. Generates all 57 columns required by CRM bulk lead ingestion API.
4. Ensures zero schema rejection errors during daily lead re-injection.



TOOL 6: SUB-DISPOSITION PIVOT CONVERTER (DUAL-MODE CAPABILITY)

DIRECT WAANEE DIAL PORTAL FETCH (API) vs MANUAL FILE UPLOAD

MODE 1: [FILE] MANUAL FILE UPLOAD

Traditional workflow: Drag and drop exported CSV/XLSX file from your local computer.
Works offline with zero internet dependency.

MODE 2: [API] DIRECT DIAL PORTAL FETCH

Matches portal screen (msl.waanee.ai/#/charts):
- Call Type: Predictive, Manual, Inbound
- From / To Date-Time Pickers
- Campaign: MTF-CROSS SELL, South Bot, etc.

3 COLOR-CODED PORTAL ACTION BUTTONS:

Search (Pink)	Hits portal API, fetches live CDR, renders Pivot table & preview
Clear (Green)	Resets From/To timestamps and Campaign filters to default
Export (Cyan)	Immediately downloads the raw CDR CSV file directly to your PC

TOOL 6: AUTOMATED PIVOT TABLE & 8 PM DAILY SAVE

Instant WhatsApp Report Cards & 2-Step Confirmation Modal

PIVOT & 8 PM SAVE

SUB-DISPOSITION PIVOT & CALL CONNECTIVITY REPORT

SUB-DISPOSITION BREAKDOWN:

Interested	**1,240 calls**
Connected to an executive	**820 calls**
Call back	**615 calls**
Need time to think	**410 calls**
Not Interested	**2,150 calls**
null (Agent missed tag)	**185 calls**
Grand Total	**5,420 calls**

CONNECTIVITY METRICS FORMULA:

ANSWER_NULL Calls Gateway Answer + CRM Null	**412**
Connected Calls CRM = 'Contacted'	**3,890**
Total Dialed Calls Total Dialed Phone Attempts	**8,420**
Connectivity Rate Connected / Total Dialed * 100	**46.20%**

END-OF-DAY 8 PM SAVE: 2-STEP CONFIRMATION MODAL WORKFLOW

Step 1: Single Page Button Click	-> Click 'Save Daily Report (8 PM)' in green banner at bottom of tables.
Step 2: 2-Step Modal Review	-> Modal popup appears displaying verified snapshot of today's performance:
- Report Date & Campaign	-> Verify date picker (default: today's date) & selected campaign.
- Total Calls & Dispositions	-> Inspect total calls analyzed and category breakdown counts.
- Connected Calls & Rate %	-> Review final connectivity percentage before locking into master records.
Step 3: Single 'Confirm & Save' Click	-> Click 'Confirm & Save' button - data is permanently written to database!
Permanent Dual-Storage Execution	-> Writes to Browser Storage (never lost on refresh) + Supabase Cloud Database.

TOOL 7: DAILY ANALYTICS & MULTI-MONTH PERFORMANCE TRACKER

Trend Analysis, Executive KPI Cards, Profit/Loss Visibility

MODULE 7

2-3 MONTHS CALL COMPARABILITY & PROFIT/LOSS TRACKING

Monitor daily performance shifts over time, compare campaigns, analyze trend charts, and export master spreadsheets.

TOTAL DIALED	CONNECTED CALLS	AVG. CONNECTIVITY	ANSWER_NULL CALLS
142,580	68,430	48.00%	4,120
Overall Dial Attempts	CRM Contacted calls	Connected / Dialed	Gateway Ans, CRM Null

DAILY CALL VOLUME & CONNECTIVITY RATE TREND CHART

Filters: Last 7 Days | Last 30 Days | Last 90 Days | All Records



SUPABASE CLOUD DATABASE & VERCEL HOSTING GUIDE

Production Database Schema, Environment Variables, and Serverless Setup

DATABASE & DEPLOY

SUPABASE PRODUCTION DATABASE SETUP (SQL EDITOR)

```sql
-- 1. Create table daily_analytics (Handles complete 8 PM daily records)
CREATE TABLE IF NOT EXISTS daily_analytics (
  id              TEXT PRIMARY KEY,            -- Format: YYYY-MM-DD_CAMPAIGN
  report_date     DATE NOT NULL,
  campaign        TEXT DEFAULT 'All campaigns',
  dialed          INTEGER DEFAULT 0,
  connected       INTEGER DEFAULT 0,
  connectivity    FLOAT DEFAULT 0,
  answer_null     INTEGER DEFAULT 0,
  dispositions    JSONB DEFAULT '{}'::jsonb,     -- Complete Sub-Disposition breakdown
  created_at      TIMESTAMPTZ DEFAULT NOW()
);

-- 2. Disable Row Level Security (Backend handles HMAC-SHA256 authenticated access)
ALTER TABLE daily_analytics DISABLE ROW LEVEL SECURITY;
```

VERCEL CLOUD DEPLOYMENT & ENVIRONMENT VARIABLES SETTINGS

Framework Preset:	Other (Custom Static + Serverless)
Root Directory:	./ (Repository root where vercel.json resides)
Build Command:	cd frontend && npm install --include=dev && npm run build
Output Directory:	frontend/dist

5 MANDATORY ENVIRONMENT VARIABLES (Project Settings -> Environment Variables):

ADMIN_USER	Admin	Username for application login
ADMIN_PASS	Admin@123	Strong password for authentication
SESSION_SECRET	32+ char secret string	Key used to sign HMAC-SHA256 session cookies
SUPABASE_URL	https://coqzqvrkcrvodmbntlkf.supabase.co	Supabase project REST endpoint
SUPABASE_KEY	sb_secret_TBZAT... (Secret Key)	Backend Secret Key for database read/write access

END-TO-END PIPELINE & QA TROUBLESHOOTING MATRIX

Operational Workflow Architecture & Common Issue Resolutions

PIPELINE & QA

END-TO-END DAILY OPERATIONAL WORKFLOW PIPELINE

1. Dial Portal (msl.waanee.ai)	-> Direct API Fetch or Download Raw CDR CSV
2. Tool 4 (Answer Null CDR)	-> Segregate Answered calls missing CRM status for immediate re-dialing
3. Tool 5 (Lead Generator)	-> Format leads into standardized 57-column CRM upload template
4. Tool 1 (Remark Adder)	-> Add agent remarks / QA feedback to Interested leads
5. Tool 2 -> Tool 3	-> Convert to JSON payload and POST to CRM endpoint via SSRF Proxy
6. Tool 6 (Sub-Dispo Pivot)	-> Automated Pivot table + WhatsApp screenshot + Connectivity %
7. 8 PM Save -> Tool 7	-> 2-Step confirmation save to Supabase Cloud + Multi-month comparative dashboard

Observed Issue	Probable Root Cause	Exact Solution
Page refresh resets data	Supabase environment variables not saved in Vercel	Add SUPABASE_URL & SUPABASE_KEY in Vercel Settings and R
Columns not found error	Raw CDR file has non-standard header names	Verify headers match: CAMPAIGN NAME, CRM SUB-DISPOSITION
No rows matched filter	Campaign name spelling or uppercase/lowercase mismatch	Select from Campaign filter dropdown (case-insensitive auto match)
API Error 400 (Private IP)	Target API URL points to localhost or private IP range	Use public HTTPS domain. SSRF security blocks private internal IPs
Vercel build fails at root	Vercel framework was set to Vite instead of Other	Set Framework: Other and Root Directory: ./ in Vercel settings
Function maxDuration error	Free Vercel Hobby plan limit exceeded (>10s)	Leave function configuration at default (Hobby plan auto-executes)
Screenshot Ctrl+V disabled	Browser permission blocked writing image to clipboard	Click 'Download screenshot (PNG)' button to save directly to disk
Login session expired	12-hour session timeout reached (SESSION_MAX_AGE)	Re-enter admin credentials on official Waanee AI login screen