CDR Toolkit

User Manual

A simple step-by-step guide to the six converters

This manual shows how to use each tool, what file it needs, and what you get at the end. Every step has a screenshot, so anyone can follow it without technical knowledge.

What is inside

No.	Tool	Use it to
1	Remark Adder	Add remarks to Interested / Connected calls and export Excel
2	Excel to JSON	Turn an Excel or CSV file into JSON
3	API Request Sender	Send that JSON to an API and see the reply
4	Download Answer Null CDR	Filter a CDR file down to Answer + empty disposition rows
5	Answer Null Lead Data	Build the Answer Null upload file from Lead Data
6	Sub-Disposition Pivot	Count calls by sub-disposition and see connectivity

Version 1.0 | November 2026

Getting started

Do these three things once. After that, just pick a tool from the menu.

1. Open the website address given to you by your administrator. Chrome or Edge is recommended.
2. Type the **username** and **password** you were given and click **LOG IN**. You stay logged in for 12 hours. Click **Log out** (top right) when you finish.




Figure 1: The login page

3. Click a tool in the menu on the left (on a phone the menu is at the top). The tool opens on the right.




Figure 2: The toolkit: menu on the left, selected tool on the right

Good to know

- Your files are read inside your own browser. They are **not uploaded** and nothing is stored on the server. Only Tool 3 sends data to a server, because that is its job.
- Tools 1 and 5 need an internet connection (they load the Excel library from the web).
- If a download does not start, allow downloads for this site in your browser.

Tool 1: Remark Adder

Menu name: Disposition Remark Converter

What it does

Reads a CDR file, keeps only the **MTF-CROSS SELL** calls whose CRM SUB-DISPOSITION is **Interested** or **Connected to an executive**, adds a **Remark** column from the list you paste, and downloads an Excel file.

You need

- A CDR file in **.csv** format with the columns CAMPAIGN NAME, CRM SUB-DISPOSITION and RECORD ID
- A list of Record IDs with their remarks (typed or pasted)

Steps

1 In box 1 click **Choose File** and select your CDR CSV. A green line shows the counts: total rows, MTF-CROSS SELL rows, and the final rows kept. Boxes 2 and 3 are greyed out until a valid file is loaded.




Figure 3: Step 1: file loaded and filtered

2 In box 2 type or paste the remarks. Write the **remark on one line**, then the **lead_id lines** that belong to it underneath. A line like **123 [Tab] remark** also works. The tool tells you how many IDs found a remark.




Figure 4: Steps 2 and 3: remarks pasted, counts shown under the buttons

3 In box 3 choose the **file date** (used in the file name), then click a button:

Button	What you get	Example file name
Interested only	Rows whose remark is Interested	4_Nov_MTF_Interested.xlsx
Connected to an executive only	Rows whose remark is Connected to an executive	4_Nov_MTF_Genuine_Connected_To_Executive.xlsx
Download both files	One file with all filtered rows and the Remark column	4_Nov_MTF_Updated_Disposition.xlsx

Tips

- The Remark column is added as the last column of the Excel file.

- For the two "only" buttons the remark text must be exactly **Interested** or **Connected to an executive** (capital letters do not matter).

- IDs you pasted that are not in the filtered file are listed as ignored.

Tool 2: Excel to JSON

What it does

Converts each row of an Excel or CSV file into a JSON record with **lead_id, call_id, sub_disposition, disposition** and **summary**. Copy it or download it as a .json file.

You need

- An **.xlsx** or **.csv** file with a lead / record ID column and a call ID column
- Optional: a remark column and a Call_description column

Steps

1. Click the box or drag your file onto it. If the workbook has several sheets, a **Sheet** list appears; pick one.
2. Under **Map the columns** check each list. The tool picks columns by name automatically (for example Record ID, Call ID, Remark, Call_description). Change a list if it picked the wrong column.




Figure 5: Columns mapped on the left, JSON result on the right

Field	Required?	Comes from
lead_id	Yes	Column of your file (e.g. Record ID)
call_id	Yes	Column of your file (e.g. Call ID)
disposition	Yes	You type one value for every record (default: Contacted)
sub_disposition	No	Column of your file (e.g. Remark). Choose (none) to leave it out
summary	No	Column Call_description. Choose (none) to leave it out

3. Click **Copy JSON** or **Download .json**. The line above the box shows how many records were converted and how many were skipped.

Example result

```
[
  {
    "lead_id": 1001,
    "call_id": "0910-1",
    "sub_disposition": "Interested",
    "disposition": "Contacted",
    "summary": "Customer asked for a call back"
  }
]
```

Rules to remember

- Rows with no lead_id or no call_id are skipped.

- If a call_id appears more than once, only the first row is kept.

- A leading apostrophe in call_id is removed, and lead_id becomes a number when possible.

- Rows with an empty sub_disposition are skipped unless you tick **Include rows with an empty sub_disposition**.

Tool 3: API Request Sender

What it does

Sends a request to an API address through the website server and shows the reply (status, time, size, body and headers). It works like Postman. Use it to send the JSON from Tool 2.

Steps

1. Choose the **method** (for example POST) and type the full **URL** starting with https://.
2. If the API needs a login, choose the **Authorization** type (Bearer Token, Basic Auth or API Key) and fill in the boxes. If no login is needed, choose **No Auth** and leave the token box empty.
3. Keep the **Headers** as they are (Content-Type: application/json) unless your API needs more.
4. In **Body** type your JSON, or click **Use JSON from converter** to load the result of Tool 2 (convert a file in Tool 2 first). **Format JSON** tidies the text.
5. Click **Send**. The reply appears below. A green badge such as **200 OK** means success. Use the **Body** and **Headers** tabs to switch views.




Figure 6: A request and its reply (example)

Limits and tips

- It cannot reach private or local addresses such as localhost or 192.168.x.x. Use a public URL.
- A request waits up to 30 seconds. Replies up to 4 MB are shown.
- Be careful with methods that change data (POST, PUT, DELETE) on live systems. The tool shows a warning for them.
- If you were logged out, you are sent back to the login page. Log in and try again.

Tool 4: Download Answer Null CDR

What it does

Filters a CDR file by **campaign** and **gateway disposition**, keeps the rows where **CRM DISPOSITION is empty**, and downloads the result as Excel.

You need

- A CDR file in **.csv** format with the columns CAMPAIGN NAME, GATEWAY DISPOSITION and CRM DISPOSITION

- If you have an Excel file, save it as CSV first.

Steps

1. Drop the CSV on the box or click it. After loading, the box turns green and shows the file name with its rows and columns.

2. Check the **filters**. They start as MTF-CROSS SELL and ANSWER; change them if needed (leave a box empty for no filter). Choose what to do with CRM DISPOSITION:

Option	Result
Keep null rows only (default)	Only rows where CRM DISPOSITION is empty
Clear the column	All rows kept, CRM DISPOSITION values removed
Do nothing	CRM DISPOSITION stays as it is




Figure 7: Steps 1 and 2: file loaded, filters set

3 Click **Convert & Download XLSX**. The boxes show the row count after each filter (Total, Campaign, Gateway, Final) and a preview of the first 5 rows. The file is saved as **yourfilename_filtered.xlsx**.




Figure 8: Step 3: counts after each filter and a preview

Tips

- "Empty" means blank, null, nan or none.
- Capital letters, extra spaces, hyphens and underscores are ignored when matching names.
- If no rows are left, check the spelling of the campaign and gateway filters.

Tool 5: Answer Null Lead Data

What it does

Turns a Lead Data Excel file into the **Answer Null** file, which has a fixed set of 57 columns.

You need

- An **.xlsx** file with the columns CUSTOMER NAME, RECORD ID, Remark, CALL ID, CALL ATTEMPT, CAMPAIGN NAME and GATEWAY DISPOSITION

- Optional: CALL START TIME (used for the file name)

Steps

1. Click the box or drop your Excel file. The file name appears and the message **File ready** is shown.
2. Set **date_entered** (date and time). Every row gets this value. All other fixed columns stay the same.




Figure 9: File ready; set date_entered and click Convert

3. Click **Convert & Download**. A message tells you how many rows were converted and the file name.

Which rows are used

- Remark is not empty, campaign is **MTF-CROSS SELL** and gateway disposition is **ANSWER**.

What you get

- File name like **4_Nov_MTF_ANSWER_NULL.xlsx**. The date comes from the first row's CALL START TIME, or from date_entered if that is missing.

- Filled from your file: id (1, 2, 3...), full_name, parent_id (Record ID), sub_disposition (Remark), call_id, call_attempt_number and date_entered.

Tool 6: Sub-Disposition Pivot

What it does

Counts calls for each **CRM SUB-DISPOSITION** of a campaign (a pivot table) and shows a **connectivity** summary.

You need

- A **.csv** or **.xlsx** file with CAMPAIGN NAME and CRM SUB-DISPOSITION
- For the summary also GATEWAY DISPOSITION and CRM DISPOSITION

Steps

1. Drop your file on the box or click it. The tool tells you how many rows it found.
2. Pick the **Campaign filter** (the number in brackets is its row count, or choose All campaigns). The campaign and value columns are chosen automatically when the standard names are found.




Figure 10: The pivot table with Grand Total and the download buttons

Tool 6: Sub-Disposition Pivot (continued)

3 Use a button under the table:

Button	Use it to
Download screenshot (PNG)	Save the table as a picture to send on WhatsApp or email
Copy screenshot	Copy the picture, then press Ctrl+V in your chat or email
Download Excel (.xlsx)	Get the table in Excel (Grand Total is a formula)
Download CSV	Get the table as a CSV file
Copy (paste into Excel)	Copy the table, then press Ctrl+V in Excel

4 Scroll down to **Call Summary & Connectivity**. It has the same screenshot and copy buttons.




Figure 11: Call summary and connectivity

How the summary is worked out

- **ANSWER_NULL Calls**: gateway disposition is Answer and CRM DISPOSITION is empty.
- **Connected Calls**: CRM DISPOSITION is Contacted.
- **Total Dialed Calls**: all rows of the chosen campaign.
- **Connectivity** = Connected Calls / Total Dialed Calls. A blank sub-disposition shows as "null" in the table.

Quick reference

Tool	Accepts	You get
1 Remark Adder	CSV	Excel with a Remark column
2 Excel to JSON	XLSX, XLSM, CSV	JSON text or .json file
3 API Request Sender	Typed or pasted JSON	The API reply on screen
4 Download Answer Null CDR	CSV	Excel (_filtered.xlsx)
5 Answer Null Lead Data	XLSX	Excel (_MTF_ANSWER_NULL.xlsx)
6 Sub-Disposition Pivot	CSV, XLSX	Table (PNG, Excel, CSV, copy) and summary

Common problems

What you see	What to do
Incorrect username or password	Check the details. After 5 wrong tries login is blocked for 15 minutes.
ADMIN_PASSWORD is not set on the server	Tell your administrator; the password has not been set up yet.
Columns not found / These columns were not found in the file	The column names in your file must match the names listed for the tool. Check the heading row.
Only .csv files are supported (Tool 4)	Open the file in Excel and use Save As > CSV.
Only .csv or .xlsx files are supported (Tool 6)	For an old .xls file, use Save As > .xlsx first.
Tool 1 or 5 does nothing or shows an error	They need an internet connection to load the Excel library. Check your connection and refresh.
No rows left after filtering	Check the spelling of campaign and gateway filters.
Private or internal addresses are not allowed (Tool 3)	Use a public https:// address.
The page stops responding with a very large file	Split the file into smaller parts (files over about 100 MB are too big for a browser).
You were sent back to the login page	Your session ended (12 hours). Log in again.

Privacy

Files you open in tools 1, 2, 4, 5 and 6 stay in your browser and are never uploaded. Closing or refreshing the tab clears them from memory.