

Run Store Rating Platform on Another Machine

1) Clone the repository

```
git clone https://github.com/Shivamsah123/Store-Rating-Platform.git
cd Store-Rating-Platform
```

If the repository already exists, update it:

```
git pull origin main
```

2) Backend setup

```
cd backend
npm install
```

Create or update backend/.env with these values:

```
DB_HOST=localhost
DB_PORT=3306
DB_USER=root
DB_PASSWORD=your_mysql_password
DB_NAME=store_rating_platform
JWT_SECRET=your_secret_key_min_32_characters
JWT_EXPIRES_IN=24h
NODE_ENV=development
CLIENT_URL=http://localhost:5173
DB_ALTER=false
```

Make sure MySQL is running before continuing.

Seed the database and start the backend:

```
npm run seed
npm run dev
```

Backend URL:

- <http://localhost:5000>
- **Swagger docs:** <http://localhost:5000/api-docs>

3) Frontend setup

Open a new terminal window:

```
cd frontend
npm install
```

Create frontend/.env with this value:

```
VITE_API_URL=http://localhost:5000/api
```

Start the frontend:

```
npm run dev
```

Frontend URL:

- <http://localhost:5173>

4) Default test accounts

Use these credentials after seeding the database:

- Admin:
 - Email: admin@platform.com
 - Password: Password123!
- Store Owner:
 - Email: owner1@store.com
 - Password: Password123!
- Normal User:
 - Email: user1@consumer.com
 - Password: Password123!

5) Verify the app

Open in browser:

- <http://localhost:5173>

If login does not work, verify that the backend is running and the `.env` values are correct.

6) Notes

- Do not delete `frontend/node_modules` or `backend/node_modules`.
- If a root `node_modules` exists from temporary PDF generation, you can ignore or delete it.
- The frontend is configured to run on `localhost` only.