Smart Agriculture Using the Internet of Things: Architecture, Technologies, Applications and Challenges

Name	Shivanand M Agasimani
Institution	Jawaharlal Nehru New College of Engineering
Department	Electronics and Communication Engineering
Semester/Year	3rd Semester, 2026
Internship	Internet of Things (IoT) Internship
Organization	CodeAlpha
Task	Task 1: Research Report, IoT in Real Life

Abstract

Agriculture must produce more food with limited water and land. This report examines how the Internet of Things (IoT) supports smart agriculture. It describes a four-layer system architecture, the sensors, communication protocols and processing platforms involved, and applications such as automated irrigation, crop monitoring and livestock tracking. It also discusses benefits, limitations such as calibration, connectivity, cost and security, and future directions including artificial intelligence (AI) and edge computing.

1. Introduction

The Internet of Things (IoT) is a network of physical devices that combine sensing, processing and communication so that they can exchange data with little human intervention. In agriculture, this idea is applied to fields, greenhouses and livestock farms. Smart agriculture, closely related to precision farming, replaces uniform, calendar-based practices with management that responds to measured conditions at a specific place and time [3].

The motivation is strong. Irrigated agriculture accounts for more than 70 percent of global water withdrawals [1], so even small efficiency gains matter. IoT and wireless sensor networks (WSNs) are already used for irrigation, soil moisture monitoring, fertilizer control, early pest and disease management, and energy conservation [2].

2. Overview of Smart Agriculture

Precision farming treats land as a dynamic system in which soil, crop and weather conditions vary across space and time [3]. Instead of applying the same quantity of water or fertilizer everywhere, the farmer applies what each zone actually needs. Sensor data form the foundation of this approach, supplying real-time information on soil, plant growth and environment, while IoT connectivity and AI improve how the data are collected, analysed and used [3].

3. IoT Architecture and Working Principle

A commonly described IoT framework for precision farming has four layers [3]. The sensor layer contains the physical devices that collect data. The transmission layer carries the data over networks. The monitoring layer analyses the data and regulates control algorithms. The application layer provides the user interface and decision support.

Automated irrigation shows how these layers work together. A soil moisture probe connected to a microcontroller node samples the soil at regular intervals. The node sends each reading wirelessly to a gateway, which forwards it to a cloud or local server. The server compares the value with a threshold or model and sends a command to a relay that opens a valve or starts a pump. Simple threshold-based control is easy to deploy but adapts poorly to rapidly changing conditions, whereas AI-enhanced systems use fuzzy logic or neural networks to combine moisture levels, weather forecasts and evapotranspiration rates [3]. This sense–transmit–decide–act loop is the core working principle of smart agriculture.




Figure 1: Four-Layer IoT Architecture for Smart Irrigation

4. Major Components and Technologies

Sensors. Soil moisture sensing uses several principles. Time Domain Reflectometry (TDR) is robust across soil textures and salinity but costly, Frequency Domain Reflectometry (FDR) is flexible but sensitive to calibration errors, and capacitance sensors are affordable but less precise [3]. Other nodes measure pH, nitrogen–phosphorus–potassium (NPK) levels, air temperature, humidity, rainfall and light intensity [3].

Communication. Common protocols for farm data collection include ZigBee, Wi-Fi, Sigfox and LoRaWAN [2]. IEEE 802.15.4 and 802.11 based links have short range; beyond roughly 25–50 m they need multi-hop or mesh networking [3]. LoRa instead offers a range of up to 10 km in unlicensed ISM bands with low power, but its throughput in kilobits per second suits only small payloads [3]. LoRaWAN is a MAC-layer protocol built on LoRa for large device populations [3], although it has bottlenecks that affect agricultural applications [4]. Cellular NB-IoT is also used, for example in rugged IP65 soil probes [3]. At the application level, MQTT provides lightweight publish/subscribe messaging [5].

Processing and power. Cloud platforms store and analyse data but can add latency and bandwidth pressure, which edge computing reduces by processing data near the source [3]. Because field power is scarce, solar panels are used to recharge node batteries [3].




Figure 2: LoRa/LoRaWAN-Based Farm Network

5. Real-World Applications

Smart irrigation is a representative application. Reviewed examples include IoT-enabled irrigation with over 30 percent water savings in Asia-Pacific settings, and precision farming has been reported to cut water use by 20 to over 50 percent, though results depend on environment and implementation [3]. Nutrient management uses NPK and pH probes to match fertilizer to soil needs [3]. Crop health monitoring combines drone-mounted multispectral cameras with indices such as NDVI to detect stress early [3]. Livestock monitoring uses ear tags and GPS collars to track activity, temperature and feeding, and can detect estrus and mastitis, although false alarms remain a problem [3].

6. Benefits and Advantages

The main benefit is efficient use of inputs: applying water and chemicals according to measured need reduces over-application and pollution [3]. Smart irrigation can also optimize electricity use and labor costs [4].

7. Challenges and Limitations

Sensor accuracy is a major issue. Drift from salinity, component aging and fouling degrades readings over time, and dielectric soil moisture sensors need site-specific calibration across soil types [3]. Rural connectivity, limited energy and harsh weather affect reliability [3]. High cost and limited technical expertise restrict adoption by smallholders [3]. Interoperability is weak because vendors use proprietary formats and isolated platforms [3]. Security and privacy are also concerns, with unclear data ownership [3]. Finally, AI works best as a decision-support tool rather than an independent decision-maker [3].

8. Future Scope

Future systems are likely to combine IoT with AI and edge computing so that analysis happens close to the field. Deep-learning-based self-calibration algorithms for soil moisture sensors are being developed, and LoRa is improving rural communication reliability [3]. Low-cost sensors, energy harvesting, open standards and robotic integration are other directions [3].

9. Conclusion

IoT turns farming into a closed loop of sensing, communication, analysis and action, so that water and nutrients are applied where and when needed. Adoption is still limited by calibration, rural connectivity, cost, interoperability and security, which are practical problems in low-power design, wireless communication and robust sensing.

References

[1] Food and Agriculture Organization of the United Nations, *The State of Food and Agriculture 2020: Overcoming Water Challenges in Agriculture*. Rome, Italy: FAO, 2020. [Online]. Available: https://openknowledge.fao.org/bitstreams/4680d28b-6b4c-4b82-a2de-0d356d3306be/download

[2] M. N. Mowla, N. Mowla, A. F. M. S. Shah, K. M. Rabie, and T. Shongwe, "Internet of Things and wireless sensor networks for smart agriculture applications: A survey," *IEEE Access*, vol. 11, pp. 145813–145852, 2023, doi: 10.1109/ACCESS.2023.3346299.

[3] B. O. Manono, B. Mwami, S. Mutavi, and F. Nzilu, "Precision farming with smart sensors: Current state, challenges and future outlook," *Sensors*, vol. 26, no. 3, Art. no. 882, Jan. 2026, doi: 10.3390/s26030882.

[4] B. Citoni, F. Fioranelli, M. A. Imran, and Q. Abbasi, "Internet of Things and LoRaWAN-enabled future smart farming," *IEEE Internet Things Mag.*, vol. 2, no. 4, pp. 14–19, 2019, doi: 10.1109/IOTM.0001.1900043.

[5] OASIS, "MQTT Version 3.1.1," OASIS Standard, Oct. 2014. [Online]. Available: http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/os/mqtt-v3.1.1-os.html