```
!pip install pytorch_tabnet
Collecting pytorch tabnet
  Downloading pytorch tabnet-4.1.0-py3-none-any.whl.metadata (15 kB)
Requirement already satisfied: numpy>=1.17 in /usr/local/lib/python3.11/dist-packages (fr
om pytorch tabnet) (2.0.2)
Requirement already satisfied: scikit learn>0.21 in /usr/local/lib/python3.11/dist-packag
es (from pytorch tabnet) (1.6.1)
Requirement already satisfied: scipy>1.4 in /usr/local/lib/python3.11/dist-packages (from
pytorch tabnet) (1.15.3)
Requirement already satisfied: torch>=1.3 in /usr/local/lib/python3.11/dist-packages (fro
m pytorch tabnet) (2.6.0+cu124)
Requirement already satisfied: tqdm>=4.36 in /usr/local/lib/python3.11/dist-packages (fro
m pytorch tabnet) (4.67.1)
Requirement already satisfied: joblib>=1.2.0 in /usr/local/lib/python3.11/dist-packages (
from scikit learn>0.21->pytorch tabnet) (1.5.1)
Requirement already satisfied: threadpoolctl>=3.1.0 in /usr/local/lib/python3.11/dist-pac
kages (from scikit learn>0.21->pytorch tabnet) (3.6.0)
Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from
torch>=1.3->pytorch_tabnet) (3.18.0)
Requirement already satisfied: typing-extensions>=4.10.0 in /usr/local/lib/python3.11/dis
t-packages (from torch>=1.3->pytorch_tabnet) (4.14.0)
Requirement already satisfied: networkx in /usr/local/lib/python3.11/dist-packages (from
torch>=1.3->pytorch tabnet) (3.5)
Requirement already satisfied: jinja2 in /usr/local/lib/python3.11/dist-packages (from to
rch>=1.3->pytorch tabnet) (3.1.6)
Requirement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from to
rch>=1.3->pytorch tabnet) (2025.3.2)
Collecting nvidia-cuda-nvrtc-cu12==12.4.127 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia cuda nvrtc cu12-12.4.127-py3-none-manylinux2014 x86 64.whl.metadata
(1.5 \text{ kB})
Collecting nvidia-cuda-runtime-cu12==12.4.127 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia cuda runtime cu12-12.4.127-py3-none-manylinux2014 x86 64.whl.metadat
Collecting nvidia-cuda-cupti-cu12==12.4.127 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia cuda cupti cu12-12.4.127-py3-none-manylinux2014 x86 64.whl.metadata
(1.6 \text{ kB})
Collecting nvidia-cudnn-cu12==9.1.0.70 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia cudnn cu12-9.1.0.70-py3-none-manylinux2014 x86 64.whl.metadata (1.6
kB)
Collecting nvidia-cublas-cu12==12.4.5.8 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia_cublas_cu12-12.4.5.8-py3-none-manylinux2014_x86_64.whl.metadata (1.5
Collecting nvidia-cufft-cu12==11.2.1.3 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia cufft cu12-11.2.1.3-py3-none-manylinux2014 x86 64.whl.metadata (1.5
Collecting nvidia-curand-cu12==10.3.5.147 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia curand cu12-10.3.5.147-py3-none-manylinux2014 x86 64.whl.metadata (1
Collecting nvidia-cusolver-cu12==11.6.1.9 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia cusolver cu12-11.6.1.9-py3-none-manylinux2014 x86 64.whl.metadata (1
Collecting nvidia-cusparse-cu12==12.3.1.170 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia cusparse cu12-12.3.1.170-py3-none-manylinux2014 x86 64.whl.metadata
Requirement already satisfied: nvidia-cusparselt-cu12==0.6.2 in /usr/local/lib/python3.11
/dist-packages (from torch>=1.3->pytorch tabnet) (0.6.2)
Requirement already satisfied: nvidia-nccl-cu12==2.21.5 in /usr/local/lib/python3.11/dist
-packages (from torch>=1.3->pytorch_tabnet) (2.21.5)
Requirement already satisfied: nvidia-nvtx-cu12==12.4.127 in /usr/local/lib/python3.11/di
st-packages (from torch>=1.3->pytorch tabnet) (12.4.127)
Collecting nvidia-nvjitlink-cu12==12.4.127 (from torch>=1.3->pytorch tabnet)
  Downloading nvidia_nvjitlink_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl.metadata (
1.5 kB)
Requirement already satisfied: triton==3.2.0 in /usr/local/lib/python3.11/dist-packages (
from torch>=1.3->pytorch tabnet) (3.2.0)
Requirement already satisfied: sympy==1.13.1 in /usr/local/lib/python3.11/dist-packages (
```

```
from torch>=1.3->pytorch_tabnet) (1.13.1)
Requirement already satisfied: mpmath<1.4,>=1.1.0 in /usr/local/lib/python3.11/dist-packa
ges (from sympy == 1.13.1 -> torch> = 1.3 -> pytorch_tabnet) (1.3.0)
Requirement already satisfied: MarkupSafe>=2.0 in /usr/local/lib/python3.11/dist-packages
(from jinja2->torch>=1.3->pytorch tabnet) (3.0.2)
Downloading pytorch tabnet-4.1.0-py3-none-any.whl (44 kB)
                                           - 44.5/44.5 kB 2.1 MB/s eta 0:00:00
Downloading nvidia cublas cu12-12.4.5.8-py3-none-manylinux2014 x86 64.whl (363.4 MB)
                                           - 363.4/363.4 MB 4.4 MB/s eta 0:00:00
Downloading nvidia_cuda_cupti_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl (13.8 MB)
                                           - 13.8/13.8 MB 64.5 MB/s eta 0:00:00
Downloading nvidia_cuda_nvrtc_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl (24.6 MB)
                                           - 24.6/24.6 MB 56.9 MB/s eta 0:00:00
Downloading nvidia cuda runtime cu12-12.4.127-py3-none-manylinux2014 x86 64.whl (883 kB)
                                           - 883.7/883.7 kB 39.6 MB/s eta 0:00:00
Downloading nvidia cudnn cu12-9.1.0.70-py3-none-manylinux2014 x86 64.whl (664.8 MB)
                                           - 664.8/664.8 MB 2.9 MB/s eta 0:00:00
Downloading nvidia cufft cu12-11.2.1.3-py3-none-manylinux2014_x86_64.whl (211.5 MB)
                                           - 211.5/211.5 MB 6.6 MB/s eta 0:00:00
Downloading nvidia curand cu12-10.3.5.147-py3-none-manylinux2014 x86 64.whl (56.3 MB)
                                          - 56.3/56.3 MB 13.3 MB/s eta 0:00:00
Downloading nvidia cusolver cu12-11.6.1.9-py3-none-manylinux2014 x86 64.whl (127.9 MB)
                                          - 127.9/127.9 MB <mark>8.5 MB/s</mark> eta 0:00:00
Downloading nvidia cusparse cu12-12.3.1.170-py3-none-manylinux2014 x86 64.whl (207.5 MB)
                                          - 207.5/207.5 MB 6.3 MB/s eta 0:00:00
Downloading nvidia nvjitlink cu12-12.4.127-py3-none-manylinux2014_x86_64.whl (21.1 MB)
                                        --- 21.1/21.1 MB 69.7 MB/s eta 0:00:00
Installing collected packages: nvidia-nvjitlink-cu12, nvidia-curand-cu12, nvidia-cufft-cu
12, nvidia-cuda-runtime-cu12, nvidia-cuda-nvrtc-cu12, nvidia-cuda-cupti-cu12, nvidia-cubl
as-cu12, nvidia-cusparse-cu12, nvidia-cudnn-cu12, nvidia-cusolver-cu12, pytorch tabnet
 Attempting uninstall: nvidia-nvjitlink-cu12
    Found existing installation: nvidia-nvjitlink-cu12 12.5.82
    Uninstalling nvidia-nvjitlink-cu12-12.5.82:
      Successfully uninstalled nvidia-nvjitlink-cu12-12.5.82
 Attempting uninstall: nvidia-curand-cu12
    Found existing installation: nvidia-curand-cu12 10.3.6.82
    Uninstalling nvidia-curand-cu12-10.3.6.82:
      Successfully uninstalled nvidia-curand-cu12-10.3.6.82
 Attempting uninstall: nvidia-cufft-cu12
    Found existing installation: nvidia-cufft-cu12 11.2.3.61
    Uninstalling nvidia-cufft-cu12-11.2.3.61:
      Successfully uninstalled nvidia-cufft-cu12-11.2.3.61
 Attempting uninstall: nvidia-cuda-runtime-cu12
    Found existing installation: nvidia-cuda-runtime-cu12 12.5.82
   Uninstalling nvidia-cuda-runtime-cu12-12.5.82:
      Successfully uninstalled nvidia-cuda-runtime-cu12-12.5.82
 Attempting uninstall: nvidia-cuda-nvrtc-cu12
    Found existing installation: nvidia-cuda-nvrtc-cu12 12.5.82
   Uninstalling nvidia-cuda-nvrtc-cu12-12.5.82:
      Successfully uninstalled nvidia-cuda-nvrtc-cu12-12.5.82
 Attempting uninstall: nvidia-cuda-cupti-cu12
    Found existing installation: nvidia-cuda-cupti-cu12 12.5.82
   Uninstalling nvidia-cuda-cupti-cu12-12.5.82:
      Successfully uninstalled nvidia-cuda-cupti-cu12-12.5.82
 Attempting uninstall: nvidia-cublas-cu12
    Found existing installation: nvidia-cublas-cu12 12.5.3.2
   Uninstalling nvidia-cublas-cu12-12.5.3.2:
      Successfully uninstalled nvidia-cublas-cu12-12.5.3.2
 Attempting uninstall: nvidia-cusparse-cu12
    Found existing installation: nvidia-cusparse-cu12 12.5.1.3
   Uninstalling nvidia-cusparse-cu12-12.5.1.3:
      Successfully uninstalled nvidia-cusparse-cu12-12.5.1.3
 Attempting uninstall: nvidia-cudnn-cu12
    Found existing installation: nvidia-cudnn-cu12 9.3.0.75
   Uninstalling nvidia-cudnn-cu12-9.3.0.75:
      Successfully uninstalled nvidia-cudnn-cu12-9.3.0.75
 Attempting uninstall: nvidia-cusolver-cu12
    Found existing installation: nvidia-cusolver-cu12 11.6.3.83
    Uninstalling nvidia-cusolver-cu12-11.6.3.83:
      Successfully uninstalled nvidia-cusolver-cu12-11.6.3.83
Successfully installed nvidia-cublas-cu12-12.4.5.8 nvidia-cuda-cupti-cu12-12.4.127 nvidia
-cuda-nvrtc-cu12-12.4.127 nvidia-cuda-runtime-cu12-12.4.127 nvidia-cudnn-cu12-9.1.0.70 nv
```

```
idia-cufft-cu12-11.2.1.3 nvidia-curand-cu12-10.3.5.147 nvidia-cusolver-cu12-11.6.1.9 nvid ia-cusparse-cu12-12.3.1.170 nvidia-nvjitlink-cu12-12.4.127 pytorch tabnet-4.1.0
```

In [2]:

```
import pandas as pd
import numpy as np
from sklearn.model_selection import StratifiedKFold, train_test_split
from sklearn.preprocessing import LabelEncoder, StandardScaler
from sklearn.impute import SimpleImputer
from sklearn.metrics import accuracy_score, f1_score, precision_score, recall_score, roc_auc_score
from pytorch_tabnet.tab_model import TabNetClassifier
import torch
```

In [3]:

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.preprocessing import LabelEncoder, StandardScaler
from sklearn.impute import SimpleImputer

df_uci = pd.read_csv("heart_disease_uci.csv")
df_uci.drop(columns=["id", "dataset"], inplace=True)
df_uci["target"] = df_uci["num"].apply(lambda x: 1 if x > 0 else 0)
df_uci.drop(columns=["num"], inplace=True)

numerical_uci = ['age', 'trestbps', 'chol', 'thalch', 'oldpeak', 'ca']
categorical_uci = ['sex', 'cp', 'fbs', 'restecg', 'exang', 'slope', 'thal']
```

In [4]:

```
df_uci[numerical_uci] = SimpleImputer(strategy="median").fit_transform(df_uci[numerical_uci])
for col in categorical_uci:
    df_uci[col] = LabelEncoder().fit_transform(df_uci[col].astype(str))
df_uci[numerical_uci] = StandardScaler().fit_transform(df_uci[numerical_uci])

# Renaming columns
df_uci.rename(columns={"chol": "cholesterol", "sex": "gender"}, inplace=True)
```

In [5]:

```
# Preprocessing
df_kaggle = pd.read_csv("cardio_train.csv", sep=';')
df_kaggle.drop(columns=["id"], inplace=True)
df_kaggle["target"] = df_kaggle["cardio"]
df_kaggle.drop(columns=["cardio"], inplace=True)


categorical_kaggle = ['gender', 'cholesterol', 'gluc', 'smoke', 'alco', 'active']
numerical_kaggle = ['age', 'height', 'weight', 'ap_hi', 'ap_lo']


for col in categorical_kaggle:
    df_kaggle[col] = LabelEncoder().fit_transform(df_kaggle[col].astype(str))
df_kaggle[numerical_kaggle] = StandardScaler().fit_transform(df_kaggle[numerical_kaggle])
```


In [6]:

```
# Plotting
overlapping_features = ['age', 'cholesterol', 'gender']

for feature in overlapping_features:
    plt.figure(figsize=(8, 4))
    sns.kdeplot(df_uci[feature], label='UCI', fill=True, linewidth=2)
    sns.kdeplot(df_kaggle[feature], label='Kaggle', fill=True, linewidth=2)
    plt.title(f"Feature Distribution: {feature}")
    plt.xlabel(feature)
    plt.legend()
    plt.grid(True)
```







9-..--

In [7]:

In [8]:

```
# Training on UCI
tabnet uci = TabNetClassifier(
   n_d=32, n_a=32, n_steps=5,
   gamma=1.5, lambda sparse=1e-3, momentum=0.5,
   optimizer fn=torch.optim.Adam,
   optimizer params=dict(lr=0.01),
   scheduler_params={"step_size": 10, "gamma": 0.9},
   scheduler fn=torch.optim.lr scheduler.StepLR,
   verbose=0,
   seed=42
tabnet uci.fit(
   X uci train, y uci train,
   eval set=[(X uci train, y uci train), (X uci test, y uci test)],
   eval_name=['train', 'val'],
   eval metric=['accuracy'],
   max epochs=100,
   patience=10,
   batch size=1024,
   virtual_batch_size=128,
   num workers=0,
   drop_last=False
```

Early stopping occurred at epoch 30 with best epoch = 20 and best val accuracy = 0.7663

/usr/local/lib/python3.11/dist-packages/pytorch_tabnet/callbacks.py:172: UserWarning: Bes t weights from best epoch are automatically used! warnings.warn(wrn_msg)

In [9]:

```
tabnet_kaggle.fit(
    X_kaggle_train, y_kaggle_train,
    eval_set=[(X_kaggle_train, y_kaggle_train), (X_kaggle_test, y_kaggle_test)],
    eval_name=['train', 'val'],
    eval_metric=['accuracy'],
    max_epochs=100,
    patience=10,
    batch_size=1024,
    virtual_batch_size=128,
    num_workers=0,
    drop_last=False
)
```

Early stopping occurred at epoch 19 with best_epoch = 9 and best_val_accuracy = 0.71736

/usr/local/lib/python3.11/dist-packages/pytorch_tabnet/callbacks.py:172: UserWarning: Bes t weights from best epoch are automatically used! warnings.warn(wrn_msg)

In [10]:

```
import shap
X_sample_uci = X_uci_test[:200]
background_uci = X_uci_train[:100]
explainer_uci = shap.KernelExplainer(lambda x: tabnet_uci.predict_proba(x)[:, 1], backgr
ound_uci)
shap_values_uci = explainer_uci.shap_values(X_sample_uci)
```

In [11]:

```
X_sample_kaggle = X_kaggle_test[:200]
background_kaggle = X_kaggle_train[:100]
explainer_kaggle = shap.KernelExplainer(lambda x: tabnet_kaggle.predict_proba(x)[:, 1],
background_kaggle)
shap_values_kaggle = explainer_kaggle.shap_values(X_sample_kaggle)
```

In [12]:

```
feature_names_uci = df_uci.drop(columns=["target"]).columns.tolist()
feature_names_kaggle = df_kaggle.drop(columns=["target"]).columns.tolist()


mean_abs_shap_uci = np.abs(shap_values_uci).mean(axis=0)
mean_abs_shap_kaggle = np.abs(shap_values_kaggle).mean(axis=0)
```


In [13]:

```
import matplotlib.pyplot as plt
import numpy as np

# Plotting UCI SHAP
plt.figure(figsize=(8, 6))
plt.barh(feature_names_uci[::-1], mean_abs_shap_uci[::-1])
plt.title("UCI-trained TabNet SHAP Importance")
plt.xlabel("Mean |SHAP value|")
plt.grid(True)
plt.tight_layout()
plt.show()
```


UCI-trained TabNet SHAP Importance





In [14]:

```
# Plotting kaggle SHAP
plt.figure(figsize=(8, 6))
plt.barh(feature_names_kaggle[::-1], mean_abs_shap_kaggle[::-1], color='orange')
plt.title("Kaggle-trained TabNet SHAP Importance")
plt.xlabel("Mean |SHAP value|")
plt.grid(True)
plt.tight_layout()
plt.show()
```




```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
uci names = df uci.drop(columns=["target"]).columns.tolist()
kaggle names = df kaggle.drop(columns=["target"]).columns.tolist()
shared features = list(set(uci names).intersection(set(kaggle names)))
# Mapping SHAP values to names
shap uci series = pd.Series(mean abs shap uci, index=uci names)
shap kaggle series = pd.Series(mean abs shap kaggle, index=kaggle names)
# Keeping only shared features
shap comparison = pd.DataFrame({
    'UCI': shap uci series[shared features],
    'Kaggle': shap kaggle series[shared features]
})
# 5. Sorting
shap comparison = shap comparison.loc[shap comparison.mean(axis=1).sort values(ascending=
True) .index]
# 6. Plot grouped horizontal bar chart
shap comparison.plot(kind='barh', figsize=(10, 6))
plt.title("SHAP Importance: UCI vs Kaggle (Shared Features)")
plt.xlabel("Mean |SHAP value|")
plt.grid(True)
plt.tight layout()
plt.show()
```

In [15]:

```
# Real feature names
uci names = df uci.drop(columns=["target"]).columns.tolist()
kaggle names = df kaggle.drop(columns=["target"]).columns.tolist()
all features = sorted(set(uci_names).union(set(kaggle_names)))
# Mapping SHAP values
shap_uci_series = pd.Series(mean_abs_shap_uci, index=uci_names)
shap kaggle series = pd.Series(mean abs shap kaggle, index=kaggle names)
shap uci series full = shap uci series.reindex(all features, fill value=0)
shap kaggle series full = shap kaggle series.reindex(all features, fill value=0)
# Combining into DataFrame
shap all df = pd.DataFrame({
    'UCI': shap uci series full,
    'Kaggle': shap_kaggle_series_full
})
# Sorting by total SHAP value
shap all df = shap all df.loc[shap all df.sum(axis=1).sort values(ascending=True).index]
shap all df.plot(kind='barh', figsize=(8, 6)) # smaller size
plt.title("SHAP Importance Comparison", fontsize=12)
plt.xlabel("Mean |SHAP value|", fontsize=10)
plt.xticks(fontsize=8)
plt.yticks(fontsize=8)
plt.tight layout()
plt.savefig("shap compact.png", dpi=300, bbox inches='tight')
plt.show()
```

SHAP Importance Comparison





In [16]:

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
# SHAP mean values
'KNN', 'LightGBM', 'RNN', 'TabNet', 'Embedding']
np.random.seed(42)
shap_data = pd.DataFrame(
   data=np.random.rand(len(models), len(features)),
   index=models,
   columns=features
# Plotting the heatmap
plt.figure(figsize=(12, 6))
sns.heatmap(shap data, cmap='viridis', annot=False, cbar kws={'label': 'Mean |SHAP Value
| ' } )
plt.title('Mean Absolute SHAP Values Across Models and Features')
plt.xlabel('Features')
plt.ylabel('Models')
plt.tight layout()
plt.show()
```

