Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt feature flagging for auth-service.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- database migrations reviewed
- rollback plan verified
- post-release monitoring plan ready
- dashboards are linked in runbook
- artifact is signed and versioned
- on-call schedule confirmed
- staging smoke tests pass

Fingerprint: 068a04bed326196fe23facf892edef4e

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: major outage
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: alert triggered
- T+7m: postmortem scheduled
- T+22m: mitigation applied

Action Items:
1. add runbook steps
2. add regression test
3. update dashboards

Prevention Controls:
- review of operational readiness
- review of operational readiness
- progressive delivery

Fingerprint: f8a7d2d2c63d9f2d42be18319ae69c37

Intent:
- Define dependency pinning expectations for search-indexer in infrastructure workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: stale data under 5 minutes. MTTR target: <= 130 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b dependency-pinning-003
- terraform plan -out tfplan
- npm run lint

Incident Notes:
- Primary alert: db connection saturation
- Escalation: page on-call engineer

Fingerprint: 363aeaed76684cebb8c1d33d1d0d3e06

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt code review standards for gateway.
- Consequences: more predictable release windows

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: cover boundary cases and error paths
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- feature flags documented
- all checks green on main branch
- database migrations reviewed
- rollback plan verified
- post-release monitoring plan ready
- on-call schedule confirmed
- dashboards are linked in runbook
- staging smoke tests pass

Fingerprint: 7651928d9a5e6c5da02d36af632dca86

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: minor degradation
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: mitigation applied
- T+10m: incident declared
- T+25m: incident declared

Action Items:
1. improve alert thresholds
2. add regression test
3. add regression test

Prevention Controls:
- progressive delivery
- change freeze window
- synthetic monitoring

Fingerprint: 4436839097e92a7a90139b935f608a11

Intent:
- Define threat modeling expectations for gateway in infrastructure workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: 99.9 availability. MTTR target: <= 62 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-006
- kubectl rollout status deploy/gateway
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: queue depth spike
- Escalation: eng manager escalation

Fingerprint: 1631a83844c8fe5f88bb470562b3f3eb

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt canary deployment for worker-pool.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- post-release monitoring plan ready
- database migrations reviewed
- dashboards are linked in runbook
- artifact is signed and versioned
- on-call schedule confirmed
- staging smoke tests pass
- rollback plan verified
- feature flags documented

Fingerprint: 93735d5a761d9040abb30fa2721edd04

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: major outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: alert triggered
- T+13m: rollback initiated
- T+28m: postmortem scheduled

Action Items:
1. improve alert thresholds
2. add regression test
3. update dashboards

Prevention Controls:
- rate limiting
- synthetic monitoring
- progressive delivery

Fingerprint: 3dd5165c2a707b63cf6c3fcff5f605d3

Intent:
- Define runbook driven oncall expectations for auth-service in cd and release management workflows.

Key Requirements:
1. Use Argo CD for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: 99.9 availability. MTTR target: <= 107 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b runbook-driven-oncall-009
- curl -s http://localhost:8080/health
- terraform plan -out tfplan

Incident Notes:
- Primary alert: latency burn
- Escalation: notify incident commander

Fingerprint: 88f3c0c462bd8a54a6789b4654bdb6df

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt runbook driven oncall for worker-pool.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: add contract tests for consumers
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- on-call schedule confirmed
- staging smoke tests pass
- all checks green on main branch
- alerts updated
- database migrations reviewed
- rollback plan verified
- dashboards are linked in runbook
- artifact is signed and versioned

Fingerprint: 4490b18992001477b14c1e1b8fc5320d

Postmortem Template:
- Incident title: database lock contention
- Customer impact: internal-only impact
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: service stabilized
- T+16m: postmortem scheduled
- T+31m: mitigation applied

Action Items:
1. update dashboards
2. tighten deploy gate
3. update dashboards

Prevention Controls:
- rate limiting
- synthetic monitoring
- change freeze window

Fingerprint: a76ad3d8320ab7e33de436ffbdee764c

Intent:
- Define feature flagging expectations for notifications in incident response workflows.

Key Requirements:
1. Use Grafana for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: 99.9 availability. MTTR target: <= 111 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b feature-flagging-012
- terraform plan -out tfplan
- npm run lint

Incident Notes:
- Primary alert: latency burn
- Escalation: page on-call engineer

Fingerprint: b6884a4a1586b3a4ade449168ca279ec

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt code review standards for auth-service.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: include load profile for peak hour traffic
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- dashboards are linked in runbook
- staging smoke tests pass
- alerts updated
- post-release monitoring plan ready
- rollback plan verified
- on-call schedule confirmed
- feature flags documented
- database migrations reviewed

Fingerprint: abd511781c0876f6347f0170b6fd2af6

Postmortem Template:
- Incident title: database lock contention
- Customer impact: partial outage
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: alert triggered
- T+19m: mitigation applied
- T+34m: incident declared

Action Items:
1. add regression test
2. improve alert thresholds
3. improve alert thresholds

Prevention Controls:
- progressive delivery
- progressive delivery
- synthetic monitoring

Fingerprint: f0f76806a0ce933da30cadac28f2bdda

Intent:
- Define dependency pinning expectations for data-sync in architecture decisions workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: 99.9 availability. MTTR target: <= 59 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b dependency-pinning-015
- docker build -t app:local .
- npm run lint

Incident Notes:
- Primary alert: memory pressure
- Escalation: page on-call engineer

Fingerprint: 605fc7b8e5a364cbe1287263745d68aa

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt canary deployment for reporting.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: add contract tests for consumers
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- artifact is signed and versioned
- on-call schedule confirmed
- all checks green on main branch
- staging smoke tests pass
- post-release monitoring plan ready
- alerts updated
- dashboards are linked in runbook
- database migrations reviewed

Fingerprint: b3d79ab27fc2e8fc19069acb663c72f0

Postmortem Template:
- Incident title: database lock contention
- Customer impact: partial outage
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: alert triggered
- T+22m: service stabilized
- T+37m: incident declared

Action Items:
1. add runbook steps
2. add runbook steps
3. improve alert thresholds

Prevention Controls:
- progressive delivery
- progressive delivery
- review of operational readiness

Fingerprint: 91bb943f0990569cdac7cf0a3bf8696f

Intent:
- Define runbook driven oncall expectations for gateway in performance engineering workflows.

Key Requirements:
1. Use OpenTelemetry for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: p95 latency under 250ms. MTTR target: <= 86 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b runbook-driven-oncall-018
- curl -s http://localhost:8080/health
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: db connection saturation
- Escalation: page on-call engineer

Fingerprint: 2f7615f2b3dc110535de4fd2daf2766d

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt load shedding for reporting.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: cover boundary cases and error paths
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- database migrations reviewed
- dashboards are linked in runbook
- post-release monitoring plan ready
- feature flags documented
- staging smoke tests pass
- alerts updated
- all checks green on main branch
- artifact is signed and versioned

Fingerprint: 5655048456e7f4d79194c2e389b43ed0

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: major outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: service stabilized
- T+25m: incident declared
- T+40m: service stabilized

Action Items:
1. update dashboards
2. improve alert thresholds
3. tighten deploy gate

Prevention Controls:
- change freeze window
- change freeze window
- progressive delivery

Fingerprint: 70e5bce0b4f92fbe2e7c4a12a4f59c73

Intent:
- Define backpressure tuning expectations for auth-service in infrastructure workflows.

Key Requirements:
1. Use Prometheus for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: 99.9 availability. MTTR target: <= 75 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b backpressure-tuning-021
- curl -s http://localhost:8080/health
- docker build -t app:local .

Incident Notes:
- Primary alert: queue depth spike
- Escalation: SRE escalation channel

Fingerprint: a4f3bee244a9d0bc6219c4db28a6e85b

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt blue green rollout for reporting.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- rollback plan verified
- database migrations reviewed
- artifact is signed and versioned
- dashboards are linked in runbook
- alerts updated
- staging smoke tests pass
- feature flags documented
- all checks green on main branch

Fingerprint: 09577a27127d8c13cdca0d534b00acd7

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: partial outage
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: incident declared
- T+28m: service stabilized
- T+43m: alert triggered

Action Items:
1. improve alert thresholds
2. add regression test
3. add regression test

Prevention Controls:
- progressive delivery
- progressive delivery
- change freeze window

Fingerprint: 29eac370b649672aa933d183028e2c53

Intent:
- Define dependency pinning expectations for notifications in observability and sre workflows.

Key Requirements:
1. Use OpenTelemetry for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: stale data under 5 minutes. MTTR target: <= 82 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b dependency-pinning-024
- curl -s http://localhost:8080/health
- docker build -t app:local .

Incident Notes:
- Primary alert: db connection saturation
- Escalation: eng manager escalation

Fingerprint: 63865d378c7beead3963ccf39da9a8d1

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt dependency pinning for search-indexer.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- staging smoke tests pass
- rollback plan verified
- dashboards are linked in runbook
- artifact is signed and versioned
- all checks green on main branch
- post-release monitoring plan ready
- feature flags documented
- alerts updated

Fingerprint: a7acbd1f1528298b0586aff9f4afc535

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: incident declared
- T+31m: rollback initiated
- T+46m: rollback initiated

Action Items:
1. update dashboards
2. update dashboards
3. tighten deploy gate

Prevention Controls:
- review of operational readiness
- rate limiting
- rate limiting

Fingerprint: 33dd509c46e328b5b7d6e641d9cd4c2e

Intent:
- Define backpressure tuning expectations for reporting in cd and release management workflows.

Key Requirements:
1. Use Jenkins for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: p95 latency under 250ms. MTTR target: <= 35 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b backpressure-tuning-027
- kubectl rollout status deploy/gateway
- terraform plan -out tfplan

Incident Notes:
- Primary alert: memory pressure
- Escalation: eng manager escalation

Fingerprint: 1d11504701b091dadab1a52700a20e14

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt blue green rollout for data-sync.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: include load profile for peak hour traffic
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- artifact is signed and versioned
- post-release monitoring plan ready
- feature flags documented
- database migrations reviewed
- all checks green on main branch
- staging smoke tests pass
- dashboards are linked in runbook
- alerts updated

Fingerprint: 2999fc49eb2d82d1e4cdda7ecd1bb47d

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: minor degradation
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: alert triggered
- T+34m: incident declared
- T+49m: service stabilized

Action Items:
1. update dashboards
2. improve alert thresholds
3. improve alert thresholds

Prevention Controls:
- change freeze window
- progressive delivery
- rate limiting

Fingerprint: 14f817389f21eaeff61208c7a985641d

Intent:
- Define blue green rollout expectations for billing-api in security engineering workflows.

Key Requirements:
1. Use Grafana for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 51 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b blue-green-rollout-030
- pytest -q --disable-warnings
- terraform plan -out tfplan

Incident Notes:
- Primary alert: latency burn
- Escalation: eng manager escalation

Fingerprint: d1a9cd12a2f3533ba5dacdf0dad0dc53

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt canary deployment for reporting.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: include load profile for peak hour traffic
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- feature flags documented
- rollback plan verified
- dashboards are linked in runbook
- on-call schedule confirmed
- staging smoke tests pass
- artifact is signed and versioned
- alerts updated
- database migrations reviewed

Fingerprint: d9b0e485680165156f7396e566145cb2

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: partial outage
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: rollback initiated
- T+37m: alert triggered
- T+52m: rollback initiated

Action Items:
1. add regression test
2. improve alert thresholds
3. tighten deploy gate

Prevention Controls:
- synthetic monitoring
- rate limiting
- change freeze window

Fingerprint: 33119b6972f2c182821ae2b9a45447c2

Intent:
- Define feature flagging expectations for gateway in security engineering workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: stale data under 5 minutes. MTTR target: <= 44 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b feature-flagging-033
- terraform plan -out tfplan
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: memory pressure
- Escalation: eng manager escalation

Fingerprint: 6d920e75fd32416a38ab4508d5c5aec1

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt code review standards for reporting.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: add contract tests for consumers
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- staging smoke tests pass
- feature flags documented
- on-call schedule confirmed
- alerts updated
- artifact is signed and versioned
- database migrations reviewed
- dashboards are linked in runbook
- post-release monitoring plan ready

Fingerprint: 7f9d2420d4609f5de6c1260ff9bdc1ba

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: partial outage
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: service stabilized
- T+40m: alert triggered
- T+55m: rollback initiated

Action Items:
1. improve alert thresholds
2. tighten deploy gate
3. update dashboards

Prevention Controls:
- synthetic monitoring
- synthetic monitoring
- rate limiting

Fingerprint: da3ed0b218db010fac8ba7758a198633

Intent:
- Define schema expand contract expectations for gateway in architecture decisions workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 40 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b schema-expand-contract-036
- pytest -q --disable-warnings
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: memory pressure
- Escalation: eng manager escalation

Fingerprint: 5f87d3656522bd7a821a427d25711d2e

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt backpressure tuning for reporting.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: cover boundary cases and error paths
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- artifact is signed and versioned
- post-release monitoring plan ready
- on-call schedule confirmed
- staging smoke tests pass
- dashboards are linked in runbook
- database migrations reviewed
- all checks green on main branch
- alerts updated

Fingerprint: e4573d9d3185ec351a8d11ed990140bb

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: mitigation applied
- T+43m: postmortem scheduled
- T+58m: incident declared

Action Items:
1. add runbook steps
2. improve alert thresholds
3. add runbook steps

Prevention Controls:
- progressive delivery
- progressive delivery
- review of operational readiness

Fingerprint: 1724068897910d6cd01dd28d2601c4f1

Intent:
- Define threat modeling expectations for billing-api in api design workflows.

Key Requirements:
1. Use OpenTelemetry for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 60 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-039
- curl -s http://localhost:8080/health
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: db connection saturation
- Escalation: notify incident commander

Fingerprint: 7f30dc73c6c5a529f8b7b3cdde9b5014

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt slo and error budgets for auth-service.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: add contract tests for consumers
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- post-release monitoring plan ready
- artifact is signed and versioned
- dashboards are linked in runbook
- on-call schedule confirmed
- rollback plan verified
- alerts updated
- database migrations reviewed
- staging smoke tests pass

Fingerprint: 76ffb1a5532b94b48c0a058f5ffa61c6

Postmortem Template:
- Incident title: database lock contention
- Customer impact: major outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: mitigation applied
- T+46m: mitigation applied
- T+61m: rollback initiated

Action Items:
1. tighten deploy gate
2. tighten deploy gate
3. update dashboards

Prevention Controls:
- change freeze window
- rate limiting
- change freeze window

Fingerprint: df733ed98bb0c5cc2bb2f73b741836b3

Intent:
- Define schema expand contract expectations for worker-pool in performance engineering workflows.

Key Requirements:
1. Use Kubernetes for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: p95 latency under 250ms. MTTR target: <= 55 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b schema-expand-contract-042
- curl -s http://localhost:8080/health
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: queue depth spike
- Escalation: eng manager escalation

Fingerprint: fd2f33cab83e18b79b1b823abd202755

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt load shedding for data-sync.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: add contract tests for consumers
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- dashboards are linked in runbook
- alerts updated
- on-call schedule confirmed
- artifact is signed and versioned
- database migrations reviewed
- post-release monitoring plan ready
- all checks green on main branch
- rollback plan verified

Fingerprint: 02fef4e84560ecbfb1d31dcdddaa7d41

Postmortem Template:
- Incident title: database lock contention
- Customer impact: internal-only impact
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: postmortem scheduled
- T+49m: incident declared
- T+64m: postmortem scheduled

Action Items:
1. add regression test
2. add regression test
3. add runbook steps

Prevention Controls:
- progressive delivery
- progressive delivery
- synthetic monitoring

Fingerprint: dfd1a5173e12d1295653abb21a91bfcc

Intent:
- Define runbook driven oncall expectations for search-indexer in data migrations workflows.

Key Requirements:
1. Use Sentry for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: stale data under 5 minutes. MTTR target: <= 63 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b runbook-driven-oncall-045
- terraform plan -out tfplan
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: SRE escalation channel

Fingerprint: 39123e07286b0ed43b2ebd2344cbc7ce

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt threat modeling for auth-service.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- staging smoke tests pass
- post-release monitoring plan ready
- feature flags documented
- alerts updated
- on-call schedule confirmed
- dashboards are linked in runbook
- database migrations reviewed

Fingerprint: 0d89517b3a8957b53dfed2b95b6d02cb

Postmortem Template:
- Incident title: database lock contention
- Customer impact: internal-only impact
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: rollback initiated
- T+52m: alert triggered
- T+67m: rollback initiated

Action Items:
1. add runbook steps
2. update dashboards
3. tighten deploy gate

Prevention Controls:
- progressive delivery
- rate limiting
- review of operational readiness

Fingerprint: 6c344dfe8418a5ff3bde0d0bf5f1186c

Intent:
- Define canary deployment expectations for billing-api in observability and sre workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 45 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b canary-deployment-048
- npm run lint
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: queue depth spike
- Escalation: eng manager escalation

Fingerprint: d3833191f0964a16127908784110b569

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt canary deployment for search-indexer.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- staging smoke tests pass
- post-release monitoring plan ready
- all checks green on main branch
- dashboards are linked in runbook
- on-call schedule confirmed
- rollback plan verified
- artifact is signed and versioned
- alerts updated

Fingerprint: 9bfc943876062a9dadd909b11564e226

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: partial outage
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: rollback initiated
- T+55m: incident declared
- T+70m: incident declared

Action Items:
1. tighten deploy gate
2. add regression test
3. update dashboards

Prevention Controls:
- progressive delivery
- progressive delivery
- rate limiting

Fingerprint: 48c29c8127403d93def3a2f925f19a8b

Intent:
- Define canary deployment expectations for billing-api in observability and sre workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: 99.9 availability. MTTR target: <= 128 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b canary-deployment-051
- kubectl rollout status deploy/gateway
- npm run lint

Incident Notes:
- Primary alert: memory pressure
- Escalation: notify incident commander

Fingerprint: a4918000e05533db1164a6bfe3d02bd1

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt schema expand contract for data-sync.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: cover boundary cases and error paths
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- rollback plan verified
- on-call schedule confirmed
- database migrations reviewed
- staging smoke tests pass
- post-release monitoring plan ready
- feature flags documented
- dashboards are linked in runbook
- all checks green on main branch

Fingerprint: 58a336a3763ff06e37f09d5320ae1c6e

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: major outage
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: alert triggered
- T+58m: mitigation applied
- T+73m: rollback initiated

Action Items:
1. improve alert thresholds
2. add runbook steps
3. add regression test

Prevention Controls:
- change freeze window
- review of operational readiness
- progressive delivery

Fingerprint: 00fe485d6a25396c406300f723752b01

Intent:
- Define load shedding expectations for reporting in testing and qa workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 132 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b load-shedding-054
- pytest -q --disable-warnings
- npm run lint

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: SRE escalation channel

Fingerprint: b7ce17501ec9b38082c6a00393f917d3

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt threat modeling for gateway.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: include load profile for peak hour traffic
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- on-call schedule confirmed
- rollback plan verified
- dashboards are linked in runbook
- alerts updated
- database migrations reviewed
- feature flags documented
- artifact is signed and versioned
- staging smoke tests pass

Fingerprint: 64c7ada2312494a1269b0baea32c3ead

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: mitigation applied
- T+61m: mitigation applied
- T+76m: postmortem scheduled

Action Items:
1. improve alert thresholds
2. update dashboards
3. tighten deploy gate

Prevention Controls:
- progressive delivery
- synthetic monitoring
- rate limiting

Fingerprint: 7d106de4f120ddfdecd8d74efe11137d

Intent:
- Define blue green rollout expectations for notifications in incident response workflows.

Key Requirements:
1. Use Kubernetes for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 150 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b blue-green-rollout-057
- pytest -q --disable-warnings
- npm run lint

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: SRE escalation channel

Fingerprint: 22dea226a7b5631ec272f1c68694db5c

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt blue green rollout for data-sync.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- staging smoke tests pass
- alerts updated
- artifact is signed and versioned
- feature flags documented
- on-call schedule confirmed
- database migrations reviewed
- all checks green on main branch
- dashboards are linked in runbook

Fingerprint: c28f2007b06c938e2a9b183db3b9d9e8

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: partial outage
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: alert triggered
- T+64m: incident declared
- T+79m: incident declared

Action Items:
1. add runbook steps
2. tighten deploy gate
3. add runbook steps

Prevention Controls:
- synthetic monitoring
- change freeze window
- review of operational readiness

Fingerprint: 72ebb98fa30cd9e15483a8c835e085cb

Intent:
- Define canary deployment expectations for billing-api in testing and qa workflows.

Key Requirements:
1. Use Argo CD for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: stale data under 5 minutes. MTTR target: <= 37 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b canary-deployment-060
- curl -s http://localhost:8080/health
- npm run lint

Incident Notes:
- Primary alert: db connection saturation
- Escalation: SRE escalation channel

Fingerprint: ee255d599667a055d223104174f5ad66

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt feature flagging for reporting.
- Consequences: more predictable release windows

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: add contract tests for consumers
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- alerts updated
- feature flags documented
- all checks green on main branch
- post-release monitoring plan ready
- artifact is signed and versioned
- dashboards are linked in runbook
- staging smoke tests pass
- rollback plan verified

Fingerprint: a651af74d421b47f869a6f5f15a70c6e

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: incident declared
- T+7m: rollback initiated
- T+82m: postmortem scheduled

Action Items:
1. update dashboards
2. update dashboards
3. add regression test

Prevention Controls:
- rate limiting
- review of operational readiness
- progressive delivery

Fingerprint: 0a5f78d019d044f09e2ccd65f37e8cf1

Intent:
- Define schema expand contract expectations for worker-pool in cd and release management workflows.

Key Requirements:
1. Use Sentry for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: 99.9 availability. MTTR target: <= 71 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b schema-expand-contract-063
- docker build -t app:local .
- docker build -t app:local .

Incident Notes:
- Primary alert: db connection saturation
- Escalation: eng manager escalation

Fingerprint: e58d3b22c9daa3e2fa617ede1f9def78

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt load shedding for billing-api.
- Consequences: more predictable release windows

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: add contract tests for consumers
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- database migrations reviewed
- staging smoke tests pass
- feature flags documented
- artifact is signed and versioned
- all checks green on main branch
- alerts updated
- dashboards are linked in runbook
- rollback plan verified

Fingerprint: 0272bfb0564b6129eaae10a2bb2f4848

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: major outage
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: rollback initiated
- T+10m: rollback initiated
- T+85m: postmortem scheduled

Action Items:
1. add regression test
2. update dashboards
3. improve alert thresholds

Prevention Controls:
- review of operational readiness
- review of operational readiness
- change freeze window

Fingerprint: c6a7e555555eb0f7df2d6e4563e2923d

Intent:
- Define threat modeling expectations for gateway in observability and sre workflows.

Key Requirements:
1. Use Sentry for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: p95 latency under 250ms. MTTR target: <= 102 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-066
- kubectl rollout status deploy/gateway
- npm run lint

Incident Notes:
- Primary alert: memory pressure
- Escalation: notify incident commander

Fingerprint: f7ae51ea996beed1f6cf42dcbf53ea38

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt dependency pinning for gateway.
- Consequences: more predictable release windows

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: add contract tests for consumers
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- staging smoke tests pass
- post-release monitoring plan ready
- dashboards are linked in runbook
- alerts updated
- feature flags documented
- rollback plan verified
- database migrations reviewed

Fingerprint: d007d1a4c030caf1c8b8e99d2dc2ada3

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: major outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: rollback initiated
- T+13m: incident declared
- T+88m: alert triggered

Action Items:
1. improve alert thresholds
2. add runbook steps
3. tighten deploy gate

Prevention Controls:
- change freeze window
- rate limiting
- synthetic monitoring

Fingerprint: 767201c74e923dba280c4e5002f2f62c

Intent:
- Define blue green rollout expectations for billing-api in api design workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: 99.9 availability. MTTR target: <= 43 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b blue-green-rollout-069
- terraform plan -out tfplan
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: latency burn
- Escalation: page on-call engineer

Fingerprint: 693ab02531280c24126058895585c103

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt threat modeling for reporting.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: include load profile for peak hour traffic
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- database migrations reviewed
- artifact is signed and versioned
- staging smoke tests pass
- on-call schedule confirmed
- post-release monitoring plan ready
- rollback plan verified
- all checks green on main branch
- feature flags documented

Fingerprint: 76fe8318b60cbd12270e5f4dde1af2e4

Postmortem Template:
- Incident title: database lock contention
- Customer impact: internal-only impact
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: alert triggered
- T+16m: mitigation applied
- T+91m: postmortem scheduled

Action Items:
1. update dashboards
2. improve alert thresholds
3. add regression test

Prevention Controls:
- rate limiting
- review of operational readiness
- synthetic monitoring

Fingerprint: c9f5a057d9269a8289a6f857cad15453

Intent:
- Define canary deployment expectations for notifications in architecture decisions workflows.

Key Requirements:
1. Use Sentry for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 119 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b canary-deployment-072
- terraform plan -out tfplan
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: db connection saturation
- Escalation: eng manager escalation

Fingerprint: 6c6b5f7cba8d7989321ffdeccdacff05

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt trunk based development for auth-service.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: include load profile for peak hour traffic
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- on-call schedule confirmed
- database migrations reviewed
- all checks green on main branch
- dashboards are linked in runbook
- post-release monitoring plan ready
- feature flags documented
- alerts updated
- rollback plan verified

Fingerprint: 8e70c6d0c5a9212ce75e4707555aad6d

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: minor degradation
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: postmortem scheduled
- T+19m: alert triggered
- T+94m: rollback initiated

Action Items:
1. add runbook steps
2. update dashboards
3. tighten deploy gate

Prevention Controls:
- synthetic monitoring
- synthetic monitoring
- rate limiting

Fingerprint: 45693c0b459eb67538c92d5d1710c763

Intent:
- Define load shedding expectations for worker-pool in api design workflows.

Key Requirements:
1. Use Sentry for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: 99.9 availability. MTTR target: <= 123 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b load-shedding-075
- pytest -q --disable-warnings
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: db connection saturation
- Escalation: page on-call engineer

Fingerprint: 6d009e5c69033917fcf59c1eaf75be10

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt code review standards for gateway.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- feature flags documented
- staging smoke tests pass
- database migrations reviewed
- artifact is signed and versioned
- post-release monitoring plan ready
- on-call schedule confirmed
- rollback plan verified
- alerts updated

Fingerprint: 1389daa07c1c0af012f0ee6e60dc5120

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: internal-only impact
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: service stabilized
- T+22m: postmortem scheduled
- T+97m: mitigation applied

Action Items:
1. tighten deploy gate
2. add regression test
3. improve alert thresholds

Prevention Controls:
- progressive delivery
- progressive delivery
- review of operational readiness

Fingerprint: df8cec919d7fb66d0830418366dd11dd

Intent:
- Define backpressure tuning expectations for search-indexer in ci and branching workflows.

Key Requirements:
1. Use Sentry for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: stale data under 5 minutes. MTTR target: <= 137 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b backpressure-tuning-078
- docker build -t app:local .
- terraform plan -out tfplan

Incident Notes:
- Primary alert: queue depth spike
- Escalation: SRE escalation channel

Fingerprint: 4020875db78b2bacd6a95ce90dcd4883

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt code review standards for gateway.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: include load profile for peak hour traffic
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- artifact is signed and versioned
- feature flags documented
- staging smoke tests pass
- all checks green on main branch
- post-release monitoring plan ready
- dashboards are linked in runbook
- rollback plan verified
- alerts updated

Fingerprint: 7e5c27a1584d9e063816610da5cb1a4c

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: partial outage
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: incident declared
- T+25m: incident declared
- T+100m: postmortem scheduled

Action Items:
1. add regression test
2. add regression test
3. improve alert thresholds

Prevention Controls:
- rate limiting
- rate limiting
- progressive delivery

Fingerprint: 8699276596bcf030e5fe08ed9b34ee09

Intent:
- Define backpressure tuning expectations for reporting in incident response workflows.

Key Requirements:
1. Use Argo CD for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: p95 latency under 250ms. MTTR target: <= 113 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b backpressure-tuning-081
- curl -s http://localhost:8080/health
- docker build -t app:local .

Incident Notes:
- Primary alert: latency burn
- Escalation: SRE escalation channel

Fingerprint: ad47a17ecd83bff05b9f9948f68827e2

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt blue green rollout for reporting.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: include load profile for peak hour traffic
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- rollback plan verified
- database migrations reviewed
- on-call schedule confirmed
- all checks green on main branch
- artifact is signed and versioned
- post-release monitoring plan ready
- staging smoke tests pass
- feature flags documented

Fingerprint: ec3ccf3a7b55345a60d1fb1e77a29b9b

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: major outage
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: incident declared
- T+28m: incident declared
- T+103m: rollback initiated

Action Items:
1. improve alert thresholds
2. add regression test
3. add runbook steps

Prevention Controls:
- review of operational readiness
- change freeze window
- change freeze window

Fingerprint: 38b56b7f61e9da7266efc37dcae16c4e

Intent:
- Define runbook driven oncall expectations for search-indexer in observability and sre workflows.

Key Requirements:
1. Use Prometheus for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: stale data under 5 minutes. MTTR target: <= 40 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b runbook-driven-oncall-084
- npm run lint
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: latency burn
- Escalation: page on-call engineer

Fingerprint: 75b108313c8bf3a4203335c3550147ac

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt threat modeling for billing-api.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: cover boundary cases and error paths
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- staging smoke tests pass
- rollback plan verified
- artifact is signed and versioned
- post-release monitoring plan ready
- database migrations reviewed
- on-call schedule confirmed
- dashboards are linked in runbook
- all checks green on main branch

Fingerprint: f1ff1943ca12e879c01249aefc34e2c3

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: service stabilized
- T+31m: postmortem scheduled
- T+106m: postmortem scheduled

Action Items:
1. tighten deploy gate
2. add regression test
3. tighten deploy gate

Prevention Controls:
- synthetic monitoring
- change freeze window
- synthetic monitoring

Fingerprint: 3c73f64c77160ad93b3d3eb64316752e

Intent:
- Define runbook driven oncall expectations for notifications in service ownership workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: stale data under 5 minutes. MTTR target: <= 47 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b runbook-driven-oncall-087
- docker build -t app:local .
- docker build -t app:local .

Incident Notes:
- Primary alert: db connection saturation
- Escalation: notify incident commander

Fingerprint: 7a56577d0fea6e640bc6004a580f00d8

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt slo and error budgets for billing-api.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- dashboards are linked in runbook
- alerts updated
- rollback plan verified
- artifact is signed and versioned
- post-release monitoring plan ready
- staging smoke tests pass
- on-call schedule confirmed
- feature flags documented

Fingerprint: 6b1ba18f3e267820c4145d8882674a57

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: partial outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: mitigation applied
- T+34m: rollback initiated
- T+109m: mitigation applied

Action Items:
1. add runbook steps
2. add runbook steps
3. add regression test

Prevention Controls:
- rate limiting
- rate limiting
- review of operational readiness

Fingerprint: a4cd4726f55f17b1e9046421480139fa

Intent:
- Define dependency pinning expectations for auth-service in architecture decisions workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 19 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b dependency-pinning-090
- docker build -t app:local .
- docker build -t app:local .

Incident Notes:
- Primary alert: memory pressure
- Escalation: notify incident commander

Fingerprint: 0da6c153daafef070a2143d40081fbb1

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt feature flagging for worker-pool.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: add contract tests for consumers
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- database migrations reviewed
- artifact is signed and versioned
- staging smoke tests pass
- dashboards are linked in runbook
- feature flags documented
- post-release monitoring plan ready
- alerts updated

Fingerprint: a2bf242b6ad13edd602a0b425ffaa867

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: major outage
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: service stabilized
- T+37m: alert triggered
- T+22m: mitigation applied

Action Items:
1. add runbook steps
2. add runbook steps
3. add regression test

Prevention Controls:
- review of operational readiness
- change freeze window
- review of operational readiness

Fingerprint: 65d13202947688a86d2807b7b2473833

Intent:
- Define feature flagging expectations for worker-pool in observability and sre workflows.

Key Requirements:
1. Use Prometheus for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 136 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b feature-flagging-093
- docker build -t app:local .
- docker build -t app:local .

Incident Notes:
- Primary alert: queue depth spike
- Escalation: notify incident commander

Fingerprint: ba4c2994589c56420a2f12586767a484

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt threat modeling for gateway.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: cover boundary cases and error paths
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- artifact is signed and versioned
- all checks green on main branch
- feature flags documented
- staging smoke tests pass
- alerts updated
- post-release monitoring plan ready
- rollback plan verified
- database migrations reviewed

Fingerprint: 7ae5352b96d5df3abc193a5ac14831af

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: major outage
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: alert triggered
- T+40m: rollback initiated
- T+25m: service stabilized

Action Items:
1. add runbook steps
2. tighten deploy gate
3. improve alert thresholds

Prevention Controls:
- change freeze window
- change freeze window
- change freeze window

Fingerprint: 8be92125006ccebe8fced9bdc2e15bdf

Intent:
- Define threat modeling expectations for worker-pool in architecture decisions workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 108 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-096
- curl -s http://localhost:8080/health
- docker build -t app:local .

Incident Notes:
- Primary alert: latency burn
- Escalation: SRE escalation channel

Fingerprint: fedc9315f3343d5c28b880695479b2a9

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt blue green rollout for notifications.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: cover boundary cases and error paths
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- rollback plan verified
- feature flags documented
- post-release monitoring plan ready
- staging smoke tests pass
- alerts updated
- database migrations reviewed
- dashboards are linked in runbook

Fingerprint: d1ecc591ec952b655519452e5463ca5b

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: rollback initiated
- T+43m: mitigation applied
- T+28m: rollback initiated

Action Items:
1. improve alert thresholds
2. improve alert thresholds
3. improve alert thresholds

Prevention Controls:
- rate limiting
- change freeze window
- rate limiting

Fingerprint: 5eabb06d5b8f3ceb244256878cc98c54

Intent:
- Define feature flagging expectations for search-indexer in performance engineering workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: 99.9 availability. MTTR target: <= 45 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b feature-flagging-099
- npm run lint
- npm run lint

Incident Notes:
- Primary alert: memory pressure
- Escalation: page on-call engineer

Fingerprint: 2c0ec1018a6ad575db4423976410545b

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt dependency pinning for data-sync.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- rollback plan verified
- feature flags documented
- alerts updated
- all checks green on main branch
- dashboards are linked in runbook
- on-call schedule confirmed
- database migrations reviewed
- artifact is signed and versioned

Fingerprint: dc3aa50353727c67dd0934bfc01c03a7

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: major outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: service stabilized
- T+46m: mitigation applied
- T+31m: mitigation applied

Action Items:
1. improve alert thresholds
2. add regression test
3. tighten deploy gate

Prevention Controls:
- progressive delivery
- rate limiting
- rate limiting

Fingerprint: 5a32a313a07d1e6d144b64e44f61cd50

Intent:
- Define code review standards expectations for notifications in ci and branching workflows.

Key Requirements:
1. Use Sentry for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: p95 latency under 250ms. MTTR target: <= 39 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b code-review-standards-102
- pytest -q --disable-warnings
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: queue depth spike
- Escalation: eng manager escalation

Fingerprint: 10606ce6fc0d584ce8d46220f24ba8d3

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt dependency pinning for search-indexer.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- on-call schedule confirmed
- database migrations reviewed
- all checks green on main branch
- post-release monitoring plan ready
- artifact is signed and versioned
- staging smoke tests pass
- rollback plan verified
- feature flags documented

Fingerprint: 7837069813660f8c9aee5bf714fb8995

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: minor degradation
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: mitigation applied
- T+49m: service stabilized
- T+34m: rollback initiated

Action Items:
1. add runbook steps
2. improve alert thresholds
3. add regression test

Prevention Controls:
- change freeze window
- rate limiting
- change freeze window

Fingerprint: d0ef82e180e8b07048476dca0da92b24

Intent:
- Define canary deployment expectations for notifications in infrastructure workflows.

Key Requirements:
1. Use Jenkins for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: p95 latency under 250ms. MTTR target: <= 79 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b canary-deployment-105
- curl -s http://localhost:8080/health
- docker build -t app:local .

Incident Notes:
- Primary alert: queue depth spike
- Escalation: page on-call engineer

Fingerprint: e4af0a55a5bd16c820c400808d3b3653

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt schema expand contract for billing-api.
- Consequences: more predictable release windows

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: cover boundary cases and error paths
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- staging smoke tests pass
- all checks green on main branch
- feature flags documented
- rollback plan verified
- alerts updated
- artifact is signed and versioned
- on-call schedule confirmed
- database migrations reviewed

Fingerprint: 92aba4dc64221c4fa0b59feb441a4cc9

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: partial outage
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: mitigation applied
- T+52m: rollback initiated
- T+37m: incident declared

Action Items:
1. add regression test
2. add regression test
3. update dashboards

Prevention Controls:
- review of operational readiness
- review of operational readiness
- progressive delivery

Fingerprint: bb60076394378aca90765f751991fef6

Intent:
- Define canary deployment expectations for billing-api in testing and qa workflows.

Key Requirements:
1. Use OpenTelemetry for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 42 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b canary-deployment-108
- curl -s http://localhost:8080/health
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: SRE escalation channel

Fingerprint: 0651d1da6e1a7bc725b07451a65c6417

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt runbook driven oncall for billing-api.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: include load profile for peak hour traffic
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- artifact is signed and versioned
- all checks green on main branch
- staging smoke tests pass
- alerts updated
- database migrations reviewed
- feature flags documented
- on-call schedule confirmed
- dashboards are linked in runbook

Fingerprint: 1fe0bab24bf98d230ef1e16a60dcced0

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: service stabilized
- T+55m: alert triggered
- T+40m: rollback initiated

Action Items:
1. add runbook steps
2. add regression test
3. tighten deploy gate

Prevention Controls:
- progressive delivery
- progressive delivery
- progressive delivery

Fingerprint: d41a55f24e4f9ada8e1b6686e91c4ae4

Intent:
- Define dependency pinning expectations for worker-pool in service ownership workflows.

Key Requirements:
1. Use Argo CD for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: stale data under 5 minutes. MTTR target: <= 112 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b dependency-pinning-111
- docker build -t app:local .
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: db connection saturation
- Escalation: notify incident commander

Fingerprint: 5a08ba461d6fbd92029e103beba97566

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt code review standards for notifications.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- database migrations reviewed
- alerts updated
- on-call schedule confirmed
- dashboards are linked in runbook
- rollback plan verified
- post-release monitoring plan ready
- feature flags documented
- all checks green on main branch

Fingerprint: 7605c12ae30225d1a25cdfa14b911305

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: major outage
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: service stabilized
- T+58m: mitigation applied
- T+43m: alert triggered

Action Items:
1. tighten deploy gate
2. add runbook steps
3. add runbook steps

Prevention Controls:
- progressive delivery
- change freeze window
- synthetic monitoring

Fingerprint: e08bb90a04db4cc0a571b232dea21ca9

Intent:
- Define threat modeling expectations for auth-service in architecture decisions workflows.

Key Requirements:
1. Use Kubernetes for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: stale data under 5 minutes. MTTR target: <= 20 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-114
- terraform plan -out tfplan
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: SRE escalation channel

Fingerprint: 827337b37f17f55714f1796b1c196d60

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt threat modeling for reporting.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: include load profile for peak hour traffic
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- on-call schedule confirmed
- post-release monitoring plan ready
- staging smoke tests pass
- rollback plan verified
- alerts updated
- database migrations reviewed
- dashboards are linked in runbook
- feature flags documented

Fingerprint: 6cf9b81c871c479297e3ae2baf556560

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: internal-only impact
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: mitigation applied
- T+61m: postmortem scheduled
- T+46m: incident declared

Action Items:
1. tighten deploy gate
2. update dashboards
3. add regression test

Prevention Controls:
- progressive delivery
- progressive delivery
- review of operational readiness

Fingerprint: 883f363eee080a78dc850ea8f8cc8b62

Intent:
- Define slo and error budgets expectations for gateway in data migrations workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 76 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b slo-and-error-budgets-117
- docker build -t app:local .
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: memory pressure
- Escalation: SRE escalation channel

Fingerprint: 3c10210a5cdaa1f95cc1dd122b62bd07

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt canary deployment for data-sync.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: add contract tests for consumers
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- staging smoke tests pass
- artifact is signed and versioned
- database migrations reviewed
- all checks green on main branch
- on-call schedule confirmed
- rollback plan verified
- alerts updated
- feature flags documented

Fingerprint: 5ba7334fb145f93a90a16da3bc88686d

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: partial outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: alert triggered
- T+64m: postmortem scheduled
- T+49m: rollback initiated

Action Items:
1. add runbook steps
2. add runbook steps
3. add regression test

Prevention Controls:
- progressive delivery
- change freeze window
- rate limiting

Fingerprint: 1c2b6893ed5dfda500ca37664cd6a7cb

Intent:
- Define schema expand contract expectations for notifications in incident response workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: p95 latency under 250ms. MTTR target: <= 134 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b schema-expand-contract-120
- kubectl rollout status deploy/gateway
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: queue depth spike
- Escalation: SRE escalation channel

Fingerprint: 7434c792baee4783b1f27579bd9b23ab

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt runbook driven oncall for auth-service.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: add contract tests for consumers
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- dashboards are linked in runbook
- staging smoke tests pass
- post-release monitoring plan ready
- alerts updated
- rollback plan verified
- artifact is signed and versioned
- all checks green on main branch
- feature flags documented

Fingerprint: 47b1c52145bb0828a8a3682e37c770e0

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: major outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: postmortem scheduled
- T+7m: rollback initiated
- T+52m: rollback initiated

Action Items:
1. add runbook steps
2. add runbook steps
3. improve alert thresholds

Prevention Controls:
- rate limiting
- progressive delivery
- progressive delivery

Fingerprint: ac223a6f611eb733c5bfe2f089983eaa

Intent:
- Define backpressure tuning expectations for reporting in cd and release management workflows.

Key Requirements:
1. Use Jenkins for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 83 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b backpressure-tuning-123
- docker build -t app:local .
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: db connection saturation
- Escalation: page on-call engineer

Fingerprint: 4bedd0ee3fedf32d7b91a4d6b5b3d96a

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt backpressure tuning for worker-pool.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- alerts updated
- dashboards are linked in runbook
- database migrations reviewed
- artifact is signed and versioned
- rollback plan verified
- feature flags documented
- staging smoke tests pass
- post-release monitoring plan ready

Fingerprint: 24b706f2a1daf5b5a6f04addbc9cc30b

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: major outage
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: incident declared
- T+10m: postmortem scheduled
- T+55m: service stabilized

Action Items:
1. improve alert thresholds
2. tighten deploy gate
3. update dashboards

Prevention Controls:
- review of operational readiness
- rate limiting
- synthetic monitoring

Fingerprint: dad6086e7dca9082a56841d9f0c34455

Intent:
- Define load shedding expectations for auth-service in cd and release management workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: p95 latency under 250ms. MTTR target: <= 80 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b load-shedding-126
- pytest -q --disable-warnings
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: queue depth spike
- Escalation: eng manager escalation

Fingerprint: 9b07bc7599d477bb228a5b98e60c4862

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt backpressure tuning for billing-api.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- alerts updated
- artifact is signed and versioned
- all checks green on main branch
- staging smoke tests pass
- feature flags documented
- on-call schedule confirmed
- database migrations reviewed
- dashboards are linked in runbook

Fingerprint: 7e79fde1c0dc32146062adb6fd8b63d5

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: minor degradation
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: rollback initiated
- T+13m: mitigation applied
- T+58m: service stabilized

Action Items:
1. tighten deploy gate
2. improve alert thresholds
3. improve alert thresholds

Prevention Controls:
- change freeze window
- change freeze window
- rate limiting

Fingerprint: c97448240da3fbb5fdd1ffaed5fe87c3

Intent:
- Define blue green rollout expectations for billing-api in data migrations workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: stale data under 5 minutes. MTTR target: <= 129 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b blue-green-rollout-129
- npm run lint
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: db connection saturation
- Escalation: page on-call engineer

Fingerprint: b9b387815805f5f5f4dd8b9dd229b223

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt runbook driven oncall for search-indexer.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: add contract tests for consumers
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- alerts updated
- all checks green on main branch
- on-call schedule confirmed
- rollback plan verified
- staging smoke tests pass
- feature flags documented
- artifact is signed and versioned
- post-release monitoring plan ready

Fingerprint: d99cda2c36b1e03f059509f1291a4d10

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: internal-only impact
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: alert triggered
- T+16m: service stabilized
- T+61m: postmortem scheduled

Action Items:
1. tighten deploy gate
2. improve alert thresholds
3. add regression test

Prevention Controls:
- change freeze window
- rate limiting
- rate limiting

Fingerprint: 737e1bd72520b0ec80f847b33072e62c

Intent:
- Define threat modeling expectations for notifications in testing and qa workflows.

Key Requirements:
1. Use Kubernetes for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: 99.9 availability. MTTR target: <= 70 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-132
- docker build -t app:local .
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: queue depth spike
- Escalation: eng manager escalation

Fingerprint: a3921e7e5fe68bf36347fdcbee28ca0e

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt load shedding for worker-pool.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: add contract tests for consumers
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- alerts updated
- feature flags documented
- post-release monitoring plan ready
- staging smoke tests pass
- rollback plan verified
- dashboards are linked in runbook
- artifact is signed and versioned

Fingerprint: 1c446d323f34e93ac44089e5ba88280a

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: internal-only impact
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: service stabilized
- T+19m: incident declared
- T+64m: postmortem scheduled

Action Items:
1. update dashboards
2. tighten deploy gate
3. add runbook steps

Prevention Controls:
- synthetic monitoring
- review of operational readiness
- synthetic monitoring

Fingerprint: 68935eb055e4eabd5d78c7e08fe87061

Intent:
- Define threat modeling expectations for auth-service in architecture decisions workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: 99.9 availability. MTTR target: <= 143 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-135
- pytest -q --disable-warnings
- npm run lint

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: notify incident commander

Fingerprint: 4ecead0d6cab8fa1bda07b5201b7968d

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt runbook driven oncall for reporting.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- alerts updated
- post-release monitoring plan ready
- rollback plan verified
- database migrations reviewed
- dashboards are linked in runbook
- feature flags documented
- staging smoke tests pass

Fingerprint: 8da681594799e0b09427d82158337629

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: rollback initiated
- T+22m: service stabilized
- T+67m: incident declared

Action Items:
1. tighten deploy gate
2. improve alert thresholds
3. add regression test

Prevention Controls:
- synthetic monitoring
- change freeze window
- rate limiting

Fingerprint: 86bf83a5447a79755fe9623ccc26ff91

Intent:
- Define feature flagging expectations for notifications in service ownership workflows.

Key Requirements:
1. Use Prometheus for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: stale data under 5 minutes. MTTR target: <= 66 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b feature-flagging-138
- pytest -q --disable-warnings
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: queue depth spike
- Escalation: page on-call engineer

Fingerprint: 6259b4552ca7eb2f7ab966bfd2b6847b

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt canary deployment for reporting.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- post-release monitoring plan ready
- rollback plan verified
- staging smoke tests pass
- dashboards are linked in runbook
- all checks green on main branch
- database migrations reviewed
- alerts updated
- feature flags documented

Fingerprint: 8d3bed6cfba537b5c1018d7a1e04457b

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: postmortem scheduled
- T+25m: alert triggered
- T+70m: incident declared

Action Items:
1. add regression test
2. tighten deploy gate
3. tighten deploy gate

Prevention Controls:
- change freeze window
- review of operational readiness
- review of operational readiness

Fingerprint: d72c7cdf78487be9a088460e9193400b

Intent:
- Define trunk based development expectations for billing-api in security engineering workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 94 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b trunk-based-development-141
- npm run lint
- npm run lint

Incident Notes:
- Primary alert: queue depth spike
- Escalation: SRE escalation channel

Fingerprint: 11c56c19366097a41d0a8ac65a4e61ad

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt schema expand contract for reporting.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- alerts updated
- artifact is signed and versioned
- feature flags documented
- dashboards are linked in runbook
- rollback plan verified
- on-call schedule confirmed
- all checks green on main branch
- database migrations reviewed

Fingerprint: 47a761dfb3503725926e64c4a3e66d02

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: major outage
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: rollback initiated
- T+28m: postmortem scheduled
- T+73m: postmortem scheduled

Action Items:
1. improve alert thresholds
2. tighten deploy gate
3. add runbook steps

Prevention Controls:
- synthetic monitoring
- rate limiting
- rate limiting

Fingerprint: 6f28c7f0b177e3a44e6a1caec0f0dcf8

Intent:
- Define feature flagging expectations for data-sync in api design workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 46 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b feature-flagging-144
- npm run lint
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: db connection saturation
- Escalation: eng manager escalation

Fingerprint: edc49ed3a38757a556cfd0425d34d8b5

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt blue green rollout for billing-api.
- Consequences: higher automation cost initially

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: cover boundary cases and error paths
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- dashboards are linked in runbook
- rollback plan verified
- alerts updated
- artifact is signed and versioned
- staging smoke tests pass
- post-release monitoring plan ready
- database migrations reviewed
- feature flags documented

Fingerprint: c01de209de06c78d3df8d5c47ded8b07

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: partial outage
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: alert triggered
- T+31m: mitigation applied
- T+76m: rollback initiated

Action Items:
1. add regression test
2. update dashboards
3. add regression test

Prevention Controls:
- synthetic monitoring
- progressive delivery
- synthetic monitoring

Fingerprint: 1862cfe807d8db3dda0a13b3aaee3c1f

Intent:
- Define threat modeling expectations for auth-service in data migrations workflows.

Key Requirements:
1. Use Sentry for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: stale data under 5 minutes. MTTR target: <= 83 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-147
- npm run lint
- terraform plan -out tfplan

Incident Notes:
- Primary alert: db connection saturation
- Escalation: page on-call engineer

Fingerprint: 58409ecdb3ba65b3e7e379ded1a177a1

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt dependency pinning for notifications.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: include load profile for peak hour traffic
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- post-release monitoring plan ready
- on-call schedule confirmed
- database migrations reviewed
- artifact is signed and versioned
- staging smoke tests pass
- dashboards are linked in runbook
- rollback plan verified
- all checks green on main branch

Fingerprint: 157b063ac5f5845fdc2d60e340a3152c

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: minor degradation
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: incident declared
- T+34m: alert triggered
- T+79m: service stabilized

Action Items:
1. add regression test
2. add regression test
3. add regression test

Prevention Controls:
- synthetic monitoring
- synthetic monitoring
- rate limiting

Fingerprint: 2e0993dffdc854e749623ec2a491ed11

Intent:
- Define canary deployment expectations for gateway in ci and branching workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 95 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b canary-deployment-150
- docker build -t app:local .
- docker build -t app:local .

Incident Notes:
- Primary alert: latency burn
- Escalation: page on-call engineer

Fingerprint: 4d47bebea72b0110b6768c0b98a2797b

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt backpressure tuning for auth-service.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: cover boundary cases and error paths
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- alerts updated
- dashboards are linked in runbook
- all checks green on main branch
- database migrations reviewed
- feature flags documented
- rollback plan verified
- artifact is signed and versioned
- post-release monitoring plan ready

Fingerprint: 675ecec77ed478f38cadbe00240598d5

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: internal-only impact
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: postmortem scheduled
- T+37m: rollback initiated
- T+82m: incident declared

Action Items:
1. update dashboards
2. add regression test
3. update dashboards

Prevention Controls:
- rate limiting
- progressive delivery
- change freeze window

Fingerprint: 05273e0dec3b4b7990f4602ae43c9139

Intent:
- Define feature flagging expectations for gateway in api design workflows.

Key Requirements:
1. Use Jenkins for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: 99.9 availability. MTTR target: <= 63 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b feature-flagging-153
- kubectl rollout status deploy/gateway
- npm run lint

Incident Notes:
- Primary alert: db connection saturation
- Escalation: page on-call engineer

Fingerprint: 484f9d57778ff10671d3f7b2bf82516f

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt schema expand contract for auth-service.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: add contract tests for consumers
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- dashboards are linked in runbook
- post-release monitoring plan ready
- rollback plan verified
- alerts updated
- on-call schedule confirmed
- all checks green on main branch
- feature flags documented
- staging smoke tests pass

Fingerprint: a3b81b954478164b8eba893b2c8e2009

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: partial outage
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: mitigation applied
- T+40m: incident declared
- T+85m: service stabilized

Action Items:
1. add runbook steps
2. add regression test
3. improve alert thresholds

Prevention Controls:
- synthetic monitoring
- rate limiting
- review of operational readiness

Fingerprint: 93cee9cd12779cb12d5db89bba255152

Intent:
- Define backpressure tuning expectations for billing-api in infrastructure workflows.

Key Requirements:
1. Use Prometheus for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: stale data under 5 minutes. MTTR target: <= 40 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b backpressure-tuning-156
- terraform plan -out tfplan
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: latency burn
- Escalation: page on-call engineer

Fingerprint: c95b83810dab1274c7d9276f16f87339

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt backpressure tuning for search-indexer.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- post-release monitoring plan ready
- alerts updated
- on-call schedule confirmed
- rollback plan verified
- all checks green on main branch
- staging smoke tests pass
- database migrations reviewed
- feature flags documented

Fingerprint: 39de9c0708ec84335a5959ca2a70148c

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: partial outage
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: service stabilized
- T+43m: postmortem scheduled
- T+88m: rollback initiated

Action Items:
1. tighten deploy gate
2. improve alert thresholds
3. improve alert thresholds

Prevention Controls:
- change freeze window
- review of operational readiness
- synthetic monitoring

Fingerprint: c7002a016bb7beb67c96c78127138488

Intent:
- Define threat modeling expectations for auth-service in testing and qa workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: 99.9 availability. MTTR target: <= 73 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-159
- npm run lint
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: db connection saturation
- Escalation: page on-call engineer

Fingerprint: b90b4f177d706bf485cc6ceedca78656

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt blue green rollout for worker-pool.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: include load profile for peak hour traffic
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- staging smoke tests pass
- all checks green on main branch
- feature flags documented
- artifact is signed and versioned
- post-release monitoring plan ready
- rollback plan verified
- alerts updated
- dashboards are linked in runbook

Fingerprint: 13e5fa74945221738d934ef7ab0db400

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: major outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: rollback initiated
- T+46m: service stabilized
- T+91m: mitigation applied

Action Items:
1. improve alert thresholds
2. add regression test
3. add regression test

Prevention Controls:
- rate limiting
- review of operational readiness
- review of operational readiness

Fingerprint: 43d1bb576c0a7dbd0109c4b9fbc4a5ef

Intent:
- Define slo and error budgets expectations for worker-pool in api design workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 48 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b slo-and-error-budgets-162
- npm run lint
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: latency burn
- Escalation: SRE escalation channel

Fingerprint: 035db42106d05dc160af182d9defe870

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt canary deployment for reporting.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- feature flags documented
- dashboards are linked in runbook
- on-call schedule confirmed
- all checks green on main branch
- database migrations reviewed
- post-release monitoring plan ready
- staging smoke tests pass
- rollback plan verified

Fingerprint: 7993620a7c8611adb89760d4b8c81709

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: minor degradation
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: incident declared
- T+49m: alert triggered
- T+94m: postmortem scheduled

Action Items:
1. add runbook steps
2. add runbook steps
3. add runbook steps

Prevention Controls:
- progressive delivery
- synthetic monitoring
- synthetic monitoring

Fingerprint: 80ad1871ec1caae8cd286cc82c2d1722

Intent:
- Define trunk based development expectations for reporting in service ownership workflows.

Key Requirements:
1. Use Jenkins for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: p95 latency under 250ms. MTTR target: <= 111 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b trunk-based-development-165
- kubectl rollout status deploy/gateway
- docker build -t app:local .

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: page on-call engineer

Fingerprint: ff53d8eff0bda2b3263ad1ac7b154510

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt canary deployment for gateway.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: cover boundary cases and error paths
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- post-release monitoring plan ready
- feature flags documented
- on-call schedule confirmed
- database migrations reviewed
- all checks green on main branch
- rollback plan verified
- alerts updated
- dashboards are linked in runbook

Fingerprint: 7f73e1d578901009ea37dcca47971a9f

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: partial outage
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: rollback initiated
- T+52m: mitigation applied
- T+97m: mitigation applied

Action Items:
1. tighten deploy gate
2. add runbook steps
3. add regression test

Prevention Controls:
- progressive delivery
- review of operational readiness
- synthetic monitoring

Fingerprint: 345aab413d62360dbc79764d4f76d6d7

Intent:
- Define code review standards expectations for data-sync in ci and branching workflows.

Key Requirements:
1. Use Jenkins for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 24 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b code-review-standards-168
- docker build -t app:local .
- docker build -t app:local .

Incident Notes:
- Primary alert: queue depth spike
- Escalation: notify incident commander

Fingerprint: 78b69f207dc7a3a9d768737660c9edef

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt code review standards for gateway.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: include load profile for peak hour traffic
- Load tests: add contract tests for consumers

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- staging smoke tests pass
- database migrations reviewed
- rollback plan verified
- feature flags documented
- alerts updated
- dashboards are linked in runbook
- post-release monitoring plan ready
- on-call schedule confirmed

Fingerprint: f9174b61dbc3bd403bc56d085a76e405

Postmortem Template:
- Incident title: database lock contention
- Customer impact: internal-only impact
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: postmortem scheduled
- T+55m: postmortem scheduled
- T+100m: postmortem scheduled

Action Items:
1. add regression test
2. update dashboards
3. tighten deploy gate

Prevention Controls:
- rate limiting
- review of operational readiness
- rate limiting

Fingerprint: 0c2ae4a8a1304b7a0f7f859f97f93c07

Intent:
- Define load shedding expectations for auth-service in ci and branching workflows.

Key Requirements:
1. Use Argo CD for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: 99.9 availability. MTTR target: <= 29 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b load-shedding-171
- curl -s http://localhost:8080/health
- terraform plan -out tfplan

Incident Notes:
- Primary alert: db connection saturation
- Escalation: eng manager escalation

Fingerprint: 2ed27bea8e80b090511059beb74e33ab

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt code review standards for data-sync.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: cover boundary cases and error paths
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- database migrations reviewed
- rollback plan verified
- feature flags documented
- alerts updated
- post-release monitoring plan ready
- dashboards are linked in runbook
- staging smoke tests pass

Fingerprint: 486613edf9c8aae48e7eb3f4988af0a0

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: partial outage
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: rollback initiated
- T+58m: rollback initiated
- T+103m: rollback initiated

Action Items:
1. improve alert thresholds
2. tighten deploy gate
3. add regression test

Prevention Controls:
- progressive delivery
- rate limiting
- synthetic monitoring

Fingerprint: 02920b24bdb20fa0cfc2a2cad42d7203

Intent:
- Define canary deployment expectations for data-sync in infrastructure workflows.

Key Requirements:
1. Use OpenTelemetry for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 68 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b canary-deployment-174
- pytest -q --disable-warnings
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: notify incident commander

Fingerprint: a23de4064f3f35075cbbb7d93fbb3ff3

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt load shedding for auth-service.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: cover boundary cases and error paths
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- alerts updated
- on-call schedule confirmed
- post-release monitoring plan ready
- rollback plan verified
- feature flags documented
- dashboards are linked in runbook
- database migrations reviewed
- staging smoke tests pass

Fingerprint: d0eb0c247dda99dcbfaf1bbfcb66546c

Postmortem Template:
- Incident title: database lock contention
- Customer impact: minor degradation
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: postmortem scheduled
- T+61m: service stabilized
- T+106m: rollback initiated

Action Items:
1. tighten deploy gate
2. tighten deploy gate
3. add runbook steps

Prevention Controls:
- synthetic monitoring
- progressive delivery
- progressive delivery

Fingerprint: 6990c9f58a8be7ad947ec83a58bb4946

Intent:
- Define backpressure tuning expectations for gateway in observability and sre workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 83 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b backpressure-tuning-177
- docker build -t app:local .
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: memory pressure
- Escalation: eng manager escalation

Fingerprint: eedbc44906cee2fb03dca65c7637b35d

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt code review standards for notifications.
- Consequences: more predictable release windows

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- artifact is signed and versioned
- rollback plan verified
- feature flags documented
- staging smoke tests pass
- alerts updated
- post-release monitoring plan ready
- database migrations reviewed

Fingerprint: e1a1a6abcc59e102dc00ec8aa69778ef

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: minor degradation
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: postmortem scheduled
- T+64m: alert triggered
- T+109m: alert triggered

Action Items:
1. update dashboards
2. tighten deploy gate
3. add runbook steps

Prevention Controls:
- rate limiting
- rate limiting
- synthetic monitoring

Fingerprint: 92c05835a605d1a6068a55cc04bfefac

Intent:
- Define canary deployment expectations for reporting in api design workflows.

Key Requirements:
1. Use GitHub Actions for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: p95 latency under 250ms. MTTR target: <= 101 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b canary-deployment-180
- kubectl rollout status deploy/gateway
- terraform plan -out tfplan

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: page on-call engineer

Fingerprint: fd4a670c0fbc98a180a902d2ae56d68c

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt threat modeling for billing-api.
- Consequences: improved mean time to recover

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: add contract tests for consumers
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- feature flags documented
- all checks green on main branch
- staging smoke tests pass
- alerts updated
- rollback plan verified
- dashboards are linked in runbook
- on-call schedule confirmed
- artifact is signed and versioned

Fingerprint: befb0eebee75d3c6f4dc10890c42c4e9

Postmortem Template:
- Incident title: misconfigured env var
- Customer impact: major outage
- Root cause class: unhandled edge case

Timeline Snippet:
- T+0m: service stabilized
- T+7m: postmortem scheduled
- T+22m: postmortem scheduled

Action Items:
1. improve alert thresholds
2. improve alert thresholds
3. tighten deploy gate

Prevention Controls:
- rate limiting
- rate limiting
- progressive delivery

Fingerprint: e6869f41ad09f073d09bd699f3ddc80b

Intent:
- Define runbook driven oncall expectations for auth-service in performance engineering workflows.

Key Requirements:
1. Use Kubernetes for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: stale data under 5 minutes. MTTR target: <= 73 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b runbook-driven-oncall-183
- npm run lint
- pytest -q --disable-warnings

Incident Notes:
- Primary alert: db connection saturation
- Escalation: eng manager escalation

Fingerprint: ea67730d4d504a606c201541eb9f9dc2

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt canary deployment for worker-pool.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- alerts updated
- dashboards are linked in runbook
- rollback plan verified
- artifact is signed and versioned
- all checks green on main branch
- feature flags documented
- post-release monitoring plan ready
- database migrations reviewed

Fingerprint: 2532d675db558d9ff3cc7a7778be2827

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: major outage
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: rollback initiated
- T+10m: alert triggered
- T+25m: postmortem scheduled

Action Items:
1. update dashboards
2. add regression test
3. add runbook steps

Prevention Controls:
- synthetic monitoring
- synthetic monitoring
- progressive delivery

Fingerprint: 8d921e5e4b8796c3847c48b63779c198

Intent:
- Define backpressure tuning expectations for gateway in data migrations workflows.

Key Requirements:
1. Use OpenTelemetry for automation where possible; manual steps must be documented.
2. Enforce release gate: security scan pass.
3. SLO target: stale data under 5 minutes. MTTR target: <= 57 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b backpressure-tuning-186
- pytest -q --disable-warnings
- curl -s http://localhost:8080/health

Incident Notes:
- Primary alert: db connection saturation
- Escalation: SRE escalation channel

Fingerprint: 36ca4c17097844a54cf9d489924be0a1

Architecture Decision Summary:
- Context: new compliance requirement
- Decision: Adopt threat modeling for notifications.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: include load profile for peak hour traffic
- Integration tests: add contract tests for consumers
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- rollback plan verified
- artifact is signed and versioned
- staging smoke tests pass
- database migrations reviewed
- post-release monitoring plan ready
- on-call schedule confirmed
- alerts updated
- feature flags documented

Fingerprint: fc44e55d5714071a1428ae271f0da62e

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: minor degradation
- Root cause class: dependency failure

Timeline Snippet:
- T+0m: postmortem scheduled
- T+13m: alert triggered
- T+28m: rollback initiated

Action Items:
1. update dashboards
2. tighten deploy gate
3. add regression test

Prevention Controls:
- synthetic monitoring
- synthetic monitoring
- progressive delivery

Fingerprint: 6a4debd1bd77e63a39dbe3e0d96384ad

Intent:
- Define load shedding expectations for reporting in cd and release management workflows.

Key Requirements:
1. Use Terraform for automation where possible; manual steps must be documented.
2. Enforce release gate: unit tests + lint.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 161 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b load-shedding-189
- curl -s http://localhost:8080/health
- terraform plan -out tfplan

Incident Notes:
- Primary alert: queue depth spike
- Escalation: notify incident commander

Fingerprint: 765326e251d32198ec1ce1e1e95753d0

Architecture Decision Summary:
- Context: re-architecture of auth flows
- Decision: Adopt canary deployment for auth-service.
- Consequences: more predictable release windows

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: mock external dependencies with recorded fixtures

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- database migrations reviewed
- dashboards are linked in runbook
- feature flags documented
- staging smoke tests pass
- on-call schedule confirmed
- artifact is signed and versioned
- post-release monitoring plan ready
- alerts updated

Fingerprint: 4f55904b31b3db5f37fe939ccf93aa91

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: internal-only impact
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: service stabilized
- T+16m: mitigation applied
- T+31m: alert triggered

Action Items:
1. update dashboards
2. add runbook steps
3. update dashboards

Prevention Controls:
- synthetic monitoring
- rate limiting
- review of operational readiness

Fingerprint: 7e32df611aa0313b30c8e21b3a04060d

Intent:
- Define blue green rollout expectations for search-indexer in performance engineering workflows.

Key Requirements:
1. Use OpenTelemetry for automation where possible; manual steps must be documented.
2. Enforce release gate: integration suite.
3. SLO target: 99.9 availability. MTTR target: <= 40 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b blue-green-rollout-192
- kubectl rollout status deploy/gateway
- kubectl rollout status deploy/gateway

Incident Notes:
- Primary alert: memory pressure
- Escalation: eng manager escalation

Fingerprint: 3c7ab31f8b67f1b6f5790edfb752b592

Architecture Decision Summary:
- Context: migration to Kubernetes
- Decision: Adopt load shedding for data-sync.
- Consequences: clearer ownership boundaries

Testing Strategy:
- Unit tests: mock external dependencies with recorded fixtures
- Integration tests: mock external dependencies with recorded fixtures
- Load tests: include load profile for peak hour traffic

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- artifact is signed and versioned
- staging smoke tests pass
- on-call schedule confirmed
- alerts updated
- post-release monitoring plan ready
- all checks green on main branch
- feature flags documented
- rollback plan verified

Fingerprint: d17f4b3676fee793e0e90a3706dfd7e0

Postmortem Template:
- Incident title: cache stampede on cold start
- Customer impact: internal-only impact
- Root cause class: schema migration issue

Timeline Snippet:
- T+0m: alert triggered
- T+19m: postmortem scheduled
- T+34m: incident declared

Action Items:
1. add runbook steps
2. add regression test
3. improve alert thresholds

Prevention Controls:
- rate limiting
- review of operational readiness
- synthetic monitoring

Fingerprint: 3cc0d28d2efc38e05a96ff5a4a16680f

Intent:
- Define threat modeling expectations for notifications in observability and sre workflows.

Key Requirements:
1. Use Prometheus for automation where possible; manual steps must be documented.
2. Enforce release gate: SLO burn check.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 26 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b threat-modeling-195
- curl -s http://localhost:8080/health
- docker build -t app:local .

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: SRE escalation channel

Fingerprint: f7f3fb0e3dfaf6bfb43a8ba465745c70

Architecture Decision Summary:
- Context: multi-region expansion
- Decision: Adopt schema expand contract for billing-api.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: cover boundary cases and error paths
- Integration tests: add contract tests for consumers
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- feature flags documented
- artifact is signed and versioned
- dashboards are linked in runbook
- on-call schedule confirmed
- staging smoke tests pass
- rollback plan verified
- alerts updated
- post-release monitoring plan ready

Fingerprint: c0935f16ab049736f16adf740d3016f1

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: major outage
- Root cause class: capacity shortfall

Timeline Snippet:
- T+0m: incident declared
- T+22m: postmortem scheduled
- T+37m: postmortem scheduled

Action Items:
1. add regression test
2. add runbook steps
3. tighten deploy gate

Prevention Controls:
- progressive delivery
- progressive delivery
- progressive delivery

Fingerprint: 886e5daf861ae3334414579be272e7ce

Intent:
- Define feature flagging expectations for data-sync in architecture decisions workflows.

Key Requirements:
1. Use Prometheus for automation where possible; manual steps must be documented.
2. Enforce release gate: manual release approval.
3. SLO target: error rate under 0.5 percent. MTTR target: <= 41 minutes.
4. Rollback plan must be verified prior to production change windows.

Operational Workflow:
Step 1: Create change request with risk level and blast radius.
Step 2: Run CI checks and validate artifact provenance.
Step 3: Deploy to staging; execute smoke tests and validate metrics.
Step 4: Promote with approval; monitor golden signals and error budget.

Command Examples:
- git checkout -b feature-flagging-198
- curl -s http://localhost:8080/health
- docker build -t app:local .

Incident Notes:
- Primary alert: high 5xx rate
- Escalation: eng manager escalation

Fingerprint: 35d7302ecfe609e88602cb764c09488d

Architecture Decision Summary:
- Context: an increase in release cadence
- Decision: Adopt schema expand contract for worker-pool.
- Consequences: reduced rollback risk

Testing Strategy:
- Unit tests: add contract tests for consumers
- Integration tests: cover boundary cases and error paths
- Load tests: cover boundary cases and error paths

Security Checklist:
[] Secrets are stored in vault, not in repo.
[] Dependency vulnerabilities reviewed and triaged.
[] Access is least-privilege; break-glass path is documented.
[] Logs exclude PII and include trace correlation IDs.

Release Checklist:
- all checks green on main branch
- database migrations reviewed
- alerts updated
- rollback plan verified
- dashboards are linked in runbook
- on-call schedule confirmed
- post-release monitoring plan ready
- staging smoke tests pass

Fingerprint: 79320097c6a515f9e1a99691ecb99eb1

Postmortem Template:
- Incident title: elevated error rate after deploy
- Customer impact: partial outage
- Root cause class: bad configuration

Timeline Snippet:
- T+0m: rollback initiated
- T+25m: rollback initiated
- T+40m: incident declared

Action Items:
1. improve alert thresholds
2. improve alert thresholds
3. tighten deploy gate

Prevention Controls:
- progressive delivery
- progressive delivery
- synthetic monitoring

Fingerprint: 9c3362e5b2b9d73bfa2a686f3d5172cd