SQL Project on Pizza Sales

Hello !





Hello! My name is Shivansh Singh,

In this project i have utilise sql query to solve questions that were related to pizza sales

Retrieve the total number of orders placed



```sql
SELECT
    COUNT(order_id) AS total_orders
FROM
    orders;
```



Result Grid

	total_orders
▶	21350

Calculate the total revenue generated from pizza.





```
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_sales
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id
```

Result Grid

total_sales
817860.05

Identify the highest-priced pizza.



```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_
ORDER BY pizzas.price DESC
LIMIT 1
```

Result Grid | Filter R

name	price
The Greek Pizza	35.95

Determine the distribution of orders by hour of the day.



```sql
SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count
FROM
    orders
GROUP BY HOUR(order_time);
```



sult Grid

hour	order_cour
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28
10	8
9	1

Identify the most common pizza size ordered.

```sql
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) as order_count
    from
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

Result Grid | Filter

size	order_count
L	18526
M	15385
S	14137
XL	544
XXL	28

List the top 5 most ordered pizza types along with their quantities.

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5
;
```

Result Grid | Filter Rows:

name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

Join the necessary tables to find the totale quantity of each pizza category ordered.





```sql
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC
;
```

Result Grid | Filt

category	quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

Join relevant tables to find the category-wise distribution of pizzas.





```
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```

Result Grid | Filter Rows:

	category	COUNT(name)
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9

Group the orders by date and calculate the average number of pizzas ordered per day.

```sql
SELECT
    AVG(quantity) as avg_pizza_ordered_per_day
FROM
    (SELECT
        orders.order_date, SUM(order_details.quantity) AS quantity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_id
    GROUP BY orders.order_date) AS order_quantity;
```

Result Grid | Filter Rows:

avg_pizza_ordered_per_day
138.4749

Determine the top 3 most ordered pizza types based on revenue.

```sql
SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3
;
```

Result Grid | Filter Rows:

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

Calculate the percentage contribution of each pizza type to total revenue.





```
SELECT
    pizza_types.category,
    ROUND(SUM(order_details.quantity * pizzas.price) / (SELECT
                    ROUND(SUM(order_details.quantity * pizzas.price),
                                2) AS total_sales
                FROM
                    order_details
                        JOIN
                    pizzas ON pizzas.pizza_id = order_details.pizza_id) * 100,
            2) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```

Result Grid | Filter R

category	revenue
Classic	26.91
Supreme	25.46
Chicken	23.96
Veggie	23.68

Analyze the cumulative revenue generated over time.



```sql
select order_date,
sum(revenue) over(order by order_date) as cum_revenue
from
(select orders.order_date,
sum(order_details.quantity*pizzas.price) as revenue
from order_details join pizzas
on order_details.pizza_id = pizzas.pizza_id join
orders on orders.order_id = order_details.order_id
group by orders.order_date) as sales
;
```

Result Grid | Filter Rows:

order_date	cum_revenue
2015-01-01	2713.850000000000
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05
2015-01-09	21526.4
2015-01-10	23990.350000000000
2015-01-11	25862.65
2015-01-12	27781.7
2015-01-13	29831.300000000000
2015-01-14	32358.700000000000
2015-01-15	34343.500000000000
2015-01-16	36937.650000000000
2015-01-17	39001.750000000000
2015-01-18	40978.600000000000
2015-01-19	43365.750000000000
2015-01-20	45763.650000000000

Determine the top 3 most ordered pizza types based on revenue for each pizza category.

```sql
select name,revenue
 from
(select category,name,revenue,
rank() over(partition by category order by revenue desc) as rn
from
 (select pizza_types.category,pizza_types.name,
 sum(order_details.quantity*pizzas.price) as revenue
 from pizza_types join pizzas
 on pizza_types.pizza_type_id = pizzas.pizza_type_id
 join order_details on order_details.pizza_id = pizzas.pizza_id
 group by pizza_types.category, pizza_types.name) as  a ) as b
 where rn <= 3;
```

Result Grid | Filter Rows:

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5
The Classic Deluxe Pizza	38180.5
The Hawaiian Pizza	32273.25
The Pepperoni Pizza	30161.75
The Spicy Italian Pizza	34831.25
The Italian Supreme Pizza	33476.75
The Sicilian Pizza	30940.5
The Four Cheese Pizza	32265.70000000065
The Mexicana Pizza	26780.75
The Five Cheese Pizza	26066.5