

Term work on
Web Development Lab (PCS 693)
Submitted in partial fulfillment of the requirement for the VI semester

Bachelor of Technology by
Shivansh Dubey

University Roll No:
2161313

Under the Guidance of
Mrs. Senam Pandey
Assistant Professor
Department of CSE



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
GRAPHIC ERA HILL UNIVERSITY
BHIMTAL CAMPUS
2023-2024

INDEX

Sno.	Date	Assignment	Page No.	Signature
1.	13/2/2024	Write a HTML code to draw the following Figure.	4-5	
2.	13/2/2024	Create a web page to print the following table:	5-9	
3.	13/2/2024	Using table related tags align the images with hyperlinks.	9-11	
4.	13/2/2024	Create a web page with the following using HTML:	11-12	
5.	13/2/2024	Demonstrate the use of iframe tag using suitable example.	12	
6.	20/2/2024	Create a program to run youtube video in a web page.	13	
7.	27/2/2024	Write a HTML code for the following snapshot.	14-15	
8.	05/3/2024	Create a web page to show all hyperlinks with following specification:	15-16	
9.	12/3/2024	Create Box Shadow and text Shadow using CSS3.	17-18	
10.	12/3/2024	Create Rounded Corners using css3.	18-19	
11.	19/3/2024	Create a web page to show newspaper layout effects on contents given in web page (.e. n multiple columns).	20-23	
12.	26/3/2024	Create a web page to show fixed background image (this image will not scroll with the rest of the page).	23-24	

13.	26/3/2024	Create a web page to position a background image and repeat the image horizontally or vertically	25	
14.	02/4/2024	Design a web page to validate credit card number according to the below specification. Following tables outlines the major credit cards you might want to validate, along with their allowed prefixes and lengths.	25-29	
15.	07/5/2024	Create a crud application using php.	29-34	
16.	14/5/2024	Write a PHP program to store page views count in SESSION, to increment the count on each refresh, and to show the count on web page.	34-35	
17.	21/5/2024	Create a Login form having User-Id and Password fields. After submitting the form match the user-id and password with existing user-id and password. If user-id and password match a new welcome window should be appear.	35-36	
18.	21/5/2024	Create a PHP page to display all the records from PERS table that contain Department Number(field name dno) similar to that of given in list lstdnogiven in interface web browser Screen.	36	
19.	21/5/2024	Write a PHP program to store current datetime in a COOKIE and display the "Last visited on date-time on the web page upon reopening of the same page.	36-37	
20.	28/5/2024	Create a calculator program in react.js	37-38	
21.	28/5/2024	Create a form using react.js	38-40	

1. Write a HTML code to draw the following Figure



Code :-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Star Pattern</title>
  <style>
    .tab{
      margin-left: 50px;
    }
    .tab, h1{
      text-align: center;
    }
  </style>
</head>
<body>
  <h1>This is a star pattern</h1>
  <div class="tab">
    <h1>*</h1>
    <h1>* *</h1>
    <h1>* * *</h1>
    <h1>* * * *</h1>
    <h1>* * * * *</h1>
  </div>
</body>
</html>
```

Output:-

This is a star pattern

*

* * *

* * * * *

* * * * * * *

2. Create a web page to print the following table:

List of Course-wise Subjects

Sr. No.	Course	Subject	Marks		Category		Practical/ Theory
			Internal	External	Internal	External	
1	MBA	Management Accounting	30	70	-	✓	Theory
		Information Technology	30	70	-	✓	T and P
		Basics of Marketing	30	70	-	✓	Theory
		E-Commerce	50	-	✓	-	Theory
2	MCM	Visual Basic	30	70	-	✓	T and P
		Internet Technology	30	70	-	✓	T and P
		Network Technology	30	70	-	✓	Theory
		VB.Net	30	70	-	✓	T and P
		Linux	30	70	-	✓	T and P
		ISA	50	-	✓	-	Theory

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```

<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Time Table</title>
<style>
    table{
        width: 50%;
        margin: auto;
    }
    td{
        text-align: center;
    }
    caption{
        margin-bottom: 50px;
        font-size: 30px;
    }
</style>
</head>

```

```

<body>

```

```

<table border="2" >
    <caption>List of Course-wise Subjects</caption>
    <tr>
        <td rowspan="2">SrNo.</td>
        <td rowspan="2">Course</td>
        <td rowspan="2">Subject</td>
        <td colspan="2">Marks</td>
        <td colspan="2">Category</td>
        <td rowspan="2">Practical/Theory</td>
    </tr>
    <tr>
        <td>Internal</td>
        <td>External</td>
        <td>Internal</td>
        <td>External</td>
    </tr>
    <tr>
        <td rowspan="4">1.</td>
        <td rowspan="4">MBA</td>
        <td>Management Accounting</td>
        <td>30</td>
        <td>70</td>
        <td>-</td>
        <td></td>
        <td>Theory</td>
    </tr>

```

```

</tr>
<tr>
  <td>Information Technology</td>
  <td>30</td>
  <td>70</td>
  <td>-</td>
  <td></td>
  <td>T and P</td>
</tr>
<tr>
  <td>Basics of Marketing</td>
  <td>30</td>
  <td>70</td>
  <td>-</td>
  <td></td>
  <td>Theory</td>
</tr>
<tr>
  <td>E-Commerce</td>
  <td>50</td>
  <td>-</td>
  <td></td>
  <td>-</td>
  <td>Theory</td>
</tr>
<tr>
  <td rowspan="6">2.</td>
  <td rowspan="6">MCA</td>
  <td>Visual Basic</td>
  <td>30</td>
  <td>70</td>
  <td>-</td>
  <td></td>
  <td>T and P</td>
</tr>
<tr>
  <td>Internet Technology</td>
  <td>30</td>
  <td>70</td>
  <td>-</td>
  <td></td>
  <td>T and P</td>
</tr>
<tr>
  <td>Network Technology</td>

```

```

        <td>30</td>
        <td>70</td>
        <td>-</td>
        <td></td>
        <td>T and P</td>
    </tr>
    <tr>
        <td>VB.Net</td>
        <td>30</td>
        <td>70</td>
        <td>-</td>
        <td></td>
        <td>T and P</td>
    </tr>
    <tr>
        <td>Linux</td>
        <td>30</td>
        <td>70</td>
        <td>-</td>
        <td></td>
        <td>T and P</td>
    </tr>
    <tr>
        <td>ISA</td>
        <td>30</td>
        <td>70</td>
        <td></td>
        <td>-</td>
        <td>T and P</td>
    </tr>
</table>
</body>
</html>

```

Output:-

List of Course-wise Subjects

Sl.No.	Course	Subject	Marks		Category		Practical/Theory
			Internal	External	Internal	External	
1.	MBA	Management Accounting	30	70	-	✓	Theory
		Information Technology	30	70	-	✓	T and P
		Basics of Marketing	30	70	-	✓	Theory
		E-Commerce	50	-	✓	-	Theory
2.	MCA	Visual Basic	30	70	-	✓	T and P
		Internet Technology	30	70	-	✓	T and P
		Network Technology	30	70	-	✓	T and P
		VB.Net	30	70	-	✓	T and P
		Linux	30	70	-	✓	T and P
		ISA	30	70	✓	-	T and P

3. Using table related tags align the images with hyperlinks.



Table With Mobile Connections

			
	Table With Images		
			

Code :-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Pictures with Links</title>
  <style>
    td{
      text-align: center;
    }
    table{
```

```

        margin: auto;
        margin-top: 120px;
    }
</style>
</head>
<body>
    <table border="2">
        <tr>
            <td><a href="https://aircel.com/"></a></td>
            <td><a href="https://www.airtel.com/"></a></td>
            <td><a href="https://www.amazon.in/"></a></td>
            <td><a href="https://www.apple.com/in/"></a></td>
        </tr>
        <tr>
            <td><a href="https://www.nvidia.com/en-in/"></a></td>
            <td colspan="2" style="font-size: 40px;">Table with Images</td>
            <td><a href="https://www.samsung.com/in/"></a></td>
        </tr>
        <tr>
            <td><a href="https://www.dell.com/en-in"></a></td>
            <td><a href="https://www.microsoft.com/en-in"></a></td>
            <td><a href="https://www.mi.com/in/"></a></td>
            <td><a href="https://www.vodafone.com/"></a></td>
        </tr>
    </table>
</body>
</html>

```

Output:-




4. Create a web page with the following using HTML:
 - i) To embed an image map in a web page
 - ii) To fix the hot spots.
 - iii) Show all the related information when the hot spots are clicked

Code :-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Area Map</title>
</head>
<body>
  <iframe href="" name="pp"></iframe>
  
  <map name="mymap">
    <area href="https://www.bing.com" shape="rect" coords="192,46,556,217"
title="rectangle" target="pp">
  </map>
</body>
</html>
```

Output:-



© Byjus.com

5. Demonstrate the use of iframe tag using suitable example.

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>frame</title>
</head>
<body>
<iframe name="ff" width="100%"></iframe>
<ul>
<a href="https://www.bing.com" target="ff"><li>bing</li></a>
<a href="https://www.airtel.com" target="ff"><li>Airtel</li></a>
</ul>
</body>
</html>
```

Output:-



6. Create a program to run youtube video in a web page.

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Form</title>
</head>
<body>
  <h1>Youtube Video On Web Page Using Iframe</h1>
  <iframe width="560" height="315" src="https://www.youtube.com/embed/jm2r5xzYx-
A?si=jADsJjX8ytmLLxI5" title="YouTube video player" frameborder="0"
allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-
picture; web-share" allowfullscreen></iframe>
</body>
</html>
```

Output:-

Youtube Video On Web Page Using Iframe



7. Write a HTML code for the following snapshot.

Basic Information

Full name: _____

Birth date: _____

Gender: ☐ Male ☐ Female

Address: _____

Phone number: _____

Extra information

Interests: ☐ Books ☐ Movies ☐ Videogames

Favorite color:

Send data Reset form

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Form</title>
</head>
<body>
  <div class="box">
    <h1>Basic Information</h1>
    <form>
      <label for="">Full Name:</label>
      <input type="text">
      <br><br>
      <label for="">Birth Date</label>
      <input type="text">
      <br><br>
      <label>Gender:</label>
      <input type="radio">
      <label>Male</label>
      <input type="radio">
```

```

<label>Female</label>
<br><br>
<label>Address:</label>
<input type="text">
<br><br>
<label>Phone Number:</label>
<input type="tel">
</form>
<h1>Extra Information</h1>
<form>
  <label>Interests:</label>
  <input type="checkbox">
  <label>Books</label>
  <input type="checkbox">
  <label>Movies</label>
  <input type="checkbox">
  <label>VideoGames</label>
  <br><br>
  <label>Favorite Color:</label>
  <input type="color">
</form>
</div>
</body>
</html>

```

Output:-

Basic Information

Full Name:

Birth Date

Gender: ☐ Male ☐ Female

Address:

Phone Number:

Extra Information

Interests: ☐ Books ☐ Movies ☐ VideoGames

Favorite Color:

8. Create a web page to show all hyperlinks with following specification:
 - i) Default color is pink.
 - ii) Active color is blue

- iii) Visited color is Green
- iv) Hyperlink should be without underline.

Code:-

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Link</title>
  <style>
    #linking {
      text-decoration: none;
      color: pink;
    }
    #linking:link {
      color: #FF0000;
    }
    #linking:visited {
      color: #00FF00;
    }
    #linking:active {
      color: #0000FF;
    }
  </style>
</head>
<body>
  <h1>Pseudo Classes Property</h1>
  <a href="www.google.com" id="linking">
    <h1>Google</h1>
  </a>
</body>
</html>
```

Output:-

Pseudo Classes Property

Google

9. Create Box Shadow and text Shadow using CSS3.


Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Box Shadow</title>
  <link href="styles.css" rel="stylesheet">
  <style>
    .container{
      border: 2px solid black;
      height: 300px;
      width: 300px;
      position: relative;
      left: 100px;
      display: flex;
      justify-content: center;
      align-items: center;
      font-size: 45px;
      box-shadow: 2px 2px 10px red;
    }
    .container1{
      border: 2px solid black;
      height: 300px;
      top:-300px;
      text-shadow: 2px 10px 12px;
      display: flex;
      justify-content: center;
      align-items: center;
      font-size: 45px;
      position: relative;
      left:600px;
      width: 300px;
      box-shadow: 20px 2px 10px green;
    }
  </style>
</head>
<body>
  <h1>Box Shadow Experiment</h1>
  <div class="container">
    <h4>Hello people</h4>
  </div>
  <div class="container1">
```

```
<h4>How are you!!</h4>
</div>
</body>
</html>
```

Output:-

Box Shadow Experiment



10. Create Rounded Corners using css3.

Code:-

```
<!DOCTYPE html>

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Border Curves</title>
  <link href="styles.css" rel="stylesheet">
  <style>
    .container {
      border: 2px solid black;
      height: 300px;
      width: 300px;
      position: relative;
      left: 100px;
      border-radius: 20%;
      display: flex;
      justify-content: center;
      align-items: center;
```


```

        font-size: 45px;
        box-shadow: 2px 2px 10px red;
    }
    .container1 {
        border: 2px solid black;
        height: 300px;
        top: -300px;
        display: flex;
        border-radius: 20%;
        justify-content: center;
        align-items: center;
        font-size: 45px;
        position: relative;
        left: 600px;
        width: 300px;
        box-shadow: 20px 2px 10px green;
    }
</style>
</head>
<body>
    <h1>Border Radius Experiment</h1>
    <div class="container">
        <h4>Hello people</h4>
    </div>
    <div class="container1">
        <h4>How are you!!</h4>
    </div>
</body>
</html>

```

Output:-

Border Radius Experiment



11. Create a web page to show newspaper layout effects on contents given in web page (.e. n multiple columns).

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Newspaper</title>
  <link href="styles.css" rel="stylesheet">
  <style>
    .navbar{
      height:120px;
      display: flex;
      justify-content: center;
      align-items: center;
      margin-left: 200px;
      margin-right: 200px;
      font-size: 40px;
      border: none;
    }
    .or{
      height: 0;
    }
    hr{
      margin-left: 200px;
      margin-right: 200px;
      height:5px;
      bottom:10px;
      background-color: black;
      border: 2px solid black;
      position: relative;
      top:0;
    }
    .container{
      height:1000px;
      margin-left: 200px;
      margin-right: 200px;
```

```

}
.container h1{
    font-size: 70px;
    padding-left:20px;
}
.container h3{
    position: relative;
    left:850px;
    top:-120px;
    font-size:30px;
    width:5px;
}
.container img{
    position: relative;
    left:20px;
    top:-138px;
}
.sub-container{
    width:150px;
    height:500px;
    position: relative;
    left:50px;
    top:-115px;
}
.sub-container1{
    width:150px;
    height:500px;
    position: relative;
    left:230px;
    top:-619px;
}
.sub-container2{
    width:150px;
    height:500px;
    position: relative;
    left:400px;
    top:-1120px;
}
.sub-container3{
    width:150px;
    height:500px;

```

```

position: relative;
left:600px;
top:-1620px;
}
.sub-container4{
width:150px;
height:500px;
position: relative;
left:850px;
top:-2455px;
}
</style>
</head>
<body>
<hr class="or">
<hr>
<nav class="navbar">
<h1>THE DAILY NEWS</h1>
</nav>
<hr class="or">
<hr>
<div class="container">
<h1>WORLD NEWS TODAY</h1>
<h3>Economic News</h3>

<div class="sub-container">
    Lorem ipsum dolor, sit amet consectetur adipisicing elit. Amet, corrupti similique illum
    sit error impedit rem magni nulla vero deserunt doloribus quidem ut, ea perspiciatis in! Eius.
</div>
<div class="sub-container1">
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Tempore repellendus enim
    earum distinctio tempora iure, eveniet deserunt cupiditate eaque eius, labore placeat libero nihil!.
</div>
<div class="sub-container2">
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Animi exercitationem
    necessitatibus officia maxime sint reprehenderit voluptatem magnam ad excepturi asperiores
    itaque illo molestias delectus.
</div>
<div class="sub-container3">
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Animi exercitationem
    necessitatibus officia maxime sint reprehenderit voluptatem magnam ad excepturi asperiores.

```

```

</div>
<div class="sub-container4">
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Facere, quidem quia maiores
    obcaecati placeat ab unde nulla provident error? Voluptatibus accusantium illo repudiandae
    optio.
</div>
</div>
</body>
</html>

```

Output:-



12. Create a web page to show fixed background image (this image will not scroll with the rest of the page).

Code:-

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Background Image</title>
    <style>
        body{
            background-image: url(beau.jpg);
            background-repeat: no-repeat;
            background-attachment: fixed;


```

```

    }
  </style>
</head>
<body>
  <h1>Background No Scroll Implementation.</h1>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  <p>The background-image is fixed.</p>
  </body>
</html>

```

Output:-




13. Create a web page to position a background image and repeat the image horizontally or vertically.

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Background Image</title>
  <style>
    body{
      background-image: url(beau.jpg);
    }
  </style>
</head>
<body>
</body>
</html>
```

Output:-



14. Design a web page to validate credit card number according to the below specification. Following tables outline the major credit cards you might want to validate, along with their allowed prefixes and lengths.

Major Credit Cards, Their Prefixes, and Length

Card Type	Prefixes	Length
Master Card	51-55	16
Visa	4	13,16
American Express	34,37	15

Code:-

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Credit Card Validation</title>
  <link href="styles.css" rel="stylesheet">
  <style>
    .container {
      border: 2px solid black;
      height: 600px;
      font-family: monospace;
      font-size: 25px;
    }
    .container h1 {
      text-align: center;
    }
    #lb {
      position: relative;
      left: 200px;
    }
    #inputing {
      height: 40px;
      width: 350px;
      position: relative;
      top: 50px;
    }
    .container #second1 {
      position: relative;
      left: 200px;
      top: 50px;
    }
    .container label {
      margin-left: 20px;
    }
    #cards1 {
      height: 50px;
      width: 400px;
      position: relative;
      left: 220px;
    }
    .container input {
```

```

        position: relative;
        left: 200px;
    }
    .container .btn {
        position: relative;
        top: 200px;
        height: 30px;
        width: 120px;
        background-color: green;
        color: white;
        font-size: 20px;
        cursor: pointer;
    }
</style>
</head>
<body>
<div class="container">
    <h1><u>Card Validation</u></h1>
    <label for="cards" id="lb">Enter Card:</label>
    <select id="cards1">
        <option value="Select" name="select">select</option>
        <option value="mastercard" name="master">mastercard</option>
        <option value="visa" name="vi">Visa</option>
        <option value="americanexpress" name="amex">American Express</option>
    </select>
    <br>
    <label id="second1">Enter Card Number:</label>
    <input type="text" id="inputing" name="crdnum" placeholder="Enter Card Number">
    <button class="btn" onclick="check()">Submit</button>
</div>
<script>function check() {
    let dp = document.getElementById("cards1")
    let op = dp.options[dp.selectedIndex];
    if (op.value === "Select") {
        alert("Please select some card");
    }
    else if (op.value === "mastercard") {
        let a = "";
        let inp = document.getElementById("inputing")
        if (inp.value.length > 16) {
            alert("Length of card is exceeded");
        }
        if (inp.value == "") {
            alert("Please enter card Number");
        }
        for (i = 0; i <= 1; i++) {

```

```

        a += inp.value.charAt(i);
    }
    console.log(a);
    if ((a.startsWith(51) || a.startsWith(52) || a.startsWith(53) || a.startsWith(54) ||
a.startsWith(54)) && inp.value.length == 16) {
        alert("All good");
    }
}
else if (op.value === "visa") {
    let inp = document.getElementById("inputing")
    if (inp.value.length > 16) {
        alert("Length of card is exceeded");
    }
    if (inp.value == "") {
        alert("Please enter card Number");
    }
    if ((inp.value.length == 13 || inp.value.length == 16) && inp.value.charAt(0) == '4') {
        alert("All Good");
    }
    else {
        alert("Invalid Card Number");
    }
}
else if (op.value === "americanexpress") {
    let inp = document.getElementById("inputing")
    if (inp.value.length > 15) {
        alert("Length of card is exceeded");
    }
    if (inp.value == "") {
        alert("Please enter card Number");
    }
    if (inp.value.length == 15 && ((inp.value.charAt(0) == '3' && inp.value.charAt(1) ==
'4') || (inp.value.charAt(0) == '3' && inp.value.charAt(1) == '7'))) {
        alert("All Good");
    }
    else {
        alert("Invalid Card Number");
    }
}
}
</script>
</body>
</html>

```

Output:-

Card Validation

Enter Card:

Enter Card Number:

15. Create a crud application using php.

Code:-

App.js

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CRUD Application</title>
  <link href="styles.css" rel="stylesheet">
</head>
<body>
  <div class="nav">
    <a href="app.php"><li>Home</li></a>
    <a href="edit.php"><li>Edit</li></a>
    <a href="delete.php"><li>Delete</li></a>
    <a href="app.php"><li>About</li></a>
  </div>
  <div class="but">
    <a href="edit.php"><button class="edit2">Add</button></a>
    <a href="delete.php?delall="><button class="edit2" name="deleall">Delete All</button></a>
  </div>

  <table class="studinfo1" border="2">
    <tr>
      <td>Name</td>
      <td>Id</td>
      <td>Course</td>
      <td>Section</td>
    </tr>
  </table>
```

```

        <td>Edit</td>
        <td>Delete</td>
    </tr>
<?php
    include "config.php";
    $sql="SELECT * FROM `studinfo`";
    $res=mysqli_query($con,$sql);
    if(mysqli_num_rows($res)>0){
        while($row=mysqli_fetch_assoc($res)){
            echo "<tr>";
            echo "<td>" . $row["SName"] . "</td>";
            echo "<td>" . $row["Id"] . "</td>";
            echo "<td>" . $row["Course"] . "</td>";
            echo "<td>" . $row["Section"] . "</td>";
            echo "<td>" . "<a href='update.php?upid=". $row["Id"]."'><button class='edit'
name='ed'>Edit</button></a>" . "</td>";
            echo "<td>" . "<a href='delete.php?delid=". $row["Id"]."'><button class='delete'
name='del'>Delete</button></a>" . "</td>";
            echo "</tr>";
        }
    }
?>
</table>
</body>
</html>

```

Config.php

```

<?php
    $con=mysqli_connect("localhost","root","gautam","classwork") or die("Connection is not made");
?>

```

Delete.php

```

<?php
    include "config.php";
    if(isset($_GET['delall'])){
        $sql="DELETE FROM `studinfo`";
        $res=mysqli_query($con,$sql);
        if($res){
            header('location:app.php');
        }
    }
?>

```

```

<?php
    include "config.php";
    if(isset($_GET['delid'])){
        $id=$_GET['delid'];
        $sql="DELETE FROM `studinfo` WHERE ID=$id";
        $res=mysqli_query($con,$sql);
        if($res){
            header('location:app.php');
        }
        else{
            die(mysqli_error($con));
        }
    }
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Delete</title>
</head>
<body>

</body>
</html>
Edit.php

```

```

<?php
    include "config.php";
    if(isset($_POST['submit'])){
        $name=$_POST['sname'];
        $id=$_POST['sid'];
        $course=$_POST['scourse'];
        $sec=$_POST['ssec'];
        $sql2="SELECT * FROM `studinfo`";
        $res=mysqli_query($con,$sql2);
        $t=0;
        if(mysqli_num_rows($res)!=0){
            $sql1="SELECT Id FROM `studinfo` WHERE Id='".$_POST['sid']."'";
            $res1=mysqli_query($con,$sql1);
            if($res1){
                if(mysqli_num_rows($res1)>0){
                    $fetch=mysqli_fetch_assoc($res1);

```

```

        if($fetch['Id']==$_POST['sid']){
            $t++;
            echo "<script>alert('The entered id already exists');</script>";
        }
    }
}
}
if($t==0){
    $sql="INSERT INTO `studinfo` (SName,Id,Course,Section) values('$name','$id','$course','$sec')";
    $res=mysqli_query($con,$sql);
    echo "<p class='dinsert'>Data Inserted Succesfully</p>";
    header('location:app.php');
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Edit</title>
    <link href="styles.css" rel="stylesheet">
</head>
<body>
    <h1 class="edit1">Edit your Data</h1>
    <form action="edit.php" method="post" class="editing">
        <input type="text" name="sname" placeholder="Enter your name" class="boxes" required>
        <br><br>
        <input type="number" name="sid" placeholder="Enter your id" class="boxes" required>
        <br><br>
        <input type="text" name="scourse" placeholder="Enter your course" class="boxes" required>
        <br><br>
        <input type="section" name="ssec" placeholder="Enter your section" class="boxes" required>
        <br><br>
        <button name="submit" class="sub">Save</button>
    </form>
    <a href="app.php"><button class="sub1">back</button></a>
</body>
</html>

```

Update.php

<?php


```

    include "config.php";
    if(isset($_GET['upid'])){
        $sql="SELECT * FROM `studinfo` WHERE Id=$_GET[upid]";
        $res=mysqli_query($con,$sql);
        $row=mysqli_fetch_assoc($res);
        $name=$row['SName'];
        $id=$row['Id'];
        $course=$row['Course'];
        $sec=$row['Section'];
    }
    if(isset($_POST['submit'])){
        $name=$_POST['sname'];
        $id1=$_POST['sid'];
        $course=$_POST['scourse'];
        $sec=$_POST['ssec'];
        $sql="UPDATE `studinfo` SET SName='$name',Id=$id1,Course='$course',Section='$sec' WHERE
Id=$id1";
        $res=mysqli_query($con,$sql);
        if($res){
            header('location:app.php');
        }
    }
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Edit</title>
    <link href="styles.css" rel="stylesheet">
</head>
<body>
    <h1 class="edit1">Edit your Data</h1>
    <form action="update.php" method="post" class="editing">
        <input type="text" name="sname" placeholder="Enter your name" class="boxes" value="<?php
echo $name; ?>" required>
        <br><br>
        <input type="number" name="sid" placeholder="Enter your id" class="boxes" value="<?php echo
$id; ?>" required>
        <br><br>
        <input type="text" name="scourse" placeholder="Enter your course" class="boxes" value="<?php
echo $course; ?>" required>
        <br><br>


```

```

        <input type="text" name="ssec" placeholder="Enter your section" class="boxes" value="<?php
echo $sec; ?>" required>
        <br><br>
        <button name="submit" class="sub">Save</button>
    </form>
    <a href="app.php"><button class="sub1">back</button></a>
</body>
</html>

```

Output:-



16. Write a PHP program to store page views count in SESSION, to increment the count on each refresh, and to show the count on web page.

Code:-

```

<?php
    session_start();
    if(isset($_SESSION['count'])){
        $_SESSION['count']+=1;
    }
    echo $_SESSION['count'];
?>

```

17. Create a Login form having User-Id and Password fields. After submitting the form match the user-id and password with existing user-id and password. If user-id and password match a new welcome window should be appear.

Code:

Login.php

```
<?php
    session_start();
    $userid="GautamGupta123";
    $password="1234";
    if(isset($_POST['bt'])){
        if($_POST['userid']==$userid && $_POST['pass']==$password){
            $_SESSION['userid']=$userid;
            header('location:welcome.php');
        }
    }
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <form action="
    " method="post">
        <input type="text" name="userid1">
        <input type="password" name="pass">
        <input type="submit" value="Submit" name="bt">
    </form>
</body>
</html>
```

Welcome.php

```
<?php
    session_start();
    $name=$_SESSION['userid'];
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
```

```

<?php
    echo "Welcome $name";
?>
</body>
</html>

```

18. Create a PHP page to display all the records from PERS table that contain Department Number(field name dno) similar to that of given in list lstdnogiven in interface web browser Screen.

Code:-

```

<?php
include "config1.php";
$lstdnogiven = [101, 102, 103];
$dno_list = implode(",", array_map('intval', $lstdnogiven));
$sql = "SELECT * FROM `employee` WHERE Eid IN ($dno_list)";
$res = mysqli_query($con, $sql);
if (mysqli_num_rows($res) > 0) {
    echo "<table border='2'>";
    echo "<tr><th>Eid</th><th>ENAME</th><th>Department_Name</th></tr>";
    while ($row = mysqli_fetch_assoc($res)) {
        echo "<tr>";
        echo "<td>" . $row['Eid'] . "</td>";
        echo "<td>" . $row['ENAME'] . "</td>";
        echo "<td>" . $row['Department'] . "</td>";
        echo "</tr>";
    }
    echo "</table>";
}

```

19. Write a PHP program to store current date-time in a COOKIE and display the "Last visited on date-time on the web page upon reopening of the same page.

Code: -

```

<?php
$cookie_name = "last_visited";
if(isset($_COOKIE[$cookie_name])) {
    $last_visited = $_COOKIE[$cookie_name];
} else {
    $last_visited = "This is your first visit.";
}
echo "Last visited on: " . $last_visited;

```

```

$current_date_time = date("Y-m-d H:i:s");
setcookie($cookie_name, $current_date_time, time() + (86400 * 30));
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Last Visit</title>
</head>
<body>
  <h1>Welcome Back!</h1>
  <p>Your last visit was on: <?php echo $last_visited; ?></p>
</body>
</html>

```

20. Create a calculator program in react.js.

Code:

```

import React, { useState } from 'react';
import './styles.css';
const Calculator = () => {
  const [display, setDisplay] = useState("");
  const handleClick = (value) => {
    if (value === '=') {
      try {
        setDisplay(eval(display).toString());
      } catch {
        setDisplay('Error');
      }
    } else if (value === 'C') {
      setDisplay("");
    } else {
      setDisplay(display + value);
    }
  };
};

```

```

return (
  <div className="calculator">
    <div className="display">{display}</div>
    <div className="buttons">
      {[ '7', '8', '9', '/' ].map((value) => (
        <button onClick={() => handleClick(value)} key={value}>{value}</button>
      ))}
      {[ '4', '5', '6', '*' ].map((value) => (
        <button onClick={() => handleClick(value)} key={value}>{value}</button>
      ))}
      {[ '1', '2', '3', '-' ].map((value) => (
        <button onClick={() => handleClick(value)} key={value}>{value}</button>
      ))}
      {[ '0', '.', '=', '+' ].map((value) => (
        <button onClick={() => handleClick(value)} key={value}>{value}</button>
      ))}
      <button onClick={() => handleClick('C')} key="C">C</button>
    </div>
  </div>
);
};

```

export default Calculator;

21. Create a form using react.js

Code:-

Form.js

```

import React, { Component } from 'react'
import './Forms.css';
class forms extends Component {
  constructor(props){
    super(props)
    this.state={
      username:"

```

```

        password:",
        subject:'Operating System'
    }
}
usernamechange=(event)=>{
    this.setState({
        username:event.target.value
    })
}
passwordchange= event =>{
    this.setState({
        password:event.target.value
    })
}
changesub=event=>{
    this.setState({
        subject:event.target.value
    })
}
render() {
    return (
        <div>
            <h1>Form Component</h1>
            <form className='fm'>
                <label>UserName</label>
                <input type='text' value={this.state.username} onChange={this.usernamechange}/>
                <br>
            </br>
                <label>Password</label>
                <input type='password' value={this.state.password} onChange={this.passwordchange}/>
                <br>
            </br>
                <label>Subject</label>
                <select value={this.state.subject} onChange={this.changesub}>
                    <option>Operating System</option>
                    <option>DBMS</option>
                    <option>Computer Network</option>
                </select>
                <br>
            </br>
                <input type='submit' />
            </form>
        </div>
    )
}

```

```
)  
}  
}  
export default forms
```

Ouput:-

Form Component

UserName

Password

Subject

Operating System ▼

Submit