# Cream,Ointment&Gel

| SrNo | ProductName | Composition | PackSize | TherapeuticCategory |
|---|---|---|---|---|
| 1 | AciclovirCreamBP | AciclovirBP....5.0%w/w<br>CreamBase.....q.s | 15g&10g | topicalantivirals |
| 2 | BeclomethasoneDipropionate&SalicylicAcidOintment | BeclomethasoneDipropionateUSP....0.025%w/w<br>SalicylicAcidBP..... 3.0%w/w<br>Ointmentbase .....q.s | 15g | corticosteroidsandkeratolytic agents |
| 3 | Beclomethasone Propionate, NeomycinSulphate & Miconazole Nitrate Cream | BeclomethasoneDipropionateUSP...0.025%w/w<br>NeomycinSulphateBP.....0.5%w/w<br>MiconazoleNitrateBP ..... 2.0%w/w<br>Cream Base ..... q.s | 20g | inflammation,bacterial,and fungal infections |
| 4 | Beclomethasone Dipropionate & Lidocaine HCL& Phenylephrine Hydrochloride cream | Beclomethasone Dipropionate USP.....0.025 % w/w<br>Phenylephrine Hydrochloride BP.....0.10% w/w<br>Lidocaine HCL BP ...2.50% w/w Preservative: Chlorocresol BP .....0.1% w/w Cream Base ..... q.s | ---- | anti-inflammatory,analgesic,and vasoconstrictive |
| 5 | Beclomethasone Dipropionate, Lidocaine Hydrochloride & Phenylephrine HydrochlorideCream | BeclomethasoneDipropionateUSP...1.0%w/w<br>LidocaineHydrochlorideBP .....2.5%w/w<br>PhenylephrineHydrochlorideBP .....0.1%w/w<br>Creambase.....q.s | 10g &30g | combinationanti-inflammatory and pain relief cream |
| 6 | ClindamycinPhosphate&Nicotinamide Gel | ClindamycinPhosphateUSP<br>eqtoClindamycin....1.0%w/w<br>NicotinamideUSP .....4%w/w<br>AloeAllantionGelBase..... q.s<br>ChlorocresolBP (Aspreservative ).....0.1%w/w<br>Cream base .....q.s<br>Ointmentbase .....q.s | 15g | antibioticsandanti-inflammatories. |
| 9 | ClindamycinPhosphate&AdapaleneGel | ClindamycinPhosphateBP<br>eqtoClindamycin ..... 1.0%w/w<br>AdapaleneBP.....0.1%w/w<br>AloeAllantionGelBase.....q.s<br>Preservative<br>MethtylParabenUSP.....0.1%w/w<br>PhenoxyethanolBP ..... 0.025% | 15g | anti-acneordermatological preparation |
| 7 | ClarithromycinGel | ClarithromycinBP ..... 1.0%w/w<br>GelBase .....q.s<br>EqtoClindamycin..... 1.0%w/w<br>Gelbase .....q.s<br>ChlorocresolBP (AsPresevative).....0.1%w/w<br>Cream Base .....q.s | ---- | macrolideantibiotic |
| 8 | Clobetasol Propionate, Neomycin Sulphate, Miconazole Nitrate & Zinc Sulphate Cream | ClobetasolPropionateUSP.....0.05%w/w<br>NeomycinSulphateBP<br>eqtoNeomycin..... 0.5%w/w<br>MiconazoleNitrateBP ..... 2.0%w/w<br>ZincSulphate BP.....2.0%w/w<br>Cream base ..... q.s | 15gm | anti-inflammatory,anti-bacterial, and anti-fungal. |
| 9 | ClotrimazoleGel2.0%w/w | ClotrimazoleBP..... 2%w/w<br>Gelbase ..... q.s<br>Cream base .....q.s | --- | antifungalagents |
| 10 | CholineSalicylate&LidocaineHydrochloridegel | CholineSalicylatesolutionBP<br>EqtoCholineSalicylate.....8.7%w/w<br>LidocaineHydrochlorideBP .....2.0%w/w<br>BenzalkoniumchloridesloutionBP..... 0.01%w/w (aspreservative)<br>Inapleasantflavouredbase .....q.s | 10g | topicalanalgesicsandlocal anesthetics |
| 11 | Clotrimazole, Menthol, Ichthammol, Boric Acid & Zinc Oxide Cream | ClotrimazoleBP.....0.50%w/w<br>MentholBP .....1.0%w/w<br>IchthammolBP..... 0.20%w/w<br>ZincoxideBp..... 5.0%W/W<br>BoricAcidBP..... 1.0%w/w<br>Cream base ..... Q.S. | 15g | topicalantifungalandskin protectant. |
| 12 | Clobetasol Propionate, Neomycin Sulphate& Miconazole Nitrate Cream | ClobetasolPropionateUSP.....0.05%w/w<br>NeomycinSulphateBP<br>eqtoNeomycin..... 0.5%w/w<br>MiconazoleNitrateBP .....2.0%w/w<br>Cream base ..... q.s | ---- | antifungal,Antibacterial ,Antibiotic |
| 13 | Clobetasol Propionate, Neomycin Sulphate (0.1%) & Miconazole Nitrate Cream | ClobetasolPropionateUSP..... 0.05%w/w<br>NeomycinSulphateBP<br>eqtoNeomycin..... 0.1%w/w<br>MiconazoleNitrateBP ..... 2.0%w/w<br>Cream base ..... q.s | 10g | antifungal,Antibacterial ,Antibiotic |
| 14 | ClobetasolPropionate&SalicylicAcidOintment | ClobetasolPropionateUSP..... 0.05%w/w<br>SalicylicAcidBP.....3.0%w/w<br>Ointmentbase ..... q.s | 20g | dermatologicalpreparations |
| 15 | Diclofenac diethylamine, Linseed Oil, Menthol,Methyl Salicylate | DiclofenacdiethylamineBP.....1.16%w/wEqto DiclofenacSodium ..... 1.0%w/w<br>LinseedOil BP.....3.0%w/w<br>MentholBP .....5.0%w/w<br>MethylSalicylateBP..... 10.0%w/w<br>BenzylAlcoholBP (As preservative)...1.00w/w<br>GelBase ..... q.s | | non-steroidalanti-inflammatory drugs |

| | | | | |
|---|---|---|---|---|
| 16 | DiclofenacGelBP | DiclofenacDiethylamineBP..... 1.16%w/w<br>DiclofenacSodium .....1.0%w/w<br>withPropyleneGlycolUSP..... q.s | 30g | non-steroidal anti-inflammatory drugs (NSAID) |
| 17 | EmollientCreamwithBenzoicAcid | EmollientCreambasecontaining<br>BenzoicAcidBP (aspreservative) ..... 0.2%w/w | ---- | antifungal,antiseptic,and keratolyticmedication |
| 18 | FusidicAcidCreamBP2%w/w | FusidicAcidBP..... 2.0%w/w<br>CreamBase .....q.s | 15g | topicalantibiotic |
| 19 | FluocinoloneAcetonideCreamUSP | FluocinoloneAcetonideUSP..... 0.025%w/w<br>Creambase ..... q.s | 30g | topicalcorticosteroids |
| 20 | Hydroquinone,Tretinoin,MometasoneFuroate | HydroquinoneUSP.....2.0%w/w<br>TretinoinUSP ..... 0.025%w/w<br>MometasoneFuroateUSP.....0.1%w/w<br>Creambase ..... q.s | 15gm | Hydroquinoneisaskinlightening agent, Tretinoin is a retinoid, and Mometasone Furoate is a corticosteroid |
| 21 | KetoconazoleShampoo&CreamBP | KetoconazoleBP .....2.0%w/w<br>ShampooBase ..... q.s<br>Creambase .....q.s | 75ml<br>30g | imidazoleantifungal |
| 22 | KetoprofenGelBP | KetoprofenBP.....2.5%w/w<br>Gelbase ..... q.s | 30g,50g,100g | nonsteroidalanti-inflammatory agent(NSAIA) |
| 23 | LidocaineOintmentBP | LidocaineBP.....2.0%w/w<br>Ointmentbase ..... q.s | 30g | localanesthetics |
| 24 | LuliconazoleCream1.0%w/w | Luliconazole .....1.0%w/w<br>Preservative:<br>BenzylAlcoholBP ..... 1.0%w/w<br>Creambase .....q.s | 15g&30g | antifungalmedication |
| 25 | MetronidazoleGelBP | MetronidazoleGelBP..... 2.0%w/w<br>Gelbase ..... q.s | 20g | nitroimidazoleclassofantibiotics |
| 26 | MiconazoleNitrate&FluocinoloneAcetonideCream | MiconazoleNitrateUSP.....2.0%w/w<br>FluocinoloneAcetonideUSP.....0.01%w/w<br>Creambase .....q.s | 20g | antifungal,Antibacterial ,Antibiotic |
| 27 | Miconazole Nitrate, neomycin Sulphate & Fluocinolone Acetonide Cream | FluocinoloneAcetonideBP.....0.01%w/w<br>NeomycinSulphateBP<br>eq.toNeomycin..... 0.5%w/w<br>MiconazoleNitrateBP ..... 2.0%w/w<br>Creambase .....q.s | --- | antifungal,Antibacterial ,Antibiotic |
| 28 | MometasoneFuroateCreamUSP1%w/w | MometasoneFuroateUSP.....0.1%w/w<br>CreamBase ..... q.s | 15g | topicalcorticosteroids. |
| 29 | MiconazoleNitrateCreamUSP2%w/w | MiconazoleNitrateUSP ..... 2.0%w/w<br>CreamBase ..... q.s | 15g&30g | antifungalsfor dermatological/topicaluse |
| 30 | MupirocinOintmentUSP2.0%w/w | MupirocinUSP .....2.0%w/w<br>Ointmentbase ..... q.s | 5g | topicalantibacterialagent |
| 31 | MinoxidilTopicalSolutionUSP | MinoxidilUSP..... 5%w/w<br>Inadhesivebase ..... q.s | 60ml | antihypertensivevasodilating agent |
| 32 | MinoxidilTopicalSolutionUSP | MinoxidilUSP.....10%w/w<br>Inadhesivebase ..... q.s | 60ml | antihypertensivevasodilating agent |
| 33 | NystatinOintmentBP | NystatinBP .....1,00,000units<br>Ointmentbase .....q.s | 15g | antifungals |
| 34 | Ofloxacin, Ornidazole, Terbinafine Hydrochloride & Clobetasol Propionate Cream | OfloxacinBP..... 0.75%w/w<br>Ornidazole..... 2.0%w/w,<br>TerbinafineHydrochlorideBP.....1.0%w/w<br>ClobetasolPropionateUSP .....0.05%w/w<br>Presevative:..<br>MethylParabenUSP .....0.20%w/w<br>PropylParabenUSP ..... 0.02%w/w<br>CreamBase ..... q.s | 15g | corticosteroid-antibacterial-antifungal medications. |
| 35 | PermethrinCream | PermethrinBP.....5.0%w/w<br>Preservative: MethylParabenUSP .....0.20% w/w<br>FormeldehydeSolutionBP.....0.1%w/w<br>Creambase .....q.s | 30g | topicalscabicideandpediculicide |
| 36 | Potassium Nitrate, Sodium Mono fluorophosphate & Triclosan Gel | PotassiumNitrateBP .....5%w/w<br>SodiumMonofluorophosphateUSP ..... 0.7%w/w<br>TriclosanUSP ..... 0.3%w/w<br>Inapleasantflavouredbase.....q.s<br>SodiumMonofluorophosphateUSP.....0.7%w/w<br>TriclosanUSP .....0.3%w/w<br>Inapleasantflavouredbase.....Q.s. | 50g | dentalcare |
| 37 | SilverSulfadiazine&ChlorhexidineGluconateCream | SilverSulfadiazineUSP..... 1.0%w/w<br>ChlorhexidineGluconateBP<br>EqtoChlorhexidineGluconate .....0.70%w/w<br>Creambase .....q.s | 30g | topicalantimicrobialagents |
| 38 | SertaconazoleNitrateCream | SertaconazoleNitrateBP .....2%w/w<br>CreamBase .....q.s | 10g&20g | topicalantimicrobialagents |
| 39 | TerbinafineHydrochlorideCream | TerbinafineHydrochlorideBP.....1.0%w/w<br>Preservative:<br>BenzoylAlcoholBP .....1.0%w/w<br>Creambase ..... Q.s. | 15g&20g | antifungal |

| | | | | |
|---|---|---|---|---|
| 40 | Urea,LacticAcid,PropyleneGlycol&LightLiquidParaffin Cream | Urea BP.....10%w/w<br>LacticAcidBP ..... 10%w/w<br>PropyleneGlycolBP.....10%w/w<br>LightLiquidparaffinBP.....10%w/w<br>CreamBase ..... q.s<br>preservative<br>MethtylParabenUSP.....0.16%w/w<br>PropylParabenUSP ..... 0.04%w/w | 15g | skinhydrationmedication. |
| 41 | VitaminEAcetatewithAloeVeraCream | VitaminEAcetateUSP.....0.5%w/w<br>Moisturizingcreambasewithaloevera.....q.s | 60g | MoisturizingandSkinSoothing |
| 42 | Betamethasone DipropionateUSPequivalent to Betamethasone(0.05%W/W)CreamBase Q.S. | Betamethasone DipropionateUSPequivalent to Betamethasone(0.05%W/W)CreamBase Q.S | 30gm/15gm | Antiinflammatory |
| 43 | Betamethasone Valerate BP (0.05 % W/W) Neomycin SulphateBP(0.50%W/W)TolnaftateUSP(1.0%W/W) Clioquinol BP (1.0 % W/W) Cream Base QS | BetamethasoneValerateBP(0.05%W/W)<br>Neomycin Sulphate BP (0.50 % W/W)<br>Tolnaftate USP (1.0 % W/W)<br>ClioquinolBP(1.0%W/W)<br>CreamBase QS | 30gm | Anti-inflammatory,Antibacterial, Antifungal. |
| 44 | BetamethasoneDipropionateUSP(0.643mg) GentamicinSulphateBPEquivalenttoGentamicinbase(1 mg) Tolnaftate USP (10 mg) Iodochlorhydroxyquinoline(InHouse)(10 mg) | BetamethasoneDipropionateUSP ..... (0.643mg)<br>GentamicinSulphateBPEquivalenttoGentamicinbase (1 mg) Tolnaftate USP ..... (10 mg)<br>Iodochlorhydroxyquinoline(InHouse)(10mg)<br>Cream Base QS | 30gm | Anti-inflammatory,Antibacterial, Antifungal. |
| 45 | BetamethasoneDipropionateUSPeq.toBetamethasone (0.05 % W/W) Neomycin Sulfate USP (0.50 % W/W) Clotrimazole USP (1.0 % W/W) Cream Base Q.S. | Betamethasone Dipropionate USP eq.toBetamethasone(0.05%W/W)<br>NeomycinSulfateUSP(0.50%W/W)<br>Clotrimazole USP (1.0 % W/W)<br>CreamBaseQ.S. | 30gm | Anti-inflammatory,Antibacterial |
| 46 | Betamethasone Dipropionate USP Eq. to Betamethasone (0.5mg)GentamicinSulfateBPEq.toGentamicinBase(1.0 mg) Clotrimazole BP (10.0 mg) Cream Base (Q.S. ) | BetamethasoneDipropionateUSP Eq. to Betamethasone (0.5 mg)<br>GentamicinSulfateBPEq.toGentamicinBase(1.0mg)<br>Clotrimazole BP (10.0 mg)<br>CreamBase(Q.S.) | 30gm15gm | Anti-inflammatory,Antibacterial, Antifungal. |
| 47 | BeclomethasoneDipropionateUSP(0.025%W/W)Cream Base (- QS) Clotrimazole BP (1.00 % W/W) | BeclomethasoneDipropionateUSP(0.025%W/W)<br>Clotrimazole BP (1.00 % W/W)<br>CreamBase(-QS) | 15gm | Anti-inflammatory&Antifungal. |
| 48 | BeclomethasoneDipropionateUSP0.025%W/W Clotrimazole USP (1.00 % W/W) NeomycinSulfateUSPEquivalenttoNeomycinBase(0.5% W/W) Cream Base (Q.S. ) | BeclomethasoneDipropionateUSP0.025%W/W<br>Clotrimazole USP (1.00 % W/W)<br>Neomycin Sulfate USP Equivalent Eq.toNeomycinBase(0.5%W/W)<br>CreamBase(Q.S.) | 15gm | Anti-inflammatory,Antifungal and Antibiotic |
| 49 | FluocinoloneAcetonide0.01%w/w,NeomycinSulphate 0.5% w/w & Miconazole Nitrate 2.0% w/w Cream | FluocinoloneAcetonide0.01%w/w,<br>Neomycin Sulphate 0.5% w/w<br>Miconazole Nitrate 2.0% w/w<br>Creambase....Q. S. | 5gm/10 gm | Antibacterial,Anti-inflammatory, Antifungal |
| 50 | ClobetasolPropionateUSP(0.05%W/W)CreamBase QS | ClobetasolPropionateUSP(0.05%W/W)<br>CreamBase QS | 30gm15gm | Antiinflammatory |
| 51 | ClobetasolPropionateUSP(0.05%W/W)ClotrimazoleBP (1.00% W/W) Cream Base (- QS) | ClobetasolPropionateUSP(0.05%W/W)<br>Clotrimazole BP (1.00% W/W)<br>CreamBase(-QS) | 30gm | Antiinflammatory,Antifungal |
| 52 | ClobetasolPropionateUSP(0.25mg)KetoconazoleBP(10 mg) NeomycinSulfateUSP(5000IU)CreamBase(-QS) | ClobetasolPropionateUSP(0.25mg)<br>Ketoconazole BP (10 mg)<br>NeomycinSulfateUSP(5000IU)<br>CreamBase(-QS) | 30gm | Anti-inflammatory,Antifungal and Antibiotic |
| 53 | EconazoleNitrateUSP(10mg)TriamcinoloneAcetonideBP (1 mg) GentamicinSulfateBPEq.toGentamicinbase(1mg) Cream Base (- QS) | Econazole Nitrate USP (10 mg)<br>TriamcinoloneAcetonideBP(1mg)<br>GentamicinSulfateBPEq.toGentamicinbase(1mg) Cream Base (- QS) | 30gm | Anti-inflammatory,Antifungal and Antibiotic |
| 54 | ClotrimazoleBP(1%W/W)CreamBase Q.S. | ClotrimazoleBP(1%W/W)<br>CreamBase Q.S. | 20gm | AntiFungal |
| 55 | ClotrimazoleBP(2%W/W)CreamBase Q.S. | ClotrimazoleBP(2%W/W)<br>CreamBase Q.S. | 20gm | AntiFungal |
| 56 | KetoconazoleBP(2.0%W/W)CreamBase QS | KetoconazoleBP(2.0%W/W)<br>CreamBase QS | 30gm | AntiFungal |
| 57 | PolymyxinBSulfateUSP(5000units)NeomycinBase(as Sulfate) USP (3400units) Bacitracin ZincUSP (400units) Ointment Base Q.S. | Polymyxin B Sulfate USP (5000 units)<br>NeomycinBase(asSulfate)USP(3400units)<br>Bacitracin Zinc USP (400 units)<br>OintmentBaseQ.S. | 30gm | TripleAntibiotic |

| | | | | |
|---|---|---|---|---|
| 58 | NeomycinSulfateUSP (0.50%W/W)Eq.toNeomycin (0.35 %W/W)CreamBase(0QS) | Neomycin Sulfate USP (0.50 % W/W)<br>Eq. to Neomycin (0.35 % W/W)<br>Cream Base(0QS) | 30gm | Anti-bacterial |
| 59 | DiclofenacDiethylamine BP(1.16%W/W)equivalent to Diclofenac Sodium BP (1.00 % W/W) In aqueous gel base Q.S. | Diclofenac Diethylamine BP (1.16 % W/W)<br>equivalent to Diclofenac Sodium BP (1.00 % W/W)<br>Inaqueous gelbase Q.S. | 30gm | Analgesic |
| 60 | Diclofenac Diethylamine BP (1.16 % W/W) eq. to Diclofenac Sodium BP (1.00 % W/W)<br>Linseed Oil (In House) (3.00 % W/W) Methyl Salicylate BP (10.00 % W/W) Menthol BP (5.00 % W/W) | DiclofenacDiethylamineBP (1.16%W/W)<br>eq. to Diclofenac Sodium BP (1.00 % W/W)<br>Linseed Oil (In House) (3.00 % W/W)<br>Methyl Salicylate BP (10.00 % W/W) | 30gm | Formuscularachesandpains |
| 61 | Diclofenac Diethylamine BP (1.16 % W/W) Eq. to Diclofenac Sodium BP (1.00 % W/W)<br>Methyl Salicylate BP (10.00 % W/W) Linseed Oil BP (3.00 % W/W) Menthol BP (5.00 % W/W)<br>CapsaicinUSP(0.025%W/W)Gel BaseQS | Diclofenac Diethylamine BP (1.16 % W/W)<br>Eq. to Diclofenac Sodium BP (1.00 % W/W)<br>Methyl Salicylate BP (10.00 % W/W)<br>Linseed Oil BP (3.00 % W/W)<br>Menthol BP (5.00 % W/W)<br>Capsaicin USP (0.025%W/W)<br>Gel BaseQS | 25gm | Anti-inflammatory,Analgesic |
| 62 | Methyl Salicylate BP (15.00 % W/W) Menthol BP (10.00 % W/W) Turpentine Oil BP (2.00 % W/W) Eucalyptus Oil BP (2.00 % W/W) Camphor BP (3.00 % W/W)<br>Cream Base(0QS) | Methyl Salicylate BP (15.00 % W/W)<br>Menthol BP (10.00 % W/W)<br>Turpentine Oil BP (2.00 % W/W)<br>Eucalyptus Oil BP (2.00 % W/W)<br>Camphor BP (3.00 % W/W)<br>Cream Base(0QS) | 25gm | Analgesic, Counter Irritant, Anti-inflammatory |
| 63 | BenzoicAcidBP (6.0%W/W)<br>SalicylicAcidBP(3.0 %W/W)Paraffin Base(0 QS) | Benzoic Acid BP (6.0 % W/W)<br>SalicylicAcidBP(3.0%W/W)<br>ParaffinBase(0QS) | 100gm | Anti-inflammatory,Eczema |
| 64 | ClindamycinPhosphateUSP equivalenttoClindamycin (1.00<br>%W/W)-GelBase(Q.S. ) | ClindamycinPhosphateUSP<br>equivalent to Clindamycin (1.00%W/W) -<br>Gel Base (Q.S. ) | 20gm | AntiAcneagent |
| 65 | HydrocortisoneBP(1.00%W/W)CreamBase(-QS) | HydrocortisoneBP(1.00% W/W)<br>Cream Base(-QS) | 15gm30gm | Anti-inflammatory |
| 66 | Lidocaine USP (3.00 % W/W) Zinc Oxide USP (5.00 % W/W) Allantoin BP (0.5 % W/W)<br>HydrocortisoneAcetate BP(0.25%W/W)Excipients q.s. | LidocaineUSP(3.00%W/W)<br>Zinc Oxide USP (5.00 % W/W) Allantoin BP (0.5 % W/W)<br>Hydrocortisone Acetate BP (0.25 % W/W)<br>Excipients q.s. | 30gm | AntiHemorrhoids |
| 67 | LidocaineUSP(25mg )<br>PrilocaineUSP(25mg)Watermiscible baseQS | LidocaineUSP(25mg )<br>Prilocaine USP (25 mg)<br>WatermisciblebaseQS | 5gm /30 gm | LocalAnesthetic |