```html
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1" />

  <title>Stellar Portfolio — Your Name</title>


  <!-- Fonts -->

  <link
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;600;800&family=Playfair+
Display:wght@700&display=swap" rel="stylesheet">


  <style>

   :root{

     --bg:#0b0b12;

     --card:rgba(255,255,255,.06);

     --card-border:rgba(255,255,255,.12);

     --txt:#eaeaf2;

     --muted:rgba(234,234,242,.75);

     --brand1:#7c3aed; /* violet */

     --brand2:#ec4899; /* pink */

     --brand3:#22d3ee; /* cyan */

     --glow: 0 8px 40px rgba(124,58,237,.35), 0 6px 28px rgba(236,72,153,.25);

     --radius: 20px;

     --shadow-soft: 0 1px 0 rgba(255,255,255,.06) inset, 0 20px 60px rgba(0,0,0,.45);

     --grid: linear-gradient(rgba(255,255,255,.05) 1px, transparent 1px), linear-gradient(90deg,
rgba(255,255,255,.05) 1px, transparent 1px);
```

```css
    }


    *{box-sizing:border-box}

    html,body{margin:0;height:100%;scroll-behavior:smooth;background:var(--bg);color:var(--
    txt);font-family:Inter,system-ui,Segoe UI,Roboto,Arial}

    img{max-width:100%;display:block}

    a{color:inherit;text-decoration:none}

    section{padding:96px 20px}

    .container{max-width:1100px;margin:0 auto}


    /* ---------- Background candy ---------- */
    .bg-wrap{position:fixed;inset:0;z-index:-2;overflow:hidden}

    .mesh{

     position:absolute;inset:-20% -10%;filter:blur(60px);opacity:.55;

     background:

       radial-gradient(45rem 35rem at 20% 20%, rgba(124,58,237,.45), transparent 60%),

       radial-gradient(40rem 32rem at 80% 30%, rgba(236,72,153,.40), transparent 60%),

       radial-gradient(45rem 35rem at 30% 80%, rgba(34,211,238,.35), transparent 60%);

     animation: drift 18s ease-in-out infinite alternate;

    }

    .vignette{position:absolute;inset:0;pointer-events:none;background:radial-gradient(circle at
    50% 60%, transparent 30%, rgba(0,0,0,.35) 70%)}

    .grid{position:absolute;inset:0;background:var(--grid);background-size:28px
    28px;opacity:.15;mask-image:radial-gradient(circle at 50% 50%, black 30%, transparent 80%);}


    @keyframes drift{

     0%{transform:translate3d(-2%,0,0) scale(1)}
```

```css
    100%{transform:translate3d(2%,-2%,0) scale(1.05)}

  }


  /* ---------- Top nav ---------- */
  .nav{

    position:sticky;top:0;z-index:50;

    backdrop-filter: blur(10px);

    background:linear-gradient(to bottom, rgba(11,11,18,.75), rgba(11,11,18,.35));

    border-bottom:1px solid rgba(255,255,255,.08);

  }
  .nav-inner{display:flex;gap:14px;align-items:center;justify-content:space-between;padding:14px 20px;max-width:1100px;margin:0 auto}

  .logo{display:flex;align-items:center;gap:10px;font-weight:800;letter-spacing:.2px}

  .logo .dot{width:12px;height:12px;border-radius:999px;background:conic-gradient(from 0deg, var(--brand1), var(--brand2), var(--brand3));filter:drop-shadow(0 0 10px rgba(124,58,237,.8))}

  .links{display:flex;gap:6px;flex-wrap:wrap}

  .links a{padding:8px 12px;border-radius:999px;border:1px solid transparent}

  .links a:hover{background:rgba(255,255,255,.08);border-color:rgba(255,255,255,.12)}

  .menu-btn{display:none;border:1px solid rgba(255,255,255,.12);background:rgba(255,255,255,.05);padding:8px 12px;border-radius:12px}

  @media (max-width:820px){

    .links{display:none}

    .menu-btn{display:inline-flex}

  }
```

```css
/* ---------- Buttons ---------- */

.btn{

  display:inline-flex;align-items:center;gap:10px;

  padding:14px 18px;border-radius:16px;font-weight:600;

  background: linear-gradient(90deg, var(--brand1), var(--brand2), var(--brand3));

  box-shadow: var(--glow);

  transition: transform .15s ease, filter .2s ease;

  will-change: transform;

}

.btn:hover{transform:translateY(-1px)}

.btn.alt{background:rgba(255,255,255,.06);border:1px solid rgba(255,255,255,.12);box-shadow:var(--shadow-soft)}


/* ---------- Hero ---------- */

.hero{min-height:84vh;display:grid;place-items:center;text-align:center;position:relative}

.eyebrow{display:inline-flex;gap:8px;align-items:center;padding:8px 12px;border-radius:999px;background:rgba(255,255,255,.08);border:1px solid rgba(255,255,255,.12);backdrop-filter:blur(6px);font-size:.88rem}

.title{margin:14px 0 8px;font-size:clamp(38px, 7vw, 72px);line-height:1.03;

  background:linear-gradient(180deg, #fff, #dcdcf6 60%);-webkit-background-clip:text;background-clip:text;color:transparent;

  font-family:"Playfair Display", serif;letter-spacing:.5px;

}

.kicker{color:var(--muted);font-size:clamp(15px, 2.4vw, 20px)}

.cta{margin-top:26px;display:flex;gap:12px;justify-content:center;flex-wrap:wrap}


/* ---------- Sections ---------- */
```

```css
.section-title{display:flex;align-items:flex-end;justify-content:space-between;gap:10px;margin-bottom:24px}

.section-title h2{font-size:clamp(26px,4.5vw,36px)}

.section-title .eyebrow-mini{color:var(--muted);text-transform:uppercase;letter-spacing:.2em;font-size:.8rem}


.grid-2{display:grid;grid-template-columns:1.2fr .8fr;gap:18px}

.grid-3{display:grid;grid-template-columns:repeat(3,1fr);gap:18px}

@media (max-width:900px){.grid-2,.grid-3{grid-template-columns:1fr}}


.card{

  background:var(--card);border:1px solid var(--card-border);border-radius:var(--radius);

  padding:22px;box-shadow:var(--shadow-soft);position:relative;overflow:hidden;

  transform: translateZ(0);

}

.card::after{ /* subtle top light */

  content:""; position:absolute; inset:0; background:linear-gradient(to bottom,
rgba(255,255,255,.07), transparent 35%);

  opacity:.6; pointer-events:none;

}

.tags{display:flex;flex-wrap:wrap;gap:8px;margin-top:12px}

.tag{font-size:.78rem;padding:6px 10px;border-radius:999px;background:rgba(255,255,255,.08);border:1px solid rgba(255,255,255,.12)}


/* ---------- Skill bars ---------- */

.skill{margin:14px 0}
```

```css
.skill .row{display:flex;justify-content:space-between;font-size:.92rem;margin-bottom:6px;color:var(--muted)}

.bar{height:10px;border-radius:999px;background:rgba(255,255,255,.1);overflow:hidden}

.fill{height:100%;width:0%;background:linear-gradient(90deg, var(--brand1), var(--brand2), var(--brand3));box-shadow:var(--glow)}


/* ---------- Timeline ---------- */

.timeline{display:grid;gap:14px}

.timeline .item{display:grid;gap:8px;padding:18px;border-radius:16px;background:rgba(255,255,255,.05);border:1px solid rgba(255,255,255,.12)}

.timeline .sub{color:var(--muted);font-size:.92rem}


/* ---------- Contact ---------- */

.contact{display:grid;grid-template-columns:1fr 1fr;gap:18px}

.contact form{display:grid;gap:12px}

.input, textarea{

  width:100%;padding:14px 14px;border-radius:12px;color:var(--txt);background:rgba(255,255,255,.06);

  border:1px solid rgba(255,255,255,.14);outline:none

}

.input:focus,textarea:focus{border-color:rgba(124,58,237,.6);box-shadow:0 0 0 4px rgba(124,58,237,.15)}

textarea{min-height:120px;resize:vertical}

@media (max-width:900px){.contact{grid-template-columns:1fr}}


/* ---------- Reveal animations (scroll) ---------- */

.reveal{opacity:0;transform:translateY(16px);filter:saturate(.8)}
```

```
.reveal.show{opacity:1;transform:none;filter:none;transition:opacity .7s ease, transform .7s
ease, filter .7s ease}

.delay-1{transition-delay:.05s}.delay-2{transition-delay:.1s}.delay-3{transition-
delay:.15s}.delay-4{transition-delay:.2s}


  /* Motion preference */

  @media (prefers-reduced-motion:reduce){

   .mesh{animation:none}

   .reveal,.reveal.show{transition:none}

   .btn{transition:none}

  }


  /* Footer */

  footer{padding:40px 20px;color:var(--muted);text-align:center;border-top:1px solid
rgba(255,255,255,.08);background:rgba(255,255,255,.04)}

 </style>

</head>

<body>


 <!-- Ambient BG -->

 <div class="bg-wrap" aria-hidden="true">

  <div class="mesh"></div>

  <div class="grid"></div>

  <div class="vignette"></div>

 </div>


 <!-- Nav -->
```

```html
<header class="nav">
  <div class="nav-inner">
    <div class="logo">
      <span class="dot"></span> <span>Stellar<span style="opacity:.7">.folio</span></span>
    </div>
    <nav class="links" id="links">
      <a href="#home">Home</a>
      <a href="#about">About</a>
      <a href="#skills">Skills</a>
      <a href="#projects">Projects</a>
      <a href="#experience">Experience</a>
      <a href="#contact">Contact</a>
    </nav>
    <button class="menu-btn" id="menuBtn" aria-label="Toggle menu">☰</button>
  </div>
</header>

<!-- Hero -->
<section id="home" class="hero">
  <div class="container">
    <div class="reveal">
      <span class="eyebrow">✨ Open to freelance & roles</span>
      <h1 class="title">Your Name</h1>
      <p class="kicker">Full-Stack Developer • I craft fast, accessible apps with delightful UX.</p>
      <div class="cta">
        <a class="btn" href="#projects">View Projects →</a>
```

```html
      <a class="btn alt" href="#contact">Contact Me</a>

    </div>

   </div>

  </div>

 </section>


 <!-- About -->
 <section id="about">
  <div class="container">

   <div class="section-title">

    <div>

     <div class="eyebrow-mini">About</div>

     <h2>A quick intro</h2>

    </div>

   </div>


   <div class="grid-2">

    <div class="card reveal">

     <p style="color:var(--muted);margin:0">

      I'm a developer focused on performance, accessibility and crisp UI. I love building

      products end-to-end: ideation, prototyping, shipping, and iterating with data.

      My toolbox: React, TypeScript, Node.js, and cloud.

     </p>

     <div class="tags">

      <span class="tag">React</span><span class="tag">TypeScript</span><span
class="tag">Node</span>
```

```html
      <span class="tag">Next.js</span><span class="tag">Tailwind</span><span
class="tag">PostgreSQL</span>

      <span class="tag">AWS</span><span class="tag">Docker</span>

    </div>

  </div>

  <div class="card reveal delay-1">

    <div style="display:grid;gap:10px;color:var(--muted)">

      <div>📞 +91 90000 00000</div>

      <div>✉ you@example.com</div>

      <div>📍 India</div>

      <a class="btn alt" href="#" download>⬇ Download résumé</a>

    </div>

  </div>

 </div>

 </div>

</section>


<!-- Skills -->
<section id="skills">
 <div class="container">
  <div class="section-title">
   <div>
    <div class="eyebrow-mini">Skills</div>
    <h2>What I work with</h2>
   </div>
  </div>
```

```html
<div class="grid-3">
 <div class="card reveal">
  <h3 style="margin:0 0 6px">Frontend</h3>
  <div class="skill">
   <div class="row"><span>React / Next.js</span><span>95%</span></div>
   <div class="bar"><div class="fill" data-fill="95"></div></div>
  </div>
  <div class="skill">
   <div class="row"><span>TypeScript</span><span>90%</span></div>
   <div class="bar"><div class="fill" data-fill="90"></div></div>
  </div>
  <div class="skill">
   <div class="row"><span>Tailwind CSS</span><span>92%</span></div>
   <div class="bar"><div class="fill" data-fill="92"></div></div>
  </div>
 </div>

 <div class="card reveal delay-1">
  <h3 style="margin:0 0 6px">Backend</h3>
  <div class="skill">
   <div class="row"><span>Node / Express</span><span>88%</span></div>
   <div class="bar"><div class="fill" data-fill="88"></div></div>
  </div>
  <div class="skill">
   <div class="row"><span>PostgreSQL</span><span>84%</span></div>
```

```html
      <div class="bar"><div class="fill" data-fill="84"></div></div>
    </div>

    <div class="skill">
      <div class="row"><span>REST / GraphQL</span><span>82%</span></div>
      <div class="bar"><div class="fill" data-fill="82"></div></div>
    </div>
  </div>


  <div class="card reveal delay-2">
    <h3 style="margin:0 0 6px">DevOps</h3>
    <div class="skill">
      <div class="row"><span>AWS</span><span>78%</span></div>
      <div class="bar"><div class="fill" data-fill="78"></div></div>
    </div>
    <div class="skill">
      <div class="row"><span>Docker</span><span>80%</span></div>
      <div class="bar"><div class="fill" data-fill="80"></div></div>
    </div>
    <div class="skill">
      <div class="row"><span>CI/CD</span><span>86%</span></div>
      <div class="bar"><div class="fill" data-fill="86"></div></div>
    </div>
  </div>
    </div>
  </div>
</section>
```

```html
<!-- Projects -->
<section id="projects">
  <div class="container">
    <div class="section-title">
      <div>
        <div class="eyebrow-mini">Projects</div>
        <h2>Things I've built</h2>
      </div>
      <a class="btn alt" href="#">See all →</a>
    </div>

    <div class="grid-3">
      <article class="card reveal">
        <div style="aspect-ratio:16/10;border-radius:14px;overflow:hidden;background:
            linear-gradient(135deg, rgba(124,58,237,.25), rgba(236,72,153,.25));display:grid;place-items:center">
          <div style="opacity:.9">Aurora UI<br><small style="color:var(--muted)">Preview image</small></div>
        </div>
        <h3 style="margin:14px 0 6px">Aurora UI</h3>
        <p style="color:var(--muted);margin:0">A component library with themeable tokens and motion primitives.</p>
        <div class="tags"><span class="tag">React</span><span class="tag">Tailwind</span><span class="tag">Motion</span></div>
        <div style="display:flex;gap:10px;margin-top:12px">
          <a class="btn alt" href="#">Demo</a><a class="btn alt" href="#">Code</a>
```

```html
    </div>

  </article>


  <article class="card reveal delay-1">
    <div style="aspect-ratio:16/10;border-radius:14px;overflow:hidden;background:
      linear-gradient(135deg, rgba(236,72,153,.25), rgba(34,211,238,.25));display:grid;place-items:center">
      <div style="opacity:.9">Mercury Analytics<br><small style="color:var(--muted)">Preview image</small></div>
    </div>
    <h3 style="margin:14px 0 6px">Mercury Analytics</h3>
    <p style="color:var(--muted);margin:0">Self-serve analytics dashboard with role-based access and export.</p>
    <div class="tags"><span class="tag">Next.js</span><span class="tag">PostgreSQL</span><span class="tag">Prisma</span></div>
    <div style="display:flex;gap:10px;margin-top:12px">
      <a class="btn alt" href="#">Demo</a><a class="btn alt" href="#">Code</a>
    </div>
  </article>


  <article class="card reveal delay-2">
    <div style="aspect-ratio:16/10;border-radius:14px;overflow:hidden;background:
      linear-gradient(135deg, rgba(34,211,238,.25), rgba(124,58,237,.25));display:grid;place-items:center">
      <div style="opacity:.9">Nimbus Notes<br><small style="color:var(--muted)">Preview image</small></div>
    </div>
    <h3 style="margin:14px 0 6px">Nimbus Notes</h3>
```

```html
      <p style="color:var(--muted);margin:0">PWA notes app with offline sync, tags, and
keyboard shortcuts.</p>

      <div class="tags"><span class="tag">Vite</span><span
class="tag">IndexedDB</span><span class="tag">Workbox</span></div>

      <div style="display:flex;gap:10px;margin-top:12px">

       <a class="btn alt" href="#">Demo</a><a class="btn alt" href="#">Code</a>

      </div>

     </article>

    </div>

   </div>

  </section>


  <!-- Experience -->
  <section id="experience">
   <div class="container">

    <div class="section-title">

     <div>

      <div class="eyebrow-mini">Experience</div>

      <h2>Where I've worked</h2>

     </div>

    </div>


    <div class="timeline">

     <div class="item reveal">

      <div style="display:flex;justify-content:space-between;gap:12px;flex-wrap:wrap">

       <strong>Senior Developer · Acme Inc.</strong>

       <span class="sub">2023 — Present</span>
```

```html
      </div>
      <ul style="margin:.25rem 0 0 1rem;color:var(--muted)">
        <li>Led a squad of 5 engineers.</li>
        <li>Cut LCP by 43%.</li>
        <li>Shipped design system.</li>
      </ul>
    </div>


    <div class="item reveal delay-1">
      <div style="display:flex;justify-content:space-between;gap:12px;flex-wrap:wrap">
        <strong>Frontend Engineer · Globex</strong>
        <span class="sub">2021 — 2023</span>
      </div>
      <ul style="margin:.25rem 0 0 1rem;color:var(--muted)">
        <li>Built analytics app.</li>
        <li>Owned CI/CD.</li>
        <li>Mentored juniors.</li>
      </ul>
    </div>
   </div>
  </div>
</section>


<!-- Contact -->
<section id="contact">
  <div class="container">
```

```html
<div class="section-title">
  <div>
    <div class="eyebrow-mini">Contact</div>
    <h2>Let's build something</h2>
  </div>
</div>


<div class="contact">
  <div class="card reveal">
    <form onsubmit="event.preventDefault(); alert('Thanks! I will get back to you soon.');
this.reset();">
      <input class="input" type="text" placeholder="Your name" required>
      <input class="input" type="email" placeholder="Email address" required>
      <textarea placeholder="Tell me about your project…" required></textarea>
      <button class="btn" type="submit">Send Message →</button>
    </form>
  </div>


  <div class="card reveal delay-1">
    <h3 style="margin:0 0 8px">Let's connect</h3>
    <p style="color:var(--muted)">Prefer email or socials? I'm quick there too.</p>
    <div class="tags" style="margin-top:10px">
      <a class="tag" href="#" target="_blank" rel="noreferrer">GitHub</a>
      <a class="tag" href="#" target="_blank" rel="noreferrer">LinkedIn</a>
      <a class="tag" href="mailto:you@example.com">Email</a>
    </div>
```

```
      </div>

    </div>

   </div>

</section>


<footer>© <span id="y"></span> Your Name — Built with pure HTML/CSS/JS</footer>


<script>
 // Mobile menu (simple)
 const menuBtn = document.getElementById('menuBtn');
 const links = document.getElementById('links');
 menuBtn?.addEventListener('click', () => {
   const open = links.style.display === 'flex';
   links.style.display = open ? 'none' : 'flex';
   links.style.flexWrap = 'wrap';
   links.style.gap = '6px';
 });

 // IntersectionObserver: reveal on scroll + animate skill bars
 const io = new IntersectionObserver((entries)=>{
   entries.forEach(e=>{
     if(e.isIntersecting){
       e.target.classList.add('show');

       // animate skill bar widths once visible
       e.target.querySelectorAll('.fill').forEach(el=>{
```

```
      const pct = el.getAttribute('data-fill') || 0;

      el.style.transition = 'width 1.1s cubic-bezier(.22,1,.36,1)';

      el.style.width = pct + '%';

    });


    io.unobserve(e.target); // run once

   }

  });

},{ threshold:.18 });


document.querySelectorAll('.reveal').forEach(el=>io.observe(el));


// subtle parallax on hero text

const hero = document.querySelector('.hero .reveal');

window.addEventListener('scroll', ()=>{

  const y = Math.min(40, window.scrollY/15);

  if(hero) hero.style.transform = `translateY(${y}px)`;

}, {passive:true});


// current year

document.getElementById('y').textContent = new Date().getFullYear();

 </script>
</body>
</html>
```