

MySQL Workbench

Local instance MySQL80 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

Schemas

- courses
- jdbc_project
- lab
- mydb
- officemanagement
- online_exam
- onlineexams
- project3
 - sales_data
 - Views
 - Stored Procedures
 - Functions
- sakila
- school
- schoolmanagement
- schoolingmnt
- schoolingmt
- shiva
- students

Administration Schemas

Information

No object selected

Object Info Session

Limit to 1000 rows

```
1 create database project3;
2 use project3;
3
4
5 CREATE TABLE sales_data (
6   OrderID VARCHAR(50),
7   Date DATE,
8   CustomerID VARCHAR(50),
9   Product VARCHAR(100),
10  Quantity INT,
11  UnitPrice DECIMAL(10, 2),
12  ShippingAddress VARCHAR(255),
13  PaymentMethod VARCHAR(50),
14  OrderStatus VARCHAR(50),
15  TrackingNumber VARCHAR(50),
16  ItemsInCart INT,
17  CouponCode VARCHAR(50),
18  ReferralSource VARCHAR(50),
19  TotalPrice DECIMAL(10, 2)
20 );
21
22 select * from sales_data;
23
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	17:07:44	use sales_data	Error Code: 1049. Unknown database 'sales_data'	0.000 sec
2	17:10:13	use project3	0 row(s) affected	0.000 sec
3	17:10:53	select * from sales_data LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

Schemas

- courses
- jdbc_project
- lab
- mydb
- officemanagement
- online_exam
- onlineexams
- project3
 - sales_data
 - Views
 - Stored Procedures
 - Functions
- sakila
- school
- schoolmanagement
- schoolingmnt
- schoolingmt
- shiva
- students

Administration Schemas

Information

No object selected

Object Info Session

Limit to 1000 rows

```
13 PaymentMethod VARCHAR(50),
14 OrderStatus VARCHAR(50),
15 TrackingNumber VARCHAR(50),
16 ItemsInCart INT,
17 CouponCode VARCHAR(50),
18 ReferralSource VARCHAR(50),
19 TotalPrice DECIMAL(10, 2)
20 );
21
22 select * from sales_data;
23
24 SELECT
25   OrderID,
```

Result Grid

OrderID	Date	CustomerID	Product	Quantity	UnitPrice	ShippingAddress	PaymentMethod	OrderStatus	TrackingNumber	ItemsInCart	CouponCode	ReferralSource
ORD200000	2023-01-04	C72649	Monitor	5	570.62	928 Main St	Debit Card	Shipped	TRK37947903	7	SAVE10	Instagram
ORD200001	2024-08-23	C75739	Phone	2	151.35	823 Main St	Online	Shipped	TRK91186779	3	SAVE10	Referral
ORD200002	2024-02-27	C81728	Tablet	5	550.68	512 Main St	Credit Card	Cancelled	TRK42903992	8	FREEESHIP	Email
ORD200003	2023-10-15	C13540	Chair	1	273.19	275 Main St	Debit Card	Returned	TRK62788070	5	SAVE10	Facebook
ORD200004	2025-05-08	C81840	Printer	4	626.01	668 Main St	Online	Delivered	TRK29241424	8	SAVE10	Email
ORD200005	2023-10-23	C37249	Phone	2	245.86	934 Main St	Credit Card	Shipped	TRK72976927	4	SAVE10	Instagram
ORD200006	2025-06-17	C83492	Laptop	1	664.42	986 Main St	Gift Card	Returned	TRK96417362	6	SAVE10	Facebook

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	17:10:13	use project3	0 row(s) affected	0.000 sec
3	17:10:53	select * from sales_data LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
4	17:14:27	select * from sales_data LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- courses
- jdbc_project
- lab
- mydb
- officemanagement
- online_exam
- onlineexams
- project3
 - Tables
 - sales_data
 - Views
 - Stored Procedures
 - Functions
- sakila
- school
- schoolmanagement
- schoolmgmt
- schoolmgmt
- shiva
- students

Administration Schemas

Information

No object selected

Object Info Session

SQL Editor

Limit to 1000 rows

```
15 TrackingNumber VARCHAR(50),
16 ItemsInCart INT,
17 CouponCode VARCHAR(50),
18 ReferralSource VARCHAR(50),
19 TotalPrice DECIMAL(10, 2)
20 );
21
22 • select * from sales_data;
23
24 • SELECT *
25 FROM sales_data
26 WHERE OrderStatus = 'Delivered';
```

Result Grid

OrderID	Date	CustomerID	Product	Quantity	UnitPrice	ShippingAddress	PaymentMethod	OrderStatus	TrackingNumber	ItemsInCart	CouponCode	ReferralSource
ORD200004	2025-05-08	C81840	Printer	4	626.01	668 Main St	Online	Delivered	TRK59241424	8	SAVE10	Email
ORD200015	2023-07-17	C39416	Printer	1	473.96	942 Main St	Cash	Delivered	TRK54930938	3		Google
ORD200021	2024-11-17	C99023	Monitor	4	342.95	569 Main St	Cash	Delivered	TRK53946983	6		Google
ORD200024	2024-10-30	C17470	Laptop	2	230.95	956 Main St	Online	Delivered	TRK38775057	3	WINTER15	Referral
ORD200025	2024-07-24	C42577	Monitor	1	399.98	709 Main St	Debit Card	Delivered	TRK69423327	3	WINTER15	Email
ORD200026	2024-03-06	C21944	Laptop	5	59.55	296 Main St	Online	Delivered	TRK80276812	6		Referral
ORD200029	2024-09-20	C33260	Desk	3	423.53	930 Main St	Credit Card	Delivered	TRK59744090	6	SAVE10	Referral

sales_data 3 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	17:10:53	select * from sales_data LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
4	17:14:27	select * from sales_data LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
5	17:15:15	SELECT * FROM sales_data WHERE OrderStatus = 'Delivered' LIMIT 0, 1000	231 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- courses
- jdbc_project
- lab
- mydb
- officemanagement
- online_exam
- onlineexams
- project3
 - Tables
 - sales_data
 - Views
 - Stored Procedures
 - Functions
- sakila
- school
- schoolmanagement
- schoolmgmt
- schoolmgmt
- shiva
- students

Administration Schemas

Information

No object selected

Object Info Session

SQL Editor

Limit to 1000 rows

```
18 ReferralSource VARCHAR(50),
19 TotalPrice DECIMAL(10, 2)
20 );
21
22 • select * from sales_data;
23
24 • SELECT *
25 FROM sales_data
26 WHERE OrderStatus = 'Delivered';
27
28 • SELECT OrderID, Product, TotalPrice
29 FROM sales_data
30 ORDER BY TotalPrice DESC;
```

Result Grid

OrderID	Product	TotalPrice
ORD200789	Tablet	3456.40
ORD201122	Monitor	3390.95
ORD200632	Laptop	3390.90
ORD200469	Chair	3384.90
ORD200328	Tablet	3370.20
ORD200107	Printer	3353.75
ORD200326	Laptop	3352.40
ORD201065	Printer	3334.00

sales_data 4 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	17:14:27	select * from sales_data LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
5	17:15:15	SELECT * FROM sales_data WHERE OrderStatus = 'Delivered' LIMIT 0, 1000	231 row(s) returned	0.000 sec / 0.000 sec
6	17:16:01	SELECT OrderID, Product, TotalPrice FROM sales_data ORDER BY TotalPrice DESC LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

SCHMAS

- courses
- jdbc_project
- lab
- mydb
- officemanagement
- online_exam
- onlineexams
- project3
 - sales_data
 - Views
 - Stored Procedures
 - Functions
- sakila
- school
- schoolmanagement
- schoolmngmt
- schoolmngmt
- shiva
- students

Administration Schemas

Information

No object selected

Object Info Session

Limit to 1000 rows

```

22 select * from sales_data;
23
24 SELECT *
25 FROM sales_data
26 WHERE OrderStatus = 'Delivered';
27
28 SELECT OrderID, Product, TotalPrice
29 FROM sales_data
30 ORDER BY TotalPrice DESC;
31
32 SELECT COUNT(*) AS TotalOrders
33 FROM sales_data;

```

Result Grid

TotalOrders	
1	1200

Result 5 x

Output

#	Time	Action	Message	Duration / Fetch
5	17:15:15	SELECT * FROM sales_data WHERE OrderStatus = 'Delivered' LIMIT 0, 1000	231 row(s) returned	0.000 sec / 0.000 sec
6	17:16:01	SELECT OrderID, Product, TotalPrice FROM sales_data ORDER BY TotalPrice DESC LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec
7	17:16:47	SELECT COUNT(*) AS TotalOrders FROM sales_data LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

SCHMAS

- courses
- jdbc_project
- lab
- mydb
- officemanagement
- online_exam
- onlineexams
- project3
 - sales_data
 - Views
 - Stored Procedures
 - Functions
- sakila
- school
- schoolmanagement
- schoolmngmt
- schoolmngmt
- shiva
- students

Administration Schemas

Information

No object selected

Object Info Session

Limit to 1000 rows

```

26 WHERE OrderStatus = 'Delivered';
27
28 SELECT OrderID, Product, TotalPrice
29 FROM sales_data
30 ORDER BY TotalPrice DESC;
31
32 SELECT COUNT(*) AS TotalOrders
33 FROM sales_data;
34
35 SELECT Product,
36 SUM(TotalPrice) AS Sales
37 FROM sales_data
38 GROUP BY Product

```

Result Grid

Product	Sales
Chair	195620.11
Printer	195612.61
Laptop	192126.56
Tablet	186568.95
Monitor	179551.41
Desk	167459.93
Phone	151722.39

Result 6 x

Output

#	Time	Action	Message	Duration / Fetch
6	17:16:01	SELECT OrderID, Product, TotalPrice FROM sales_data ORDER BY TotalPrice DESC LIMIT 0, 1000	1000 row(s) returned	0.016 sec / 0.000 sec
7	17:16:47	SELECT COUNT(*) AS TotalOrders FROM sales_data LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
8	17:17:20	SELECT Product, SUM(TotalPrice) AS Sales FROM sales_data GROUP BY Product ORDER BY Sales D...	7 row(s) returned	0.015 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.