

FIRSTCRY AUTOMATION PROJECT PRESENTATION

By : Shivi Bibra

Innovative automation solutions driving operational efficiency



PROJECT OVERVIEW AND GOALS



INTRODUCTION TO FIRSTCRY AUTOMATION PROJECT

User Journey Automation

Simulates an end-to-end user flow on an e-commerce site, including navigation and filtering actions.

Technologies Used


Combines Selenium WebDriver, Cucumber BDD, TestNG, Maven, and Allure for a robust automation framework.

Framework Design

Employs Page Object Model for modularity and reusability, ensuring maintainable test scripts.

Project Purpose and Validation

Demonstrates QA skills with scenario validation, reporting, and version control in a beginner-friendly portfolio.



OBJECTIVES AND AUTOMATED FLOW



AUTOMATION OBJECTIVE AND SCENARIO BREAKDOWN

Automation Objectives


Automate smooth e-commerce interactions by blocking popups and handling dynamic UI elements realistically.

Scenario Flow Steps

Steps include launching browser with disabled notifications, menu hovering, precise category selection, and applying filters.

Validation and Interaction

Validate by checking URLs, page titles, and visual cues; use JavaScript fallbacks and explicit waits for reliability.



PROJECT STRUCTURE



MAVEN PROJECT LAYOUT AND FOLDER BREAKDOWN

Main Java Source Folder

Contains the Base class for WebDriver setup and Page Object files managing page actions and validations.

Test Java Source Folder


Holds Cucumber step definitions, hooks for browser lifecycle, and TestRunner class for execution control.

Test Resources Folder

Includes Cucumber feature files for various tests and Allure properties for reporting configuration.

Project Configuration Files


Contains pom.xml for dependencies, testng.xml for execution, .gitignore for version control, and README.md documentation.



IMPLEMENTATION HIGHLIGHTS



KEY FEATURES OF THE AUTOMATION FRAMEWORK



Popup Handling

ChromeOptions disable geolocation and notifications while Selenium handles UI popups with flexible XPath checks.

Navigation and Interaction

Selenium Actions simulate hover events and click exact category links using precise anchor attributes.

Sorting and Filtering

JavaScript executes hidden menus for sorting by price; color filtering uses attribute detection and event dispatching.

Parallel Execution and Reporting

TestNG DataProvider and ThreadLocal enable parallel tests; Allure plugins generate detailed execution reports.

EXECUTION, REPORTING AND GITHUB



RUNNING TESTS, GENERATING REPORTS AND VERSION CONTROL



Test Execution with Maven

Tests are executed using Maven commands that run all tagged Cucumber scenarios in parallel via the TestRunner configuration.

Generating Allure Reports

Allure reports are generated after test runs, providing detailed HTML dashboards with statistics, steps, and attachments.

GitHub Version Control

Project files are prepared for GitHub with .gitignore, committed, and pushed using standard Git commands for version control.