Started on	Thursday, 17 September 2026, 3:37 PM
State	Finished
Completed on	Thursday, 17 September 2026, 4:42 PM
Time taken	1 hour 5 mins
Marks	3.00/3.00
Grade	**30.00** out of 30.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

A strobogrammatic number is a number that looks the same when rotated 180 degrees (looked at upside down).

Write a program to determine if a number is strobogrammatic. The number is represented as a string.

Example 1:

Input:

69

Output:

true

Example 2:

Input:

88

Output:

true

Example 3:

Input:

962

Output:

false

Example 4:

Input:

1

Output:

true

For example:

Test	Result
`print(Strobogrammatic(69))`	`True`
`print(Strobogrammatic(962))`	`False`

Answer: (penalty regime: 0 %)

Reset answer

```
def Strobogrammatic(n):
    n=str(n)
    d={'0':'0','1':'1','6':'9','8':'8','9':'6'}
    m=""
    for i in n:
        if i not in d:
            return False
        m+=d[i]

    return n==m[::-1]

```

	Test	Expected	Got	
✔	`print(Strobogrammatic(69))`	True	True	✔
✔	`print(Strobogrammatic(88))`	True	True	✔
✔	`print(Strobogrammatic(962))`	False	False	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Question 2 | Correct Mark 1.00 out of 1.00

Given a positive integer a, find the smallest positive integer b whose multiplication of each digit equals to a.

If there is no answer or the answer is not fit in 32-bit signed integer, then return 0.

Example 1

Input:

48

Output:

68

Example 2

Input:

15

Output:

35

For example:

Input	Result
48	68
15	35

Answer: (penalty regime: 0 %)

```
def find_int(n):
    l=[i for i in range(2,n) if n%i==0]
    f=[]
    for i in l:
        for j in l:
            if i*j == n:
                f.append(int(str(i)+str(j)))
    f.sort()
    print(f[0])


n=int(input())
find_int(n)
```

	Input	Expected	Got	
✔	48	68	68	✔
✔	15	35	35	✔
✔	49	77	77	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Question 3 | Correct Mark 1.00 out of 1.00

Write a program to find the count of ALL digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number>= 1 and<= 25000.

For e.g.

If the given number is 292, the function should return 3 because there are 3 digits in this number

If the given number is 1015, the function should return 4 because there are 4 digits in this number

For example:

InputResult

292 3

1015 4

For example:

Input	Result
293	3

Answer: (penalty regime: 0 %)

```
n=int(input())
d=0
m=n
while(n!=0):
    n//=10
    d+=1
print(d)
```

	Input	Expected	Got	
✔	293	3	3	✔
✔	6788	4	4	✔
✔	52321	5	5	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.