Cucumber Report

| Start : Oct 17, 4:28:44.992 PM	End : Oct 17, 4:28:57.506 PM	Duration : 12.514 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 5

#	Feature Name	T	P	F	S	Duration
1	Amazon Tests	2	0	2	0	12.514 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Amazon Tests	Search Test	3	0	0	3	12.507 s
2	Amazon Tests	Test Amazon Title	2	0	0	2	11.997 s

(F)- Amazon Tests

FAILED	DURATION - 12.514 s		Scenarios		Steps	
			Total - 2		Total - 5	
/ 4:28:44.992 PM // 4:28:57.506 PM /			Pass - 0	2	Pass - 0	5
			Fail - 2		Fail - 0	
			Skip - 0		Skip - 5	

(S)- Search Test

FAILED	DURATION - 12.507 s		Steps	
			Total - 3	
/ 4:28:44.999 PM // 4:28:57.506 PM /			Pass - 0	3
Amazon Tests			Fail - 0	
@amazon			Skip - 3	

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	11.403 s

	java.lang.NullPointerException
	    at testutils.ConfigReader.getProperties(ConfigReader.java:24)
	    at testutils.Logs.readLog4j(Logs.java:37)
	    at testutils.Logs.<init>(Logs.java:24)
	    at testutils.Logs.getLogger(Logs.java:29)
	    at stepDefinitions.Hooks.beforeSc(Hooks.java:23)		

1	Given user open amazon url	SKIPPED	0.000 s
2	When user search ipad	SKIPPED	0.001 s
3	Then ipad is visible	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	1.086 s

	java.lang.NullPointerException
	    at testutils.ConfigReader.getProperties(ConfigReader.java:24)
	    at testutils.Logs.readLog4j(Logs.java:37)
	    at testutils.Logs.<init>(Logs.java:24)
	    at testutils.Logs.getLogger(Logs.java:29)
	    at stepDefinitions.Hooks.afterSc(Hooks.java:28)		

(S)- Test Amazon Title

FAILED	DURATION - 11.997 s		Steps
			Total - 2
/ 4:28:45.003 PM // 4:28:57.000 PM /			Pass - 0
Amazon Tests			Fail - 0
@amazon			Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	9.971 s

	java.lang.NullPointerException
	    at testutils.ConfigReader.getProperties(ConfigReader.java:24)
	    at testutils.Logs.readLog4j(Logs.java:37)
	    at testutils.Logs.<init>(Logs.java:24)
	    at testutils.Logs.getLogger(Logs.java:29)
	    at stepDefinitions.Hooks.beforeSc(Hooks.java:23)		

1	Given user open amazon url	SKIPPED	0.000 s
2	Then user check title is amazon.in	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	1.988 s

	java.lang.NullPointerException
	    at testutils.ConfigReader.getProperties(ConfigReader.java:24)
	    at testutils.Logs.readLog4j(Logs.java:37)
	    at testutils.Logs.<init>(Logs.java:24)
	    at testutils.Logs.getLogger(Logs.java:29)
	    at stepDefinitions.Hooks.afterSc(Hooks.java:28)		