

Cucumber Report

Oct 17, 2021 4:25:53 PM

Start : Oct 17, 4:25:18.261 PM

End : Oct 17, 4:25:52.517 PM

Duration : 34.256 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 2


SKIPPED - 0

PASSED - 0


FAILED - 0

SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	Amazon Tests	2	0	2	0	34.256 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Amazon Tests</u>	<u>Search Test</u>	3	0	0	3	32.601 s
2	<u>Amazon Tests</u>	<u>Test Amazon Title</u>	2	0	0	2	34.246 s

(F)- Amazon Tests



FAILED	DURATION - 34.256 s	Scenarios		Steps	
/ 4:25:18.261 PM // 4:25:52.517 PM /		Total - 2		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 5	

(S)- Search Test

<div>FAILED</div> <div>DURATION - 32.601 s</div>			Steps		
/ 4:25:18.267 PM // 4:25:50.868 PM /			Total - 3		
Amazon Tests			Pass - 0		
@amazon			Fail - 0		
			Skip - 3		

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	14.114 s
	java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.<init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23)		
1	Given user open amazon url	SKIPPED	0.001 s
2	When user search ipad	SKIPPED	0.001 s
3	Then ipad is visible	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	12.532 s
	java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.<init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.afterSc(Hooks.java:28)		

(S)- Test Amazon Title

<div>FAILED</div>	<div>DURATION - 34.246 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
<div>/ 4:25:18.271 PM // 4:25:52.517 PM /</div>				
<div>Amazon Tests</div>				
<div>@amazon</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	29.654 s
	java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.<init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23)		
1	Given user open amazon url	SKIPPED	0.001 s
2	Then user check title is amazon.in	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	4.584 s
	java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.<init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.afterSc(Hooks.java:28)		