

Duration : 0.032 s Start: Oct 17, 4:41:44.623 PM End: Oct 17, 4:41:44.655 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 5 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Amazon Tests	2	0	2	0	0.032 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Amazon Tests	Search Test	3	0	0	3	0.029 s
2	Amazon Tests	Test Amazon Title	2	0	0	2	0.025 s

DETAILED SECTION -- 4 --

(F)- Amazon Tests

FAILED	DURATION - 0.032 s	Scenarios		Steps	
		Total - 2		Total - 5	
/ 4:41:44.623 PM	1 // 4:41:44.655 PM /	Pass - 0	2	Pass - 0	5
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 5	

(S)- Search Test



Step / Hook Details	Status	Duration
BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	0.009 s
java.lang.NullPointerException		
at testutils.ConfigReader.getProperties(ConfigReader.java:29)		
Given user open amazon url	SKIPPED	0.001 s
When user search ipad	SKIPPED	0.000 s
Then ipad is visible	SKIPPED	0.001 s
AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	0.000 s
java.lang.NullPointerException]	
at testutils.ConfigReader.getProperties(ConfigReader.java:29)		
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario) java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:29) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.setLogger(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23) Given user open amazon url When user search ipad Then ipad is visible AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario) java.lang.NullPointerException	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario) java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:29) at testutils.Logs.readLog4j(Logs.java:27) at testutils.Logs.cycinit>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23) Given user open amazon url When user search ipad Then ipad is visible AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario) java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:29) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.getLogger(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29)

DETAILED SECTION -- 5 --

(S)- Test Amazon Title

FAILED DURATION - 0.025 s	0.15	Steps
/ 4:41:44.630 PM // 4:41:44.655 PM /	0.1	Total - 2
Amazon Tests	.05	Pass - 0 2
		Fail - 0 Skip - 2
@amazon	1 2	

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:29) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs. <init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23)</init>		
1	Given user open amazon url	SKIPPED	0.001 s
2	Then user check title is amazon.in	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:29) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs. at testutils.Logs.getLogger(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.afterSc(Hooks.java:28)		