

100

Duration : 0.035 s Start: Oct 17, 4:32:26.220 PM End: Oct 17, 4:32:26.255 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 5 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Amazon Tests	2	0	2	0	0.035 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Amazon Tests	Test Amazon Title	2	0	0	2	0.029 s
2	Amazon Tests	Search Test	3	0	0	3	0.026 s

DETAILED SECTION -- 4 --

(F)- Amazon Tests

FAILED	DURATION - 0.035 s	Scenarios		Steps	
		Total - 2		Total - 5	
/ 4:32:26.220 PN	M // 4:32:26.255 PM /	Pass - 0	2	Pass - 0	5
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 5	

(S)- Test Amazon Title



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException		
	at testutils.ConfigReader.getProperties(ConfigReader.java:30)		
	at testutils.Logs.readLog4j(Logs.java:37)		
	at testutils.Logs. size:120		
	at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23)		
1	Given user open amazon url	SKIPPED	0.001 s
2	Then user check title is amazon.in	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException		
	at testutils.ConfigReader.getProperties(ConfigReader.java:30)		
	at testutils.Logs.readLog4j(Logs.java:37)		
	at testutils.Logs. <init>(Logs.java:24)</init>		
	at testutils.Logs.getLogger(Logs.java:29)		
	at stepDefinitions.Hooks.afterSc(Hooks.java:28)		

DETAILED SECTION -- 5 --

(S)- Search Test

FAILED DURATION - 0.026 s	Steps Steps	
/ 4:32:26.229 PM // 4:32:26.255 PM /	total - 3	
Amazon Tests	Pass - (3
Amazon resis	Fall - 0 Skip - 3	
@amazon	1 2 3	

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException		
	at testutils.ConfigReader.getProperties(ConfigReader.java:30)		
	at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs. <init>(Logs.java:24)</init>		
	at testutils.Logs.getLogger(Logs.java:29)		
	at stepDefinitions.Hooks.beforeSc(Hooks.java:23)		
1	Given user open amazon url	SKIPPED	0.000 s
2	When user search ipad	SKIPPED	0.001 s
3	Then ipad is visible	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException		
	at testutils.ConfigReader.getProperties(ConfigReader.java:30)		
	at testutils.Logs.readLog4j(Logs.java:37)		
	at testutils.Logs. <init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29)</init>		
	at stepDefinitions.Hooks.afterSc(Hooks.java:28)		