

Start: Oct 17, 4:27:10.635 PM End: Oct 17, 4:28:03.493 PM **Duration: 52.858 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 5 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Amazon Tests	2	0	2	0	52.858 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Amazon Tests	Search Test	3	0	0	3	52.850 s
2	Amazon Tests	Test Amazon Title	2	0	0	2	52.229 s

DETAILED SECTION -- 4 --

## (F)- Amazon Tests

FAILED	DURATION - 52.858 s	Scenarios		Steps	
		Total - 2		Total - 5	
/ 4:27:10.635 PM	1 // 4:28:03.493 PM /	Pass - 0	2	Pass - 0	5
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 5	

## (S)- Search Test



Step / Hook Details	Status	Duration
BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	51.515 s
java.lang.NullPointerException		
at testutils.ConfigReader.getProperties(ConfigReader.java:25)		
Given user open amazon url	SKIPPED	0.001 s
When user search ipad	SKIPPED	0.000 s
Then ipad is visible	SKIPPED	0.000 s
AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	1.317 s
java.lang.NullPointerException	]	
at testutils.ConfigReader.getProperties(ConfigReader.java:25)		
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)  java.lang.NullPointerException     at testutils.ConfigReader.getProperties(ConfigReader.java:25)     at testutils.Logs.readLog4j(Logs.java:37)     at testutils.Logs.setLogger(Logs.java:24)     at testutils.Logs.getLogger(Logs.java:29)     at stepDefinitions.Hooks.beforeSc(Hooks.java:23)  Given user open amazon url  When user search ipad  Then ipad is visible  AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)  java.lang.NullPointerException	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)  java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.getLogger(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23)  Given user open amazon url  When user search ipad  Then ipad is visible  AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)  java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.getLogger(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29)

DETAILED SECTION -- 5 --

## **(S)- Test Amazon Title**

FAILED DURATION - 52.229 s	0.15	Steps	
/ 4:27:10.649 PM // 4:28:02.878 PM /		Total - 2	
		Pass - 0 2	
Amazon Tests		Fail - 0	/
@amazon	0 -	Skip - 2	
	1 2		

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario)	FAILED	50.084 s
	java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs. <init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23)</init>		
1	Given user open amazon url	SKIPPED	0.000 s
2	Then user check title is amazon.in	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario)	FAILED	2.104 s
	java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs. <init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.afterSc(Hooks.java:28)</init>		