

Cucumber Report

Oct 17, 2021 4:21:46 PM

Start : Oct 17, 4:21:45.279 PM

End : Oct 17, 4:21:45.314 PM

Duration : 0.035 s

Features




Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 5







| # | Feature Name | T | P | F | S | Duration |
|---|---------------------|---|---|---|---|----------|
| 1 | <u>Amazon Tests</u> | 2 | 0 | 2 | 0 | 0.035 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|-------------------|---|---|---|---|----------|
| 1 | Amazon Tests | Test Amazon Title | 2 | 0 | 0 | 2 | 0.031 s |
| 2 | Amazon Tests | Search Test | 3 | 0 | 0 | 3 | 0.027 s |

(F)- Amazon Tests



| | | | | | |
|--------------------------------------|---------------------------|-----------|---|-----------|---|
| FAILED | DURATION - 0.035 s | Scenarios |  | Steps |  |
| / 4:21:45.279 PM // 4:21:45.314 PM / | | Total - 2 | | Total - 5 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 2 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 5 | |

(S)- Test Amazon Title

| | | | | | |
|---|--|--|-----------|--|---|
| <div>FAILED</div> <div>DURATION - 0.031 s</div> | |  | Steps | |  |
| / 4:21:45.283 PM // 4:21:45.314 PM / | | | Total - 2 | | |
| Amazon Tests | | | Pass - 0 | | |
| @amazon | | | Fail - 0 | | |
| | | | Skip - 2 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|----------------|----------|
| | BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario) | FAILED | 0.008 s |
| | java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.<init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23) | | |
| 1 | Given user open amazon url | SKIPPED | 0.000 s |
| 2 | Then user check title is amazon.in | SKIPPED | 0.000 s |
| | AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.<init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.afterSc(Hooks.java:28) | | |

(S)- Search Test

| | | | | |
|---|-------------------------------|--|---|---|
| <div>FAILED</div> | <div>DURATION - 0.027 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div> |  |
| <div>/ 4:21:45.287 PM // 4:21:45.314 PM /</div> | | | | |
| <div>Amazon Tests</div> | | | | |
| <div>@amazon</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepDefinitions.Hooks.beforeSc(io.cucumber.java.Scenario) | FAILED | 0.011 s |
| | java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.<init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.beforeSc(Hooks.java:23) | | |
| 1 | Given user open amazon url | | |
| 2 | When user search ipad | | |
| 3 | Then ipad is visible | | |
| | AFTER - stepDefinitions.Hooks.afterSc(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | java.lang.NullPointerException at testutils.ConfigReader.getProperties(ConfigReader.java:25) at testutils.Logs.readLog4j(Logs.java:37) at testutils.Logs.<init>(Logs.java:24) at testutils.Logs.getLogger(Logs.java:29) at stepDefinitions.Hooks.afterSc(Hooks.java:28) | | |