

KARNATAKA LAW SOCIETY'S

GOGTE INSTITUTE OF TECHNOLOGY

UDYAMBAG, BELGAVI-590008

(An Autonomous Institute under Visvesvaraya Technological University, Belagavi)

(APPROVED BY AICTE, NEW DELHI)



Course Activity Report

Implementation of Simple File server using sockets.

Submitted in the partial fulfilment for the academic requirement of

7th Semester B.E

IN

Network Programming Lab

Submitted by

Sno	Name	USN
1	Shivu Mirji	2GI18CS131

GUIDED BY

Dr. S.F.Rodd, Prof. Naitik.S.T
Prof. Department of Computer Science
KLS Gogte Institute of Technology, Belagavi

COURSE PROJECT REPORT (Academic Year 2020-21)

SUBJECT: Network Programming Lab

PROBLEM STATEMENT: Implement simple file server using sockets. The file server should be able to take the request from any client and return the requested file to client or return error message, status to client. Consider all the possible inputs for the file server. Implement using programming. Compare this result with FTP by using suitable tools.

SUBJECT CODE: 18CSL77

Date: 24/12/2021

Team Members Details:

Slno	Name	USN
1	Shivu Mirji	2GI18CS131

Marks allocation:

	Batch No:					
1	Project Title: Implement simple file server using sockets. The file server should be able to take the request from any client and return the requested file to client or return error message, status to client. Consider all the possible inputs for the file server. Implement using programming. Compare this result with FTP by using suitable tools.	Marks Range	USN			
			2GI18CS131			
2.	Problem statement (PO2)	0-1				
3.	Objectives of Defined Problem statement (PO1,PO2)	0-2				
4.	Design / Algorithm/Flowchart/Methodology (PO3)	0-3				
5.	Implementation details/Function/Procedures/Classes and Objects (Language/Tools) (PO1,PO3,PO4,PO5)	0-4				
6.	Working model of the final solution (PO3,PO12)	0-5				
7.	Report and Oral presentation skill (PO9,PO10)	0-5				
	Total	20				

PROBLEM STATEMENT:

Implement simple file server using sockets. The file server should be able to take the request from any client and return the requested file to client or return error message, status to client. Consider all the possible inputs for the file server. Implement using programming. Compare this result with FTP by using suitable tools.

Introduction:

TCP refers to the Transmission Control Protocol, which is a highly efficient and reliable protocol designed for end-to-end data transmission over an unreliable network.

A TCP connection uses a three-way handshake to connect the client and the server.

It is a process that requires both the client and the server to exchange synchronization (**SYN**) and acknowledge (**ACK**) packets before the data transfer takes place.

Some important features of TCP:

- It's a connection-oriented protocol.
- It provides error-checking and recovery mechanisms.
- It helps in end-to-end communication.

Theory :

- **Project structure**

The project is divided into two files:

1. client.c
2. server.c

The client.c file contains the code for the client-side, which read the text file and sends it to the server and the server.c file receives the data from the client and saves

it in a text file.

- **Client**

The client performs the following functions.

1. Start the program
2. Declare the variables and structures required.
3. A socket is created and the connect function is executed.
4. The file is opened.
5. The data from the file is read and sent to the server.
6. The socket is closed.
7. The program is stopped.

- **Server**

The server performs the following functions.

1. Start the program.
2. Declare the variables and structures required.
3. The socket is created using the socket function.
4. The socket is binded to the specific port.
5. Start listening for the connections.
6. Accept the connection from the client.
7. Creates a child process to handle request client among multiple clients.
8. Close server socket descriptor
9. Create a new file.
10. Receives the data from the client.
11. Write the data into the file.
12. The program is stopped.

Source Code :

Server.c

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <arpa/inet.h>
#define SIZE 1024

void write_file(int sockfd, char *outputFile){
    int n;
    FILE *fp;
    char *filename = outputFile;
    char buffer[SIZE];

    fp = fopen(filename, "a");
    printf("\n Data sent to created output file is: ");
    while (1) {
        n = recv(sockfd, buffer, SIZE, 0);
        printf("%s", buffer);
        if (n <= 0){
            break;
        }

        fprintf(fp, "%s", buffer);

        bzero(buffer, SIZE);
    }
    fclose(fp);
    return;
}

int main(int argc, char **argv){
    char *ip = "127.0.0.1";
    int port = 8080;
    int e;
    int listenfd, connfd, n;
    pid_t childpid;
    socklen_t clilen;

    int sockfd, new_sock;
    struct sockaddr_in server_addr, new_addr;
    socklen_t addr_size;
    char buffer[SIZE];

    sockfd = socket(AF_INET, SOCK_STREAM, 0);
    if(sockfd < 0) {
        perror("Error in socket");
```

```

    exit(1);
}
printf("Server socket created successfully.\n");

server_addr.sin_family = AF_INET;
server_addr.sin_port = port;
server_addr.sin_addr.s_addr = inet_addr(ip);

e = bind(sockfd, (struct sockaddr*)&server_addr, sizeof(server_addr));
if(e < 0) {
    perror("Error in bind");
    exit(1);
}
printf("Binding successfull.\n");

if(listen(sockfd, 10) == 0){
    printf("Listening....\n");
} else {
    perror("Error in listening");
    exit(1);
}
int k=0;
for(;;)
{
    k++;
    addr_size = sizeof(new_addr);
    new_sock = accept(sockfd, (struct sockaddr*)&new_addr, &addr_size);
    if ( (childpid = fork ()) == 0 ) {
        printf ("\n\nChild created for dealing with client %d request",k);

        //close listening socket
        close (listenfd);
        write_file(new_sock,argv[1]);
        printf("\nData written in the file successfully.\n");

    }
}

return 0;
}

```

Client.c

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <string.h>
#include <arpa/inet.h>
#define SIZE 1024

void send_file(FILE *fp, int sockfd){
    int n;
    char data[SIZE] = {0};

    while(fgets(data, SIZE, fp) != NULL) {
        if (send(sockfd, data, sizeof(data), 0) == -1) {
            perror("Error in sending file.");
            exit(1);
        }
        bzero(data, SIZE);
    }
}

int main(int argc, char** argv){
    char *ip = "127.0.0.1";
    int port = 8080;
    int e;

    int sockfd;
    struct sockaddr_in server_addr;
    FILE *fp;
    char *filename = argv[1];

    sockfd = socket(AF_INET, SOCK_STREAM, 0);
    if(sockfd < 0) {
        perror("Error in socket");
        exit(1);
    }
    printf("Server socket created successfully.\n");

    server_addr.sin_family = AF_INET;
    server_addr.sin_port = port;
    server_addr.sin_addr.s_addr = inet_addr(ip);

    e = connect(sockfd, (struct sockaddr*)&server_addr, sizeof(server_addr));
    if(e == -1) {
        perror("Error in socket");
        exit(1);
    }
    printf("Connected to Server.\n");
```

```
fp = fopen(filename, "r");
if (fp == NULL) {
    perror("Error in reading file.");
    exit(1);
}


send_file(fp, sockfd);
printf("File data sent successfully.\n");

    printf("Closing the connection.\n");
close(sockfd);
return 0;
}
```


Output:-

❖ Server containing files as file1.txt and file2.txt


➤ File1.txt



➤ File2.txt



❖ File Server and Two Clients(client1 and client2) execution.



The screenshot shows two terminal windows side-by-side. The left window is the server's terminal, and the right window shows the execution of two client programs.


```
shivumirji@shivumirji-VirtualBox: ~/Desktop/NP Lab Project
shivumirji@shivumirji-VirtualBox:~/Desktop/NP Lab Project$ gcc server.c -o fileserv
server.c: In function 'main':
server.c:73:21: warning: implicit declaration of function 'fork' [-Wimplicit-function-declara
tion]
   73 |     if ( (chldpid = fork ()) == 0 ) {
       |                   ^~~~~
server.c:77:3: warning: implicit declaration of function 'close'; did you mean 'pclose'? [-Wim
plicit-function-declaration]
   77 |     close (listenfd);
       |     ^~~~~
       |     pclose
shivumirji@shivumirji-VirtualBox:~/Desktop/NP Lab Project$ ./fileserv output.txt
Server socket created successfully.
Binding successfull.
Listening....

Child created for dealing with client 1 request
Data sent to created output file is:
Data written in the file successfully.

Child created for dealing with client 2 request
Data sent to created output file is:
Data written in the file successfully.
[]
```

```
shivumirji@shivumirji-VirtualBox:~/Desktop/NP Lab Project$ gcc client.c -o client1
shivumirji@shivumirji-VirtualBox:~/Desktop/NP Lab Project$ ./client1 file1.txt
Server socket created successfully.
Connected to Server.
File data sent successfully.
Closing the connection.
shivumirji@shivumirji-VirtualBox:~/Desktop/NP Lab Project$ gcc client.c -o client2
shivumirji@shivumirji-VirtualBox:~/Desktop/NP Lab Project$ ./client2 file2.txt
Server socket created successfully.
Connected to Server.
File data sent successfully.
Closing the connection.
shivumirji@shivumirji-VirtualBox:~/Desktop/NP Lab Project$
```


❖ Client1 appends its message into output.txt file from Server.



The screenshot shows a text editor window titled '*output.txt' with the following content:

```
1 This is a sample text file.
2 Hello Good Morning!!!
3
```

❖ Client2 appends its message into output.txt file from Server.



```
1 This is a sample text file.  
2 Hello Good Morning!!!  
3  
4 This is a sample text file.  
5 Hello Good Afternoon!!!  
6
```

CONCLUSION:

In this project, we implemented File server using socket programming to handle multiple client requests to access files from server. We understood how Inter process communication works with socket programming and steps involved in communication. We also understood Concurrent Server concept to handle multiple client requests.

REFERENCES:

<https://www.geeksforgeeks.org/tcp-server-client-implementation-in-c/>

Git Hub Link: <https://github.com/Shivu-Mirji/NP-Lab-project>