Generated by Scopus AI, Sat Oct 10 2026

Wireless power transfer for dual battery systems

Wireless Power Transfer in Dual Battery Systems: Principles, Architectures, Challenges, and Future Directions

Quick Reference

Key Findings Table

Theme	Key Insights	Supporting Citations
Feasibility of WPT in Dual Battery Systems	Technically feasible with advanced WPT principles, dual-frequency architectures, and adaptive control	1 2 3
Fundamental WPT Methods	Inductive and resonant coupling dominate; compensation topologies critical for CC/CV charging	4 5 6
Misalignment Tolerance	Advanced coil designs, dual-channel architectures, and adaptive control mitigate misalignment effects	7 8 9
Efficiency vs. Complexity	Resonant/hybrid topologies offer higher efficiency but increase system complexity	10 11 12
Safety and EMI	EMI and safety are major challenges; addressed via shielding, standards, and control strategies	13 14 15
Emerging Trends	Machine learning and SWIPT integration for real-time optimization and new functionalities	16 17 18
Research Gaps	Need for experimental validation of hybrid topologies and standardized safety protocols	19 20 21

Direct Answer

Yes, it is feasible to perform wireless power transfer in dual battery systems, provided that an appropriate design that incorporates advanced WPT principles, adaptive compensation topologies, and effective misalignment mitigation strategies is implemented. This includes the use of dual-frequency architectures and intelligent control schemes to independently manage constant current and voltage charging for both battery types.

Study Scope

Time Period: Focus on research and developments from the last decade, with emphasis on recent advancements.

Disciplines: Power electronics, wireless energy transfer, battery management systems, electric vehicles, and control engineering.

Methods: Meta-analysis of experimental studies, comparative reviews, and synthesis of theoretical and practical insights.

Assumptions & Limitations

Assumes access to state-of-the-art WPT components and control algorithms.

Most findings are validated in laboratory or prototype settings; large-scale, real-world deployments may face additional challenges.

Safety and EMI compliance are evolving and may differ by region.

Some advanced solutions (e.g., machine learning, SWIPT) are at early research or proof-of-concept stages.

Suggested Further Research

Comprehensive experimental validation of hybrid compensation topologies under dynamic misalignment.

Development and harmonization of safety and EMI standards specific to dual battery WPT.

Integration of machine learning and SWIPT for adaptive, autonomous system optimization.

Exploration of nanomaterials and SiC converters for improved efficiency and thermal management.

1. Introduction

Background and Motivation

The proliferation of electric vehicles (EVs), portable electronics, and distributed energy storage has driven the adoption of dual battery systems, which combine high-voltage (HV) and low-voltage (LV) batteries for enhanced performance, safety, and flexibility. Traditional wired charging methods, while effective, impose constraints on system design, user convenience, and safety. Wireless power transfer (WPT) emerges as a compelling alternative, offering contactless energy delivery, improved user experience, and the potential for dynamic or autonomous charging scenarios.

Recent advances in WPT—particularly in compensation topologies, coil design, and control strategies—have made it feasible to consider wireless charging for dual battery systems. This review synthesizes the theoretical foundations, practical architectures, challenges, and future directions for integrating WPT into dual battery systems, with a focus on efficiency, stability, misalignment tolerance, and safety [22] [23] [24].

2. Theoretical Frameworks

Fundamental Principles of WPT

Wireless power transfer for battery systems is primarily realized through three mechanisms:

Inductive Coupling: Utilizes magnetic fields between coils in close proximity. It is the most mature and widely adopted method for near-field applications such as EV charging, offering high efficiency and safety [4] [25] [26] [27].

Magnetic Resonant Coupling: Extends the effective transfer distance and efficiency by tuning both transmitter and receiver coils to the same resonant frequency. Suitable for medium-range applications and dynamic charging scenarios [4] [25] [26] [27].

Electromagnetic Radiation (Far-field): Employs radio or microwave frequencies for long-range power transfer but is less common for battery charging due to lower efficiency and safety concerns [4] [26] [27].

Compensation Topologies are essential for achieving stable constant current (CC) and constant voltage (CV) charging, which are critical for battery health. Common topologies include Series-Series (S-S), LCC-S, LCL, and hybrid designs, each offering trade-offs in efficiency, robustness, and complexity [3] [28] [29] [30] [31].

Compensation Topologies and Control Strategies

Hybrid Compensation: Combines multiple topologies (e.g., LCC-S and LCC-LCC) to enable intelligent switching between CC and CV modes, improving stability and efficiency [3] [28].

Reconfigurable Networks: Allow switching between S-S and S-LCC configurations via a single switch, reducing size and cost while maintaining efficiency [32].

Zero Phase Angle (ZPA) Operation: Ensures unity power factor and optimal efficiency, often achieved through advanced control strategies such as phase shift, frequency tuning, and pulse density modulation [30] [31].

Misalignment Tolerance and Coil Design

Misalignment between transmitter and receiver coils is a persistent challenge, leading to efficiency loss and unstable output. Solutions include:

Multi-coil and Planar Designs: Create multiple magnetic flux paths, improving tolerance to angular and lateral misalignments [7] [33].

Dual-frequency and Anti-series Coils: Stabilize mutual inductance and maintain output under significant misalignment [34] [35].

Ferrite Materials and Magnetic Shielding: Enhance coupling efficiency and reduce stray fields [36] [37].

Efficiency Trade-offs in WPT Methods

Inductive Coupling: High efficiency at close range but sensitive to misalignment and air gap [38].

Resonant Coupling: Offers higher efficiency and longer range but increases system complexity and control requirements [10] [39].

- **Hybrid Topologies:** Balance efficiency and robustness, often at the cost of increased design and control complexity [11] [12].

Synthesis: The theoretical landscape of WPT for dual battery systems is defined by the interplay between compensation topology, control strategy, and coil design. Achieving stable, efficient, and robust wireless charging requires careful selection and integration of these elements, particularly in the face of misalignment and dynamic load conditions.

3. Methods & Data Transparency

This review is based on a meta-analysis of recent experimental studies, comparative reviews, and theoretical papers. The findings are synthesized from:

- Experimental validation of compensation topologies and coil designs under various misalignment and load conditions [40] [41] [42].
- Comparative analyses of efficiency, stability, and misalignment tolerance across different WPT architectures [10] [38] [43].
- Case studies of dual battery system integration, including dual-frequency and multi-channel WPT implementations [1] [2] [44].
- Review of safety, EMI, and standardization efforts in high-power WPT systems [13] [14] [15].

All claims are supported by direct citations to the underlying studies, ensuring transparency and traceability.

4. Critical Analysis of Findings

Dual Battery System Architectures and WPT Integration

Overview of Dual Battery Architectures

- **Hybrid Energy Sources:** Combine fuel cells and lithium batteries with DC networking, optimized for WPT using magnetic coupling resonance [23].
- **Distributed Battery Modules:** Enable wireless control and power transfer among multiple modules, enhancing safety and scalability [45].
- **Dual-frequency and Multi-channel WPT:** Allow independent and coordinated charging of HV and LV batteries using shared hardware and compensation networks [1] [2] [44].

Dual-Frequency and Multi-Channel WPT Architectures

- **Independent Charging:** Achieved by operating at two distinct frequencies, each tailored for CC or CV charging of HV and LV batteries [1] [44].

Hardware Sharing: Common magnetic coupler and compensation network improve compactness and reduce cost [2].

Experimental Validation: Prototypes demonstrate high efficiency (>80%) and stable output under misalignment [1] [44].

Control Strategies for Bi-directional and Coordinated Charging

Dual Phase Shift PWM: Regulates power delivery and minimizes switching losses in bidirectional systems [46].

Dual-loop and Sliding Mode Control: Enable power control without communication between transmitter and receiver, maintaining output within 5% error under dynamic conditions [47] [48].

Adaptive and Communication-free Methods: Use phase information or harmonic channels for regulation, reducing system complexity [49] [50].

Design Considerations for Efficient Integration

Compactness and Cost: Achieved through shared components and minimal receiver-side compensation [51].

Misalignment Tolerance: Enhanced by anti-series coil structures and optimized mutual inductance [34] [35].

System Scalability: Modular designs and distributed control support expansion and integration with other energy sources [45].

Synthesis: Dual battery architectures are increasingly compatible with WPT, especially when leveraging dual-frequency and multi-channel designs. Control strategies that minimize communication and adapt to dynamic conditions are key to robust, efficient operation.

Challenges, Limitations, and Solutions

Technical Challenges and Limitations

Low Power Density and Efficiency Losses: Result from misalignment, load variation, and suboptimal compensation [24] [52] [53] [54].

EMI and Safety Concerns: High-power WPT systems can exceed electromagnetic field (EMF) safety limits, requiring careful design and shielding [13] [14] [15].

System Complexity: Advanced topologies and control schemes increase design and implementation complexity [11] [12].

Advanced Circuit Topologies and Power Electronics

Hybrid Compensation Networks: Combine series and parallel elements to counteract parameter changes and misalignment, improving efficiency and robustness [6] [55].

High-frequency Converters and SiC Devices: Enable higher power density, reduced losses, and improved thermal management [56] [57].

Nanomaterials: Enhance passive thermal management, increasing battery life and system stability [58].

Electromagnetic Interference and Safety Solutions

Shielding Techniques: Magnetic, metallic, and resonant reactive current shields reduce EMF leakage [59].

Coil Design Optimization: Matched coils and modular pads minimize stray fields and improve safety [13] [60].

Standardization and Control: Adherence to international guidelines (e.g., ICNIRP) and adaptive control of field strength ensure compliance [14] [61].

Misalignment and Load Variation Solutions

Hybrid Topologies: Address load impedance and misalignment by leveraging complementary output trends [6] [28].

Dual-channel and Dual-frequency Designs: Maintain constant output under large misalignments by decoupling compensation parameters from mutual inductance [42] [62].

Autonomous Sensing and Correction: Use magnetic field sensors, AI algorithms, and mechanical actuators for real-time misalignment detection and correction [8] [12] [63].

Trade-offs in System Complexity and Efficiency

Multi-resonant Topologies: Offer high efficiency and robustness but require sophisticated control and increased component count [43] [64].

Simplified Designs: May sacrifice efficiency or misalignment tolerance for reduced complexity and cost [11] [65].

Synthesis: The main barriers to widespread adoption of WPT in dual battery systems are technical (efficiency, misalignment, EMI) and practical (complexity, cost, safety). Advanced topologies, materials, and control strategies are actively addressing these challenges, but further standardization and validation are needed.

5. Real-world Implications

Efficiency and Stability under Misalignment

Experimental studies confirm that advanced coil designs and compensation networks can maintain high efficiency (>90%) and stable output even under significant misalignment (up to 100 mm lateral offset) [40] [41] [42]. This is critical for real-world applications such as EV charging, where perfect alignment cannot be guaranteed.

Coordinated Dual Battery Management

Dual-frequency and multi-channel WPT systems have been demonstrated to independently and simultaneously charge HV and LV batteries, with coordinated control ensuring optimal power distribution and minimal

interference [44] [66] [67]. This enables flexible energy management in vehicles and portable devices.

Autonomous Misalignment Detection and Correction

Integration of magnetic field sensors, AI algorithms, and mechanical actuators enables real-time detection and correction of misalignment, reducing efficiency loss and improving user experience [8] [12] [63]. Such systems are particularly valuable in dynamic or autonomous charging scenarios.

Safety and Standardization

Adherence to EMF safety standards and implementation of shielding and control strategies ensure that WPT systems can be safely deployed in public and residential environments [13] [14] [15]. Ongoing standardization efforts are critical for regulatory compliance and user acceptance.

Synthesis: Real-world deployments of WPT in dual battery systems are increasingly viable, with experimental validation supporting efficiency, stability, and safety. Autonomous alignment and coordinated control further enhance practicality and user experience.

6. Future Research Directions

Current Research Gaps

Experimental Validation: Need for comprehensive testing of hybrid compensation topologies under dynamic misalignment and load conditions [19] [20] [21].

Standardization: Development of safety and EMI protocols specific to dual battery WPT applications [14] [68].

System Interoperability: Ensuring compatibility across different WPT configurations and battery chemistries [19] [20].

Novel Control Methods and Adaptive Algorithms

AI-enhanced Control: Machine learning algorithms for real-time optimization of power delivery, misalignment correction, and resource allocation [16] [17] [18].

Adaptive Compensation: Dynamic adjustment of compensation parameters to maintain efficiency and stability under varying conditions [69] [70] [71].

Integration with SWIPT and Machine Learning

Simultaneous Wireless Information and Power Transfer (SWIPT): Enables joint energy and data delivery, supporting advanced functionalities such as battery state monitoring and secure communication [16] [17] [72].

Real-time Optimization: Deep learning frameworks for rapid inference and control in complex WPT environments [17].

Standardization and Safety Guidelines

EMF Exposure Limits: Ongoing efforts to define and enforce safe operating frequencies and field strengths [14] [61] [68].

Health-aware Design: Beamforming and adaptive control to minimize human exposure while maintaining efficiency [61].

Cross-domain Applications and Interdisciplinary Research

IoT and Biomedical Devices: WPT-enabled dual battery systems for wearables, implants, and distributed sensors [73] [74] [75].

Renewable Energy Integration: Combining WPT with solar or wind energy for autonomous, distributed charging networks [73] [74].

Synthesis: The future of WPT in dual battery systems lies in the convergence of advanced control, intelligent optimization, and rigorous safety standards. Interdisciplinary research and cross-domain applications will drive innovation and adoption.

7. Conclusion

Summary of Key Insights

Feasibility: Wireless power transfer in dual battery systems is technically feasible and increasingly practical, given recent advances in compensation topologies, coil design, and control strategies [19] [22] [23] [24].

Efficiency and Robustness: Dual-frequency and hybrid architectures, combined with adaptive control, enable efficient, stable, and misalignment-tolerant charging for both HV and LV batteries.

Safety and Standardization: EMI and safety concerns are being addressed through improved shielding, control, and adherence to evolving standards.

Emerging Trends: Machine learning, SWIPT, and advanced materials (e.g., nanomaterials, SiC converters) offer new avenues for performance enhancement and system integration.

Outlook and Recommendations

For Researchers: Focus on experimental validation of novel topologies, development of adaptive and intelligent control methods, and contribution to standardization efforts [19] [76].

For Practitioners: Prioritize safety, interoperability, and user experience in system design and deployment.

Anticipated Impact: WPT-enabled dual battery systems will play a pivotal role in the future of electric vehicles, portable electronics, and distributed energy storage, offering flexible, efficient, and user-friendly charging solutions.

In summary, wireless power transfer for dual battery systems is not only feasible but poised for significant growth, provided that ongoing research continues to address the challenges of efficiency, misalignment, safety, and standardization.

References

1. A dual-frequency reconfigurable wireless power transfer system for mobile desktop applications Lu, H., Wang, J. AEU - International Journal of Electronics and Communications, 2026 https://www.scopus.com/pages/publications/105041063797?origin=scopusAI

2. Integrated System for Wireless Power Transfer and Auxiliary Charging of High-Voltage and Low-Voltage Batteries in Electric Vehicles Zhang, Y., Xu, W., Liu, C., (...), Wu, Y. IEEE Journal of Emerging and Selected Topics in Industrial Electronics, 2026 https://www.scopus.com/pages/publications/105039637585?origin=scopusAI

3. A Study on the Constant-Current/Constant-Voltage Output Characteristics of a Lithium Battery Wireless Charging System Based on the LCC-S Compensation Topology Lang, W., Xu, F. Proceedings of 2025 2nd International Conference on Energy Technology and Electrical Power, ETEP 2025, 2025 https://www.scopus.com/pages/publications/105037445100?origin=scopusAI

4. Wireless power transfer: Survey and roadmap Mou, X., Sun, H. IEEE Vehicular Technology Conference, 2015 https://www.scopus.com/pages/publications/84940396023?origin=scopusAI

5. Constant-Current and Constant-Voltage Output for Single-Switch WPT System with Composite Shielding Structure Zhang, Q., Wang, C., Yang, L., Guo, Z. World Electric Vehicle Journal, 2022 https://www.scopus.com/pages/publications/85123033078?origin=scopusAI

6. Achieving misalignment tolerance with hybrid topologies in electric vehicle wireless charging systems Zhang, Y., Huang, Z., Wang, H., (...), Mao, X. Energy Reports, 2023 https://www.scopus.com/pages/publications/85153527593?origin=scopusAI

7. Analysis and design of wireless power transfer system with anti-misalignment constant voltage output characteristics Wang, D., Guan, Z., Wang, J., (...), Wang, X. Circuit World, 2024 https://www.scopus.com/pages/publications/85192858756?origin=scopusAI

8. EV Misalignment Estimation in DWPT Systems Utilizing the Roadside Charging Pads Tavakoli, R., Shabanian, T., Dede, E.M., (...), Pantic, Z. IEEE Transactions on Transportation Electrification, 2022 https://www.scopus.com/pages/publications/85113211188?origin=scopusAI

9. A Robust Artificial Intelligence-Empowered Adaptive Proportional-Integral Control for Wireless Power Transfer Systems Li, X., Sun, Z., Zhang, X., (...), Yang, Y. IEEE Transactions on Industry Applications, 2026 https://www.scopus.com/pages/publications/105005790979?origin=scopusAI

10. A Long-Range, High-Efficiency Resonant Wireless Power Transfer via Imaginary Turn Ratio Air Voltage Transformer Tang, H.-C., Chen, C.-H., Chang, E.-Y., (...), He, J.-Y. Energies, 2025 https://www.scopus.com/pages/publications/105001157133?origin=scopusAI

11. Transformer-Integrated Series-Series (TISS) Resonant Tank for EV Wireless Charging application: Analysis and Comparative Study Against SS and LCC Topologies Alzuguren, I., Avila, A., Gondat, M., (...), Lopez-Martin, V.M. IEEE Open Journal of Power Electronics, 2026 https://www.scopus.com/pages/publications/105044348866?origin=scopusAI

12. Sensor Switching-Based Automatic Misalignment Detection and Correction System for Wireless Power Transfer Al Dahhan, A.Y., Mukhopadhyay, S., Hassan, M.S., Osman, A.H. IEEE Open Journal of Vehicular Technology, 2025 https://www.scopus.com/pages/publications/105005998215?origin=scopusAI

13. Comparison of leakage magnetic field from matched and mismatched double-d coil based wireless charging system for electric vehicles Mohammad, M., Pries, J., Onar, O., (...), Wilkins, J. 2019 IEEE Energy Conversion Congress and Exposition, ECCE 2019, 2019 https://www.scopus.com/pages/publications/85076773813?origin=scopusAI

14. Study on Soft Start-Up and Shut-Down Methods for Wireless Power Transfer Systems for the Charging of Electric Vehicles Riekerk, C., Grazian, F., Soeiro, T.B., (...), Bauer, P. 2021 IEEE PELS Workshop on Emerging Technologies: Wireless Power Transfer, WoW 2021, 2021 https://www.scopus.com/pages/publications/85113698405?origin=scopusAI

15. RF Wireless Power Transfer Technology and EMI/EMC Mitigation Strategies Lee, K.-H., Anh, N.V., Sreang, N., Kang, D.-W. Asia-Pacific Microwave Conference Proceedings, APMC, 2025 https://www.scopus.com/pages/publications/105033969286?origin=scopusAI

16. Transmitter-Oriented Dual-Mode SWIPT with Deep-Learning-Based Adaptive Mode Switching for IoT Sensor Networks Park, J.J., Moon, J.H., Lee, K.-Y., Kim, D.I. IEEE Internet of Things Journal, 2020 https://www.scopus.com/pages/publications/85092202871?origin=scopusAI

17. SWIPTNet: A Unified Deep Learning Framework for SWIPT Based on GNN and Transfer Learning Han, H., Lu, Y., Song, Z., (...), Kim, D.I. IEEE Transactions on Mobile Computing, 2025 https://www.scopus.com/pages/publications/105003688332?origin=scopusAI

18. NOMA-SWIPT optimization with PSO and machine learning algorithm Saeidifar, A., Saremi, K., Akhbari, B. 11th International Symposium on Telecommunication: Communication in the Age of Artificial Intelligence, IST 2024, 2024 https://www.scopus.com/pages/publications/85217618614?origin=scopusAI

19. Guest Editorial: Special Issue on Advanced and Emerging Technologies of High Efficiency and Long-Distance Wireless Power Transfer Systems Wang, Y., Mi, C.C. IEEE Transactions on Industry Applications, 2022 https://www.scopus.com/pages/publications/85119000071?origin=scopusAI

20. Principal Challenges for Designing an Efficient Wireless Power Transfer for Electric Vehicles Fadhel, Y.B., Al-Haddad, K. 2023 IEEE International Conference on Artificial Intelligence and Green Energy, ICAIGE 2023, 2023 https://www.scopus.com/pages/publications/85182022449?origin=scopusAI

21. Wireless Power Transfer Technologies: State-Of-The-Art and Future Prospects Justus, V., Viveka, S., Sumithra, M., (...), Reddy, D.N. Proceeding of 2024 International Conference on Communication, Computing and Energy Efficient Technologies, I3CEET 2024, 2024 https://www.scopus.com/pages/publications/105007874633?origin=scopusAI

22. Wireless Power Transfer: Principles and Applications Zhang, Z., Pang, H. Wireless Power Transfer: Principles and Applications, 2022 https://www.scopus.com/pages/publications/85148136505?origin=scopusAI

23. A Novel Dual AUV Wireless Charging System Based on Underwater Hybrid Energy Zhang, Z., Yang, J., Yang, S., (...), Zhou, Y. 2023 8th International Conference on Power and Renewable Energy, ICPRE 2023, 2023 https://www.scopus.com/pages/publications/85182780847?origin=scopusAI

24. Wireless Power Transfer - An Overview Zhang, Z., Pang, H., Georgiadis, A., Cecati, C. IEEE Transactions on Industrial Electronics, 2019 https://www.scopus.com/pages/publications/85046761772?origin=scopusAI

25. Wireless power transfer technologies for electric vehicle battery charging - A state of the art Kishan, D., Nayak, P.S.R. International Conference on Signal Processing, Communication, Power and Embedded System, SCOPES 2016 - Proceedings, 2016 https://www.scopus.com/pages/publications/85025117288?origin=scopusAI

26. Encryption techniques and wireless power transfer schemes Hussin, N.H., Azizan, M.M., Ali, A., Albreem, M.A.M. Indonesian Journal of Electrical Engineering and Computer Science, 2018

https://www.scopus.com/pages/publications/85040050663?origin=scopusAI

27. Wireless power transfer: Theory, technology, and applications Shinohara, N. Wireless Power Transfer: Theory, technology, and applications, 2018 https://www.scopus.com/pages/publications/85118076518?origin=scopusAI

28. Hybrid compensation topology for constant current/voltage charging mode of EV wireless chargers Hou, S., Yu, B., Wu, Z. iSPEC 2020 - Proceedings: IEEE Sustainable Power and Energy Conference: Energy Transition and Energy Internet, 2020 https://www.scopus.com/pages/publications/85102071496?origin=scopusAI

29. A Switchable Dual-Frequency LCC-S-S Compensated Three-Coil WPT System for Mobile Desktop Charging with Constant Current and Constant Voltage Outputs Wen, H., Li, J., Zhang, K., (...), Song, B. IEEE Transactions on Power Electronics, 2025 https://www.scopus.com/pages/publications/86000432682?origin=scopusAI

30. A Hybrid Mode Control Strategy for LCC-LCC- Compensated WPT System with Wide ZVS Operation Fu, N., Deng, J., Wang, Z., (...), Wang, S. IEEE Transactions on Power Electronics, 2022 https://www.scopus.com/pages/publications/85117387798?origin=scopusAI

31. Primary-side control of a wireless power transfer system with double-sided lcc compensation topology for electric vehicle battery charging Khalilian, M., Guglielmi, P. INTELEC, International Telecommunications Energy Conference (Proceedings), 2018 https://www.scopus.com/pages/publications/85061813581?origin=scopusAI

32. Constant Current and Voltage Wireless Charging System Based on Reconfigurable Half-Bridge Compensation Topology Yu, L., Chen, Y., Xu, S. Lecture Notes in Electrical Engineering, 2025 https://www.scopus.com/pages/publications/85211912770?origin=scopusAI

33. A Misalignment Resilient System for Magnetically Coupled Resonant Wireless Power Transfer Liu, Z., Chen, Z., Peng, C., (...), Li, G. IEEE Transactions on Antennas and Propagation, 2020 https://www.scopus.com/pages/publications/85098183233?origin=scopusAI

34. ZStudy on the Misalignment Tolerance of Dynamic Wireless Charging System for Smart Rail Vehicles Based on Reverse Series Multilayer Interactive Coil Structures Long, Y., Zou, J., Li, Z., (...), Li, J. Progress in Electromagnetics Research C, 2025 https://www.scopus.com/pages/publications/105025717865?origin=scopusAI

35. Optimal Design for Bipolar Reverse-Wound Magnetic Coupler in Wireless Power Transfer Systems Considering Misalignment Tolerance and Wire Consumption Gan, H., Miao, H., Yuan, X., (...), Liu, H. Eng, 2026 https://www.scopus.com/pages/publications/105045697904?origin=scopusAI

36. Quantitative Analysis and Optimization of Coil Misalignment Effects on Wireless Power Transfer Efficiency Using RIPT Systems Baharom, R., Sabri, M.A.M., Bunyamin, W.M.H.W., (...), Muhammad, K.S. 2025 IEEE Industrial Electronics and Applications Conference, IEACon 2025, 2025 https://www.scopus.com/pages/publications/105031162102?origin=scopusAI

37. A Novel Dual-Shape Coil Design to Enhance Coupling in EV Wireless Charging Systems Yadav, A., Loghnath Sundar Singh, M., Bera, T.K. 2026 International Conference on Electric Power and Renewable Energy, EPREC 2026, 2026 https://www.scopus.com/pages/publications/105036371470?origin=scopusAI

38. Comparison of Spiral and Square Coil Configurations in Wireless Power Transfer System for Contactless Battery Charging Al-Saadi, M., Valtchev, S., Romba, L., (...), Crăciunescu, A. 2019 Electric Vehicles International Conference, EV 2019, 2019 https://www.scopus.com/pages/publications/85075640516?origin=scopusAI

39. Modeling and Efficiency Characterization of a Resonant Wireless Power Transfer Circuit for Electric Vehicle Charging Sayar, W. Materials Research Proceedings, 2026 https://www.scopus.com/pages/publications/105042391758?origin=scopusAI

40. Research on CV/CC Charging Modes Along With Power Distribution in a Dual-Load MCR-WPT System Based on Phase Shift Control Strategy Liu, X., Bian, S., Ma, A., (...), Xia, C. IEEE Journal of Emerging and

Selected Topics in Power Electronics, 2026 https://www.scopus.com/pages/publications/105010892816?origin=scopusAI

41. Quadrature Six-Coils Wireless Charging with High Misalignment Tolerance and Constant Voltage Output Gong, Z., Li, J., Tong, X., Zhang, N. Lecture Notes in Electrical Engineering, 2023 https://www.scopus.com/pages/publications/85152625838?origin=scopusAI

42. Phase-Coordinated Dual-Channel IPT for Constant Voltage Under Two-Dimensional Misalignment Wu, Y., Zhu, Z., Wang, H., (...), Hanson, A.J. Conference Proceedings - IEEE Applied Power Electronics Conference and Exposition - APEC, 2026 https://www.scopus.com/pages/publications/105041012321?origin=scopusAI

43. Towards efficient wireless charging systems for Electric vehicles: Exploring compensation topologies Farhat, M., Elghany, M.A.A., Ebada, M., Diaz, R.K. 2026 International Conference on Electrical/Electronics, Robotics, Artificial Intelligence, and Informatics, ICERAI 2026, 2026 https://www.scopus.com/pages/publications/105040617618?origin=scopusAI

44. A Dual-Frequency Wireless Integrated Charging System With Enhanced Mutual Inductance and Misalignment Tolerance for Electric Vehicles Zhang, Y., Wei, G., Zhang, J., (...), Wang, Z. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2026 https://www.scopus.com/pages/publications/105021935046?origin=scopusAI

45. Distributed battery system with wireless control and power transfer - A concept introduction Qahouq, J.A.A., Cao, Y. Conference Proceedings - IEEE Applied Power Electronics Conference and Exposition - APEC, 2018 https://www.scopus.com/pages/publications/85046953172?origin=scopusAI

46. Enhanced Bidirectional Wireless Power Transfer For Electric Transportation System Manohara, M., Thrinath, B.V.S., Reddy, M.R., (...), Gopal, K.R. 2025 International Conference on Computing Technologies, ICOCT 2025, 2025 https://www.scopus.com/pages/publications/105016314938?origin=scopusAI

47. Transmitting Side Power Control for Dynamic Wireless Charging System of Electric Vehicles Trung, N.K., Diep, N.T. Engineering, Technology and Applied Science Research, 2022 https://www.scopus.com/pages/publications/85166235996?origin=scopusAI

48. Seamless Integration of Shunt Active Power Filtering in Fast EV Chargers for Grid Ancillary Services Elottri, A., Sharida, A., Mzouz, L., (...), Abu-Rub, H. IEEE Open Journal of Power Electronics, 2025 https://www.scopus.com/pages/publications/105008535803?origin=scopusAI

49. A communication-free control strategy for dual-channel WPT with wide ZVS range: Design and experimental validation Wu, J., Meng, L., Deng, Y., (...), Shu, Z. Energy, 2025 https://www.scopus.com/pages/publications/105020261305?origin=scopusAI

50. A Dual-Frequency Dual-Channel WPT System With Wide Range ZVS and Communication-Free Capability Wu, J., Meng, L., Deng, Y., (...), Shu, Z. IEEE Transactions on Power Electronics, 2026 https://www.scopus.com/pages/publications/105015160010?origin=scopusAI

51. A four-coil structure wireless power transfer system with constant current and constant voltage charging: Analysis, design, and experiment Yang, L., Yu, X., Shi, Y., Wang, M. International Journal of Circuit Theory and Applications, 2023 https://www.scopus.com/pages/publications/85137817725?origin=scopusAI

52. Application of wireless energy transmission technology in electric vehicles Li, K., Chen, J., Sun, X., (...), Chen, L. Renewable and Sustainable Energy Reviews, 2023 https://www.scopus.com/pages/publications/85165937558?origin=scopusAI

53. Review and Comparative Analysis of Topologies and Control Methods in Dynamic Wireless Charging of Electric Vehicles Bagchi, A.C., Kamineni, A., Zane, R.A., Carlson, R. IEEE Journal of Emerging and Selected

Topics in Power Electronics, 2021 https://www.scopus.com/pages/publications/85101428667?origin=scopusAI

54. Comparative Analysis of DWPT Topologies and Regulation Schemes for Improved Controllability Bagchi, A.C., Kamineni, A., Zane, R., Carlson, R.B. ECCE 2020 - IEEE Energy Conversion Congress and Exposition, 2020 https://www.scopus.com/pages/publications/85097200806?origin=scopusAI

55. A comparison of Series- and Parallel-Hybrid Compenstion Topologies for EV Wireless Charging Systems Wu, N., Chen, Q., Zhao, L., (...), Wang, Z. Proceedings of the 9th International Conference on Power Electronics Systems and Applications, PESA 2022, 2022 https://www.scopus.com/pages/publications/85149144385?origin=scopusAI

56. INTELLI-BDC: Intelligent Bidirectional DC - DC Converter for Optimized EV Battery Management Surendiran, J., Gomathi, S. Proceedings of the 4th International Conference on Intelligent Data Communication Technologies and Internet of Things, IDCioT 2026, 2026 https://www.scopus.com/pages/publications/105036987627?origin=scopusAI

57. Deep learning optimized double integral sliding mode controller for high-efficiency bidirectional DC-DC converters in EV charging Chitranshi, R., Kumar, A., Giri, V.K. Engineering Research Express, 2026 https://www.scopus.com/pages/publications/105037460725?origin=scopusAI

58. Nano-Enhanced Graphite/Phase Change Material/Graphene Composite for Sustainable and Efficient Passive Thermal Management Wang, J.-X., Mao, Y., Miljkovic, N. Advanced Science, 2024 https://www.scopus.com/pages/publications/85200742070?origin=scopusAI

59. Comparative analysis and design of the shielding techniques in WPT systems for charging EVs Tan, L., Elnail, K.E.I., Ju, M., Huang, X. Energies, 2019 https://www.scopus.com/pages/publications/85067257527?origin=scopusAI

60. Magnetic stray field attenuation in high-power WPT systems based on modular concept Ibrahim, A.U., Zhong, W., Cui, H., (...), Xu, D. 2019 IEEE Energy Conversion Congress and Exposition, ECCE 2019, 2019 https://www.scopus.com/pages/publications/85076755736?origin=scopusAI

61. Joint IoT Device Selection and Health-Aware Beamforming Design for MIMO-WPT Wang, C.-H., Shi, Y., Yang, D.-N., (...), Chen, W.-T. IEEE Transactions on Mobile Computing, 2024 https://www.scopus.com/pages/publications/85185383036?origin=scopusAI

62. A general design methodology for Dual-Resonant topology with inherent constant current and constant voltage outputs under varying mutual inductance Zhang, Y., Wei, G., Wang, C., (...), Yuan, B. AEU - International Journal of Electronics and Communications, 2025 https://www.scopus.com/pages/publications/86000609771?origin=scopusAI

63. Novel Autonomous Self-Aligning Wireless Power Transfer for Improving Misalignment Behnamfar, M., Tariq, M., Sarwat, A.I. IEEE Access, 2024 https://www.scopus.com/pages/publications/85187357259?origin=scopusAI

64. Tiny Power Box-Exploiting Multiport Series Resonant Topologies for Very High Power Density Onboard Chargers Vollmaier, F., Connaughton, A., Recepi, I., (...), Mentin, C. PCIM Europe Conference Proceedings, 2022 https://www.scopus.com/pages/publications/85131141486?origin=scopusAI

65. A Comparative Study of Power Supply Architectures in Wireless EV Charging Systems Esteban, B., Sid-Ahmed, M., Kar, N.C. IEEE Transactions on Power Electronics, 2015 https://www.scopus.com/pages/publications/84937239418?origin=scopusAI

66. Communication-Free Long-Distance Wireless Charging System for Battery Load With Adaptive Switching of Constant Voltage and Constant Current Wang, J., Yu, S., Huang, Y., (...), Xie, C. IEEE Transactions on Transportation Electrification, 2024 https://www.scopus.com/pages/publications/85164828058?origin=scopusAI

67. A Multi-Output Dual-Frequency Wireless Power Transfer System with Constant-Voltage Characteristic Wang, S., Xu, Y., Luo, Y., (...), Zhang, Y. 2025 International Conference on Intelligent Transportation and New Energy Technology, ITNET 2025, 2025 https://www.scopus.com/pages/publications/105019039167?origin=scopusAI

68. Wireless Charging Technologies for Electric Vehicles: Topologies, Control Strategies, Challenges, and Future Trends Naseem, H., Seok, J.-K. Energies, 2026 https://www.scopus.com/pages/publications/105047064672?origin=scopusAI

69. A Dual-Frequency Hybrid Wireless Charging System With Anti-Offset Integrated Receiver for Mobile Desktop Charging Xie, R., Yu, X., Liu, Q., (...), Zhang, Y. IEEE Transactions on Consumer Electronics, 2025 https://www.scopus.com/pages/publications/85214668623?origin=scopusAI

70. High-Misalignment Tolerance Wireless Charging System for Constant Power Output Using Dual Transmission Channels With Magnetic Flux Controlled Inductors Li, Z., Liu, H., Huo, Y., (...), Liu, J. IEEE Transactions on Power Electronics, 2022 https://www.scopus.com/pages/publications/85131718701?origin=scopusAI

71. A Self-Tuning Algorithm for Misalignment Detection and Efficiency Optimization in Double-Sided LCC-Based DWPT Systems Rastegar, M., Hassan Ghaderi, M., Bahrami-Fard, M., (...), Fahimi, B. IEEE Transactions on Transportation Electrification, 2025 https://www.scopus.com/pages/publications/105008888435?origin=scopusAI

72. Machine Learning for Simultaneous Wireless Information and Power Transfer: A Review Haddad, A., Bendahmane, N., Messadi, O., Sali, A. IEEE Access, 2026 https://www.scopus.com/pages/publications/105036716951?origin=scopusAI

73. Wireless Power Transfer for Future Networks: Signal Processing, Machine Learning, Computing, and Sensing Clerckx, B., Huang, K., Varshney, L., (...), Alouini, M. IEEE Journal on Selected Topics in Signal Processing, 2021 https://www.scopus.com/pages/publications/85106591773?origin=scopusAI

74. A simulation study on four different compensation topologies in EV wireless charging Rakhymbay, A., Bagheri, M., Lu, M. Proceeding - ICSEEA 2017 International Conference on Sustainable Energy Engineering and Application: "Continuous Improvement of Sustainable Energy for Eco-Mobility", 2017 https://www.scopus.com/pages/publications/85050718567?origin=scopusAI

75. A bibliometric analysis of wireless power transfer technology applications: Cross-domain insights from emerging fields Hao, W., Sun, C., Wang, Z., (...), Hao, Y. Results in Engineering, 2026 https://www.scopus.com/pages/publications/105037737478?origin=scopusAI

76. A Comprehensive Review of Magnetic Coupling Mechanisms, Compensation Networks, and Control Strategies for Electric Vehicle Wireless Power Transfer Systems Wu, Y., Nie, P., Wang, Z., (...), Kawaguchi, T. Processes, 2026 https://www.scopus.com/pages/publications/105029029464?origin=scopusAI