

Alignment Review & Corrected Build Brief

Review of Shivam's note dated 17 August 2026

Core verdict

The technical foundation is strong. The document, however, defines a narrower product than UrbanOS: a pre-design compliance calculator that stops before professional design, approvals and delivery. UrbanOS is intended to be the operating system behind an integrated planning, design, feasibility and development practice.

Prepared for Abhimanyu Solanki and Shivam

21 August 2026 | Dwarka and Dwarka Expressway pilot

Status: decision brief, not a statutory opinion. All live regulatory conclusions must be supported by the operative primary instrument for the exact parcel and date.

1. Executive correction

Shivam has built the right kernel - a source-linked rulebook, deterministic calculations, explicit uncertainty and traceable outputs. The correction is strategic: **that kernel is one engine inside UrbanOS, not the whole product and not the whole business.**

Action	Correct position
Keep	Versioned rules; citations behind every result; deterministic compliance calculations; human professional review; visible data gaps; reusable rule packs.
Correct	UrbanOS is not only a pre-architect answer and should not permanently stop at a research drawing. It must support feasibility, market intelligence, compliant design, approval-ready documentation and delivery.
Decide now	First vertical: one live plotted residential site in a DTCP-licensed colony on the Dwarka Expressway corridor. First user: the internal UrbanOS team. First paying client: a real developer, landowner or plot builder.
Defer	Full approval tracker, automated objections, 3D, detailed MEP/structural production, construction management and post-completion operations. Design the data model to add these later.

One-line correction UrbanOS converts a verified parcel, developer brief and budget into a source-traceable feasibility decision, a compliance-first 2D CAD/GIS design, a market and ROI report, and - after authorised professional review - an approval-ready package.

The three blocking answers

#	Answer	Meaning
1	Licensed colony	Begin with one actual plotted residential site in a DTCP-licensed colony in Sectors 99-113, not all Gurgaon and not every licensed colony at once.
2	Developer pilot	Keep developers/plot builders as the paying pilot segment, but do not make the product self-service. UrbanOS is initially an internal consultancy operating system.
3	Yield diagram	The community sheet is not yet a master plan. It proves rule-driven quantity change, but not site planning, compliance, infrastructure or professional drawing quality.

2. Correct UrbanOS definition

UrbanOS is an AI operating system for real estate planning, design and development. It is used by our internal team and authorised professional partners to turn a verified land parcel, client brief and budget into a development decision and an executable design pathway.

It combines a version-controlled regulatory rulebook, GIS and site context, market intelligence, financial feasibility, design logic and human professional judgement. Its core outputs are a compliance-first 2D CAD/GIS layout, rule-by-rule compliance evidence, a market and ROI report, and an approval-ready drawing and document package after professional review. UrbanOS asks for missing material inputs; it does not silently invent regulatory or site facts. Only the competent authority can approve a plan.

What the present PDF gets wrong

Current wording	Required correction
A buyer reaches the architect already knowing the answer.	The UrbanOS team itself provides feasibility, planning and design; an authorised professional is part of the delivery chain, not an external endpoint that replaces us.
It never produces a submission drawing.	The MVP produces compliance-first 2D CAD outputs. The system should evolve to submission-ready packages; certification, signature and authority approval remain with the authorised professional and authority.
AI reads documents and writes prose.	AI also classifies sources, resolves missing-data questions, orchestrates GIS/CAD/feasibility workflows and explains results. Binding calculations remain deterministic and source-linked.
The state gives checking away, so never sell checking.	Official scrutiny is a downstream submission gate. UrbanOS creates and optimises the design upstream, pre-checks it, explains failures, links rules, models yield/ROI and prepares the submission.
Customer and first area are still open.	The launch corridor and core customer are already fixed. Only the exact live colony, parcel and pilot client remain to be selected.

3. MVP build contract

The MVP is one thin, complete workflow for a real site. It is not a collection of disconnected features.

Required inputs

Input family	Minimum requirement
Client brief	Project type and programme, budget, delivery priorities, unit mix or use mix, quality level, target buyer/tenant and non-negotiable preferences.
Verified parcel	GPS pin plus surveyed boundary polygon, area, all side dimensions, frontage, abutting road width/ROW, levels/topography and existing constraints. A pin alone is not enough.
Documents	Sale deed/ownership record, demarcation or survey, approved colony layout/zoning plan, licence/allotment documents and any previous sanctioned plan or NOC available.
System-resolved facts	Jurisdiction, land use, applicable development/sector/colony plan, FAR, coverage, height, setbacks, density, parking, fire and NOC triggers. User-entered FAR is a claim to verify, not the governing truth.
Market and cost	Comparable supply, selling/rental rates, absorption evidence, construction and soft-cost assumptions, finance assumptions and all dates/sources.

Non-assumption protocol


- **Hard blocker:** missing parcel boundary, authority/regime, land use, road width, operative rule status or essential brief. Stop and ask.
- **User decision:** budget, programme, priorities and preferences. Ask, record and version.
- **Safe reversible default:** only presentation or early option variables. Label clearly and require confirmation before professional issue.
- **Regulatory conflict:** return UNKNOWN/REVIEW REQUIRED. Never choose the convenient rule silently.

MVP outputs

#	Output
01	Parcel and jurisdiction statement
02	Source-linked development-control schedule and buildable envelope
03	Site/context GIS map using authoritative layers; satellite imagery only as context
04	Properly designed compliance-first 2D layout exported as CAD-compatible drawing and PDF
05	Clause-level compliance report: PASS / FAIL / UNKNOWN / NOT APPLICABLE
06	Feasibility and ROI report with transparent assumptions and scenarios
07	Market-intelligence snapshot for product and pricing decisions
08	Data-gap, assumption, source and professional-review register

4. Community map review

Correct label: parametric yield schematic / rule-engine test. It is not yet a master plan, layout plan or professionally reviewable scheme.



Source: page 2 of Shivam's PDF. The DEMO watermark and invented rules are appropriate, but the drawing must not be used as proof of planning quality.

Critical gaps

- No verified survey boundary, coordinates, contours, drainage, surrounding land use, access road or statutory right-of-way.
- No complete road hierarchy, secondary/emergency access, fire-tender movement, turning radii, service access, pedestrian network or cycle logic.
- No dimensioned and numbered plots, plot frontages, building envelopes, setbacks, street sections or defensible parking arrangement.
- No gross/net area statement for residential, roads, open space, community facilities, EWS/affordable obligations, commercial uses and utilities. Applicability must be calculated, not guessed.
- No water, sewer, stormwater, solid waste, electrical substation, fire, utility corridor, HT line, environmental or tree/landscape strategy.
- The single-entry, four-quadrant structure, long repetitive rows and ornamental leftover greens do not establish walkability, connectivity, neighbourhood identity or usable public realm.
- The sheet lacks the complete technical title block: project/parcel identity, authority, coordinate system, drawing status, issue/revision, source register, rule-pack version and full calculation schedule.

Acceptance gate

For the next version, use a real georeferenced site and operative rule pack; show area/yield calculations, dimensioned roads and plots, required social/physical infrastructure, service and environmental constraints, compliance evidence, and at least two clearly compared development options.

[illegible]

The three worst issues

Priority	Correction
1. Wrong test input	A marketing brochure is not measured geometry or an approved drawing. It can test vectorisation, but statutory dimensions and area claims cannot be validated from it.
2. Not design-complete	Structural grid/columns, wall build-ups, plumbing shafts and stacks, service routes, furniture and working clearances, door/window schedules, fire/life-safety and accessibility inputs are absent.
3. Assumptions remain active	North, walls, circulation, shafts, openings and layout arrangement are assumed. Printing assumptions is honest, but UrbanOS must ask for material missing inputs and block compliance issue until they are resolved.

Additional corrections

- Next test:** Design a fresh dwelling for one verified real plot and client brief. Generate the buildable envelope first, ask every blocking question, then compare compliant options.

6. Rulebook and jurisdiction engine

Shivam's core architecture is directionally right. Expand it from a list of numbers into an applicability and evidence graph.

Layer	Required fields
Source	Act/statute, rules, building code, notification, policy, order, circular, memorandum, approved development/sector/layout/zoning plan, licence condition, NOC condition, court order and official GIS/data service.
Applicability	Issuing/competent authority, jurisdiction polygon, sector/colony/parcel, land use, project/use type, plot-size band, road width, height/risk category and triggering thresholds.
Rule	Clause text, parameter, value/unit, formula/geometry, conditions, exceptions, relaxations, dependencies, required evidence and output effect.
Time/status	Issue date, effective date, end date, in force/superseded/amended/stayed/withdrawn/contested, and the instrument that changed the status.
Provenance	Primary file/URL, page/clause, file hash, ingestion date, reviewer, validation state, last checked date and change history.

Two corrections to the present model

- Replace **No paper, no number** with **No authoritative source, no operative rule**. Official GIS, approved plans and digital services can also be authoritative evidence.
- Do not encode a universal hierarchy where one instrument type always beats another. Precedence depends on enabling law, competence, specific parcel/plan conditions, later amendments and judicial orders. Conflicts need a traceable decision rule plus human escalation.

Regime resolution is Stage 0

The hard problem is both identifying the parcel's overlapping regimes and applying the correct current rules. Municipal boundary, HSVP estate, controlled area and licensed-colony conditions can overlap. The engine must resolve layers for the exact parcel rather than force one global label.

Recommended status language

Drawing status	Gateway
PRELIMINARY FEASIBILITY	Material data gaps remain; not for reliance or construction.
COMPLIANCE-CHECKED DESIGN	For professional review; rule pack, assumptions and unresolved items attached.
SUBMISSION-READY	Prepared after authorised professional review; authority approval not yet granted.
APPROVED	Use only after the competent authority's approval identifier/date is attached.
ISSUED FOR CONSTRUCTION	Use only after approval and multidisciplinary coordination for the exact revision.

7. Correct project journey

#	Stage	UrbanOS role	Now
0	Client/site intake	Brief, budget, site documents, data sufficiency and engagement scope.	MVP
1	Parcel and regulatory due diligence	Identity, jurisdiction, land use, title/document flags, development controls and constraints.	MVP
2	Market and financial feasibility	Demand, product mix, cost, revenue, ROI, risks and scenarios before design lock.	MVP
3	Buildable envelope and options	Generate and compare viable concepts within the verified regulatory envelope.	MVP
4	Compliance-first 2D design	CAD/GIS layout, quantities, area schedule, checks and source trace.	MVP
5	Professional QA and approval-ready pack	Authorised review, coordinated sheets, forms/document checklist and submission export.	MVP handoff
6	Submission and objection loop	Filing support, authority observations, revisions and approval record.	Next
7	Detailed design and pre-construction	Architecture, structure/MEP coordination, BOQ, cost, schedule, tender/procurement.	Later
8	Construction and quality control	Execute, inspect, manage change and maintain approved/as-built record.	Later
9	Completion and handover	DPC/plinth, completion/occupation, as-builts and client handover.	Later

Business boundary

UrbanOS can support planning, design, approvals, construction and finished handover through its consultancy and professional network. It does not operate or manage the completed project after handover.

Do not build next

Do not prioritise the tracker, objection workflow or generic clearance board before the parcel resolver, verified rule pack, feasibility model and correct 2D design pipeline work on a real site. A tracker around incorrect rules only organises incorrect work.

8. Time-sensitive Haryana corrections

This section separates what can enter the rulebook from what remains unverified. It is not a legal opinion for a transaction.

Issue	Correct position	Status
Stilt + 4	The official TCP Haryana portal records a 3 April 2026 direction for strict compliance with the High Court's 2 April 2026 interim order in CWP-PIL 212/2024, staying operation of the 2 July 2024 policy for the time being.	VERIFIED PRIMARY
21 July 2026 memo	The specific memorandum described in the PDF is reported externally, but it must not become an operative rule until the signed primary memo is obtained, stored and linked. Record it as unverified evidence, not law-in-force data.	HOLD
Automated scrutiny	The official ULB OBPAS states that its unified portal became operational on 8 May 2026 and uses a Quick DCR engine to scrutinise AutoCAD drawings against the amended Haryana Building Code and HSVP regulations.	VERIFIED PRIMARY
Commercial meaning	Official scrutiny does not remove UrbanOS's value. It is a downstream submission control. UrbanOS should design upstream, explain and resolve failures, model yield/ROI, and export drawings in the prescribed layer/format so official scrutiny becomes an integration test.	PRODUCT INFERENCE

Primary sources used

TCP Haryana - Stilt + 4 portal

<https://tcparyana.gov.in/WebAdmin/Stilt4Portal/Index>

DULB Haryana - Unified OBPAS

<https://obpas.ulbharyana.gov.in/>

DULB Haryana - Building-plan approval/revision

<https://www.ulbharyana.gov.in/Home/ApprovalRevisionOfBuildingPlan>

DULB Haryana - Construction-permit NOCs and inspections

<https://ulbharyana.gov.in/WebCMS/Start/10567>

Product instruction

Every regulatory answer must display source date, effective date, status, jurisdiction, last-verified date and any conflict. If the primary document is missing, UrbanOS must say it cannot determine the answer yet.

9. Founder asset and pilot corrections

The PDF correctly raises ownership, but the proposed wording is unsafe and incomplete.

IP and founder structure

- Raw government circulars and public instruments are not, by themselves, the proprietary moat. The valuable company asset is the verified corpus, metadata, mappings, rule graph, extraction/validation workflow, code, design logic, QA history and change monitoring.
- Do not leave ownership as 'a call rather than a document'. Execute a founder agreement and IP assignment covering background IP, code, databases, collected documents, derived rule data, brand, confidentiality, access, equity/vesting, roles, expenses, decision rights, departure and dispute handling.
- Source attribution should identify provenance and reviewer internally without making an individual warrant continuing legal validity. Client-facing responsibility, limitation and professional review terms need counsel-approved engagement language.

Pilot commercial model

A fully waived list-price invoice can work only as a tightly controlled research partnership. The better default for a premium consultancy is a **founding pilot with a meaningful reduced fee**, fixed scope, fixed timeline and explicit exchange of value.

Term	Required position
Scope	One real parcel, one primary use case, defined outputs and two review cycles.
Client contribution	Complete site documents, access to decision-maker, timely answers and permission to use anonymised project data for validation.
Commercial	Show standard value and pilot reduction. If fully waived, document it as a one-time R&D; collaboration, not a free service precedent.
Success evidence	Time saved, rules correctly applied, design/yield quality, avoided error, feasibility accuracy and willingness to pay.
Protection	NDA, data rights, deliverable status, professional-review gateway, limitations, change control and no reliance on superseded outputs.

Note: founder/IP and engagement documents should be settled with Indian corporate and professional-regulatory counsel. This product brief records the required business outcome, not final legal drafting.

10. Instruction to Shivam for the next build cycle

#	Build item	Acceptance condition
1	Lock the pilot object	One live plotted residential parcel inside one DTCP-licensed colony on Dwarka Expressway. Obtain survey/demarcation, governing layout/zoning plan and a shareable accepted drawing set.
2	Build parcel/regime resolution	Input pin + polygon + documents; output jurisdiction layers, applicable plans/instruments and unresolved conflicts.
3	Formalise the rule schema	Add applicability, time/status, dependencies, exceptions, source evidence, reviewer and conflict state. Use only primary material as verified.
4	Generate the regulatory envelope	Setbacks, buildable footprint, coverage/FAR/height/density/parking and triggered obligations with clause citations.
5	Design, do not trace	Generate at least two properly dimensioned 2D options for the actual brief; include functional and urban-design tests, not only geometric fit.
6	Add feasibility and market	For each option show area/yield, cost, revenue, ROI and dated market assumptions. Make the design and financial model update together.
7	Create issue gates	Block unresolved material inputs; distinguish preliminary, compliance-checked, submission-ready, approved and construction revisions.
8	Verify against the real workflow	Have Abhimanyu and an authorised Haryana professional compare outputs against a real accepted file and, where possible, the official scrutiny format.

Definition of done

A developer can provide a verified site and brief; UrbanOS identifies the governing regime, asks for missing essentials, produces a professional 2D layout and transparent feasibility/ROI package, and shows exactly which source supports every regulatory result. Abhimanyu can review the reasoning, not merely the rendering.

Metrics for the pilot

Measure	Pilot pass condition
Regulatory	Zero unsupported operative values; every result has clause/source/status/date.
Input discipline	100% of material missing inputs trigger a question or UNKNOWN state.
Drawing	Dimensionally coherent, CAD-compatible, professionally reviewable and no hidden assumptions.
Feasibility	Area/yield, cost, revenue and ROI reconcile across drawing and report.
Workflow	A real professional can trace, correct and re-run the entire decision chain.

11. Ready-to-send reply to Shivam

Shivam, I went through the full note. The foundation is right: the rulebook must be versioned, every result must trace to a primary source, the calculations should stay deterministic, and the system must disclose missing information instead of hiding it.

The main correction is that the note has narrowed UrbanOS too far. UrbanOS is not only a pre-design rule checker that gives a builder an answer before he goes to an architect. It is our internal AI operating system for the complete planning and development workflow: market intelligence, feasibility and ROI, compliance-first 2D design through CAD/GIS, professional review, approval-ready documentation, and later detailed design, construction and finished handover. We do not operate the project after handover. The authority alone approves, but we should not permanently stop at a research drawing.

My three answers are:

1 - Licensed colony. Start with one real plotted residential site in a DTCP-licensed colony on the Dwarka Expressway corridor, within Sectors 99-113. Do not build for every licensed colony yet. Tie the first rule pack to one exact colony, one real plot and its approved layout/zoning documents.

2 - Keep the first paying segment as real estate developers, landowners and repeat plot builders in our launch corridor. But the software is initially used by us, not sold as a self-service product. I will not give you a reliable number of deals closed since July without evidence; we should validate current transaction activity separately and not change the core product based on one anecdotal count.

3 - The community map is a yield diagram, not a master plan yet. Parking is one issue, but the deeper gaps are the real site boundary and context, dimensions, road hierarchy and ROW, access and fire movement, land-use/area statement, EWS and community obligations where applicable, plots and setbacks, services and utilities, drainage/topography, environmental constraints, open-space quality, and a full compliance/yield/ROI schedule. The present urban structure is too diagrammatic and the roads, rows and greens have not been tested as a real neighbourhood.

For the 2BHK, the three biggest issues are: the brochure is not a reliable measured input; the drawing lacks structure, services, shafts, furniture and working clearances; and too many material facts remain assumed. Showing assumptions is honest, but for UrbanOS the correct behaviour is to ask for missing essentials and block final compliance output until they are resolved. Use this only as a CAD reconstruction test. The next design should be created fresh for a verified real site and brief.

Also, do not remove compliance checking because Haryana has automated scrutiny. That system checks submitted drawings at the authority stage. Our value is upstream: identifying the governing regime, creating and optimising the design, explaining every failure, linking the exact rule, calculating feasibility/ROI, and exporting a drawing that can pass the official workflow.

On S+4, only put a conclusion into the rulebook when we hold the operative primary document. The official TCP portal confirms the April 2026 High Court stay direction. The 21 July memo may be real, but until we obtain the signed memo it stays flagged as unverified, not as an operative rule.

For the next build cycle, focus only on: one live parcel; parcel and regime resolution; the rule schema and source status; the regulatory envelope; two compliance-first 2D design options; and the linked market/feasibility/ROI report. Do not build the tracker or objection board before this core workflow works correctly.

Finally, you are right that ownership must be papered. The company asset is not merely the public circulars; it is the verified corpus, metadata, mappings, rule graph, code, design logic and QA history. We should document founder roles, equity/vesting, IP assignment, confidentiality and decision rights now, with proper legal drafting.