Scientific metrics

Oleh Shkalikov Matteo Zannini Qader Qaribiyan

TU Dresden, Computer Science Faculty

December, 2022

Agenda

- Introduction
 - Introduction to Research Impact
 - Types of Scientific Metrics
 - Bibliographic Databases
- 2 Altmetrics
 - Altmetric Attention Score
- Bibliometrics
 - Impact Factor
 - CiteScore
 - SNIP
 - SJR
- Researcher's metrics
 - h-index
 - g-index
 - c-index
 - I-index

Impartance of Publication Impact

The original purpose of scientific publishing was to enable the global sharing of scientific results, ideas, and discussions within the academic society for more effective scientific achievements.

Influence of a publication is used for

- Allocation of funding resources
- Industrial and economic growth priorities
- Education policies
- The hiring of personnel academics

Types of Scientific Metrics

Journal-level metrics are used to determine the impact a journal has on the scientific community

Impact Factor

Article-level metrics include any measures of the influence of a single publication.

Citation Counts

Author-level metrics assess the impact an author makes on the scientific community or field of the study.

H-Index

Alternative metrics assess other measures of use and influence, such as the number of times a publication is read, downloaded, saved, mentioned, or cited in popular online sources.

Bibliometric Incentive




Figure 1: Bibliometric incentives model¹

¹https://doi.org/10.1371/journal.pone.0195321.g001 ← □ → ← ② → ← ○ → ←

Bibliographic Databases





Bibliographic Databases

What is a bibliographic database?

A bibliographic database is a repository of bibliographic or publication records.

They are built on the fact that citations in science serve as linkages between similar research items, and lead to related scientific literature

Frequently used biomedical databases include

- Web of Science
- Scopus
- Google Scholar

Pros Cons

✓ Easy access to publication metadata and citation metrics

Pros

- ✓ Easy access to publication metadata and citation metrics
- ✓ Rigorous quality control

Pros

- Easy access to publication metadata and citation metrics
- ✓ Rigorous quality control

Cons

May not contain the most recent references

Pros

- Easy access to publication metadata and citation metrics
- ✓ Rigorous quality control

- May not contain the most recent references
- Most databases only include published articles

Pros

- ✓ Easy access to publication metadata and citation metrics
- ✓ Rigorous quality control

- May not contain the most recent references
- Most databases only include published articles
- ★ Bias towards English language

Pros

- ✓ Easy access to publication metadata and citation metrics
- ✓ Rigorous quality control

- May not contain the most recent references
- Most databases only include published articles
- ★ Bias towards English language
- Limited to specific fields

Altmetric Attention Score

What is Altmetric Attention Score?

The Altmetric Attention Score is an automatically calculated, weighted count of all of the attention a research output has received

It is calculated using data collected from research articles such as mentions on social media, news outlets, blogs, patents, etc.

Policy documents News Blogs Twitter Post-publication peer-reviews

The Colors of the Donut





- Syllabi
- Wikipedia





Figure 3: The colors of different sources of attention

Pros Cons

✓ Quicker to accumulate

- ✓ Quicker to accumulate
- ✓ Captures more diverse impacts

- ✓ Quicker to accumulate
- ✓ Captures more diverse impacts
- ✓ Actively engage with conversation around your work

Pros

- ✓ Quicker to accumulate
- ✓ Captures more diverse impacts
- ✓ Actively engage with conversation around your work

Cons

★ Not telling the whole story

Pros

- ✓ Quicker to accumulate
- ✓ Captures more diverse impacts
- ✓ Actively engage with conversation around your work

- Not telling the whole story
- Does not indicate quality

Pros

- ✓ Quicker to accumulate
- ✓ Captures more diverse impacts
- ✓ Actively engage with conversation around your work

- Not telling the whole story
- Does not indicate quality
- ✗ Not everything gets shared

Bibliography metrics

IF (Impact Factor)

What is Impact Factor?

Impact Factor[?] — a per-year metric based on *Web of Science* database which reflect the mean number of citations to the papers published within prior 2 year.

The Impact Factor is calculated by the following formula:

$$\mathsf{IF}(y) = \frac{C(y)}{D(y-1) + D(y-2)}$$

where

- C(y) number of citations to the articles published in [y-2,y-1] years
- D(y) number of published articles in year y



Pros Cons

✓ Easily calculated and interpreted

Pros Cons

✓ Easily calculated and interpreted

★ Limited availability

Pros Cons

✓ Easily calculated and interpreted

★ I

★ Limited availability

★ Lack of reproducibility

Pros

Easily calculated and interpreted

- ★ Limited availability
- ★ Lack of reproducibility
- Doesn't adjust for the distribution of citations

Pros

✓ Easily calculated and interpreted

- ★ Limited availability
- ★ Lack of reproducibility
- Doesn't adjust for the distribution of citations
- Windowed approach (especially 2 year window)

Pros

✓ Easily calculated and interpreted

- ★ Limited availability
- ★ Lack of reproducibility
- Doesn't adjust for the distribution of citations
- Windowed approach (especially 2 year window)
- Doesn't distinguish between citations made to articles, reviews, or editorials

Pros

✓ Easily calculated and interpreted

- ★ Limited availability
- ★ Lack of reproducibility
- Doesn't adjust for the distribution of citations
- Windowed approach (especially 2 year window)
- Doesn't distinguish between citations made to articles, reviews, or editorials
- **X** Unstable

Pros

✓ Easily calculated and interpreted

- ★ Limited availability
- Lack of reproducibility
- Doesn't adjust for the distribution of citations
- Windowed approach (especially 2 year window)
- Doesn't distinguish between citations made to articles, reviews, or editorials
- **X** Unstable
- ★ Doesn't allow to compare titles from different fields

CiteScore

What is CiteScore?

CiteScore[?] — a per-year metric provided by *Scopus* which measure rate between the received citations to **all peer-reviewed documents** of a title published within 4 years.

The CiteScore is calculated by the following formula:

CiteScore
$$(y) = \frac{CD_{y-3}(y)}{D(y) + D(y-1) + D(y-2) + D(y-3)}$$

where

- $CD_x(y)$ the number of citations in year range from x to y to all documents published within those years.
- D(y) the number of all peer-reviewed documents published in year y

CiteScore 2016 vs CiteScore 2019

CiteScore 2019-2021 vs CiteScore 2016-2018

Previously CiteScore has been calculated within 3 year range, and count citation received only in year y.

$$\mathsf{CiteScore} = \frac{\sum}{\sum}$$



Figure 4: CiteScore 2019






Figure 5: CiteScore 2016

 number of documents (in CiteScore 2019 only peer-reviewed) published in corresponding year

Pros Cons

✓ Transparency

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Easily calculated and interpreted

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- Easily calculated and interpreted
- ✓ More robust and stable than IF

Pros

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Easily calculated and interpreted
- ✓ More robust and stable than IF

Cons

■ Bounded to the Scopus database

Pros

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Easily calculated and interpreted
- ✓ More robust and stable than IF

- Bounded to the Scopus database
- Doesn't adjust for the distribution of citations

Pros

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Easily calculated and interpreted
- ✓ More robust and stable than IF

- Bounded to the Scopus database
- Doesn't adjust for the distribution of citations
- ★ Windowed approach

Pros

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Easily calculated and interpreted
- ✓ More robust and stable than IF

- ★ Bounded to the Scopus database
- Doesn't adjust for the distribution of citations
- ★ Windowed approach
- ★ Doesn't allow to compare titles from different fields

SNIP (Source Normalized Impact per Paper)

What is SNIP?

SNIP[?] measures a journal's contextual citation impact, taking into account subject field with use of, so called, citation potential of the field of science. The SNIP score is calculated based on *Scopus* database.

The SNIP is calculated by the following formula:

$$SNIP(y) = \frac{RIP(y)}{RDCP(y)}$$

where

- RIP(y) raw impact per paper in year y (IPP / CiteScore 2016)
- RDCP(y) relative database citation potential in a journal's subject field in year y

RDCP

$$RDCP^{j}(y) = \frac{DCP^{j}(y)}{\underset{i}{\text{med }}DCP^{i}(y)}$$

where DCP – database citation potential in a journal's subject field:

$$DCP^{j}(y) = \frac{\sum\limits_{p \in CP(y)} DCP_{p}^{j}(y)}{\#CP^{j}(y)}$$




Figure 6: Example of DCP_p^j calculation

where

- $CP^{j}(y)$ papers citing the journal j and **published in journals** processed for the database in the range [y-3, y-1] years
- $DCP_p^j(y)$ number of references to the papers published in those years from paper $p \in CP^j(y)$

Pros Cons

✓ Transparency

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ More robust and stable than IF

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ More robust and stable than IF
- ✓ Allow to compare titles from different fields

Pros

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ More robust and stable than IF
- ✓ Allow to compare titles from different fields

Cons

■ Bounded to the Scopus database

Pros

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ More robust and stable than IF
- ✓ Allow to compare titles from different fields

- **★** Bounded to the *Scopus* database
- ★ Hard to interpret

Pros

- ✓ Transparency
- Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ More robust and stable than IF
- ✓ Allow to compare titles from different fields

- **★** Bounded to the *Scopus* database
- ★ Hard to interpret
- ★ Calculation is more complicated

Pros

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ More robust and stable than IF
- ✓ Allow to compare titles from different fields

- **★** Bounded to the *Scopus* database
- ★ Hard to interpret
- Calculation is more complicated
- Citation potential tends to be highest for topical journals

SJR (SCImago Journal Rank)

What is SJR?

SJR[?] is a metric provided by *Scopus* which is based on the number of citations and the prestige of the titles which cite this journal.

Key points of SJR:

- Based on PageRank[?] algorithm to calculate the prestige of the journal: citations issued by more important journals will be more valuable than those issued by less important ones
- Self-citation limited to 33% of the total references
- Citation time frame is 3 year

SJR: methodology

The SJR indicator is computed in two phases:

- Prestige SJR (PSJR) size- dependent measure that reflects the overall journal prestige
- onormalization of this measure to give a size-independent metric

The formula for the SJR metric (2 stage) is the following:

$$SJR_i(y) = c \cdot \frac{PSJR_i(y)}{Art_i(y)}$$

where

- $Art_i(y)$ number of primary items (articles, reviews, and conference papers) of journal i published in three previous years [y-3, y-1].
- c common constant to prettify values of SJR

Prestige SJR

The PSJR calculation is an iterative process which started with **identical amount** of prestige to each journal until the differences between journal prestige in consecutive iterations is under threshold.

number and "importance" of the citations from other journals

$$PSJR_{i} = \underbrace{\frac{\text{min value}}{1 - d - e}}_{\text{N}} + \underbrace{e \cdot \frac{Art_{i}}{\sum\limits_{j=1}^{N} Art_{j}}}_{\text{number of papers}} + d \underbrace{\left[\sum\limits_{j=1}^{N} C_{ji} \cdot \frac{PSJR_{i}}{C_{j}} \cdot CF + \frac{Art_{i}}{\sum\limits_{j=1}^{N} Art_{j}} \cdot \sum\limits_{k \in DN} PSJR_{k}\right]}_{\text{N}}$$

where

- C_j number of references of journal j
- C_{ji} references from journal j to journal i
- d constant: 0.9

- N number of journals in the database
- DN journals that do not cite other journals
- *e* − constant: 0.0999

Prestige SJR

The PSJR calculation is an iterative process which started with **identical amount** of prestige to each journal until the differences between journal prestige in consecutive iterations is under threshold.

number and "importance" of the citations from other journals

$$PSJR_{i} = \underbrace{\frac{\text{min value}}{N} + \underbrace{\frac{Art_{i}}{N}}_{\text{number of papers}} + d \left[\sum_{j=1}^{N} C_{ji} \cdot \frac{PSJR_{i}}{C_{j}} \cdot CF + \underbrace{\frac{Art_{i}}{N}}_{j=1} \cdot \sum_{k \in DN} PSJR_{k} \right]$$

where

 CF(Correction Factor) is introduced that spreads the undistributed prestige over all the journals proportionally to their accumulated prestige

$$CF = \frac{1 - \sum_{k \in DN} PSJR_k}{\sum_{h=1}^{N} \sum_{l=1}^{N} C_{lh} \cdot \frac{PSJR_l}{C_l}}$$

Pros Cons

✓ Transparency

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Robust and stable

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Robust and stable
- ✓ Self-citation is limited

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Robust and stable
- ✓ Self-citation is limited
- ✓ Allow to compare titles from different fields

Pros

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Robust and stable
- ✓ Self-citation is limited
- ✓ Allow to compare titles from different fields

Cons

★ Bounded to the *Scopus* database

Pros

- ✓ Transparency
- Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Robust and stable
- ✓ Self-citation is limited
- ✓ Allow to compare titles from different fields

- Bounded to the Scopus database
- * Hard to interpret and calculate

Pros

- ✓ Transparency
- ✓ Only citation from peer-reviewed content counted
- ✓ Covers more titles than IF
- ✓ Robust and stable
- ✓ Self-citation is limited
- ✓ Allow to compare titles from different fields

- Bounded to the Scopus database
- ★ Hard to interpret and calculate
- **★** Still windowed approach

Author-level metrics

What is the h-index?

The **h-index**[?] is a measure used to quantify the cumulative impact and relevance of an individual's scientific research output.

First introduced by Professor Jorge E. Hirsch in 2005.

h-index formula:

$$h = \max i \in N : f(i) \ge i$$

where

- *i* is the published paper
- f(i) is the number of citations for i




Figure 7: Graphical representation of the h-index

Example

4 publications: A,B,C,D citations per paper: 7,5,4,3 h-index=3

Pros Cons

✓ It avoids previous indexes' problems

Example

4 publications: A,B,C,D citations per paper: 7,5,4,3 h-index=3

- ✓ It avoids previous indexes' problems
- ✓ It measures both productivity and impact

Example

4 publications: A,B,C,D citations per paper: 7,5,4,3 h-index=3

- ✓ It avoids previous indexes' problems
- ✓ It measures both productivity and impact
- ✓ High h-index = high number of papers and citations

Example

4 publications: A,B,C,D citations per paper: 7,5,4,3 h-index=3

Pros

- ✓ It avoids previous indexes' problems
- ✓ It measures both productivity and impact
- ✓ High h-index = high number of papers and citations

Cons

Field of research is ignored

Example

4 publications: A,B,C,D citations per paper: 7,5,4,3 h-index=3

Pros

- ✓ It avoids previous indexes' problems
- ✓ It measures both productivity and impact
- ✓ High h-index = high number of papers and citations

- ★ Field of research is ignored
- Order of authors' contribution is ignored

h-index

Example

4 publications: A,B,C,D citations per paper: 7,5,4,3 h-index=3

Pros

- ✓ It avoids previous indexes' problems
- ✓ It measures both productivity and impact
- ✓ High h-index = high number of papers and citations

- ★ Field of research is ignored
- Order of authors' contribution is ignored
- Insensitive to highly cited publications

h-index

Example

4 publications: A,B,C,D citations per paper: 7,5,4,3 h-index=3

Pros

- ✓ It avoids previous indexes' problems
- ✓ It measures both productivity and impact
- ✓ High h-index = high number of papers and citations

- ★ Field of research is ignored
- Order of authors' contribution is ignored
- Insensitive to highly cited publications
- ***** Exposed to manipulation

h-index

Example¹

4 publications: A,B,C,D citations per paper: 7,5,4,3 h-index=3

Pros

- ✓ It avoids previous indexes' problems
- ✓ It measures both productivity and impact
- ✓ High h-index = high number of papers and citations

- ✗ Field of research is ignored
- Order of authors' contribution is ignored
- Insensitive to highly cited publications
- **x** Exposed to manipulation
- **X** Time-dependent

h-index variations

m quotient

It allows comparisons between scientists with different career lengths.

m quotient formula:

$$m=\frac{h}{n}$$

where

• *n* the number of years of academic activity

normalized h-index

It reduces the discipline bias.

normalized h-index formula:

$$|h|=rac{h}{d}$$

where

• *d* the average number of academics in the field

h-index variations

individual h-index or hl

It reduces the effects of co-authorship.

hl formula:

$$hI = \frac{h}{\sum_{i=1}^{n} a_i}$$

where

- *h* − the h-index
- n − the number of papers and
- a_i average number of authors

g-index

What is the g-index?

The **g-index**[?] is a modified version of the h-index

First introduced by Leo Egghe in 2006.

How is it calculated?

Decreasingly order the papers based on the number of citations for each. The index is the largest number s.t. the top g articles received together at least g^2 citations.

g-index

g-index formula:

$$g^2 = \sum_{i=1}^g c_i$$

where

• c_i – number of citations for each i paper




Figure 8: Graphical representation of the g-index

g-index

Example

Top publications: 5
Citations: 25
g-index=5

g is always greater or equal to h.

Frequently used biomedical databases include

- Web of Science
- Scopus
- Google Scholar

Pros Cons

✓ All h-index advantages

Pros Cons

- ✓ All h-index advantages
- ✓ It rewards papers with many citations

Pros

- ✓ All h-index advantages
- ✓ It rewards papers with many citations

Cons

≭ Saturation value

Pros

- ✓ All h-index advantages
- ✓ It rewards papers with many citations

- **★** Saturation value
- It lacks discriminatory power

Pros

- ✓ All h-index advantages
- ✓ It rewards papers with many citations

- ★ Saturation value
- It lacks discriminatory power
- It only favours academics with many publications

What are c-indexes?

c-indexes[?] are the result of the augmentation of the h-index based on the citation order.

Introduced in 2018 in the magazine Cureus.

c-indexes formulas:

$$c_p = h + i_p$$
 $c_s = h + i_s$ $c_o = h + i_p + i_s$

The augmentations are given by the following formulas:

$$i_p = n_f + 0.5 n_s$$

 $i_s = n_l + 0.5 n_s$

Pros Cons

✓ All the advantages of the h-index

Pros

- ✓ All the advantages of the h-index
- ✓ More accurate

Pros

- ✓ All the advantages of the h-index
- ✓ More accurate
- ✓ Takes citation order into account

Pros

- ✓ All the advantages of the h-index
- ✓ More accurate
- ✓ Takes citation order into account

Cons

X Time-dependent

Pros

- ✓ All the advantages of the h-index
- ✓ More accurate
- ✓ Takes citation order into account

- * Time-dependent
- * Field of research is ignored

What is the I-index?

The **l-index**[?] is a bibliometric based measure derived from the h-index which enhances highly cited papers.

Introduced in 2014.

I-index formula:

$$L(x) = \sum_{i=1}^{n} \ln \left(1 + \frac{x_i}{x_i^*} \right) x_i^*$$

After normalization:

$$I(x) = \sqrt{\frac{L(x)}{\ln 2}}$$

where

- x real citation distribution
- x^* ideal citation distribution



Pros

✓ All the advantages of the h-index

Pros

- ✓ All the advantages of the h-index
- ✓ It rewards papers with many citations

Pros

- ✓ All the advantages of the h-index
- ✓ It rewards papers with many citations
- ✓ Regular and robust

Pros

- ✓ All the advantages of the h-index
- ✓ It rewards papers with many citations
- ✓ Regular and robust

Cons

X Time-dependent

Pros

- ✓ All the advantages of the h-index
- ✓ It rewards papers with many citations
- ✓ Regular and robust

- ★ Time-dependent
- Order of authors' contribution is ignored

Pros

- ✓ All the advantages of the h-index
- ✓ It rewards papers with many citations
- ✓ Regular and robust

- ★ Time-dependent
- Order of authors' contribution is ignored
- # Field of research is ignored

Pros

- ✓ All the advantages of the h-index
- ✓ It rewards papers with many citations
- ✓ Regular and robust

- ★ Time-dependent
- Order of authors' contribution is ignored
- ★ Field of research is ignored
- ★ Complex calculation

CONCLUSION

- Simple metrics like number of publications, number of citations or impact factor are often inappropriate to quantify the impact of a journal or an academic.
- More complex metrics must be employed.
- Deciding which metric to use depends on its specific properties and on the academic context.

References I