

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area (checked with vnu 25.12.8)

Checker Input

Show  source  outline  image report [Options...](#)

Check by [text input](#)  css

```
<a href=".index.html" class="logo">AIRGO</a>
<button class="hamburger" id="hamburger-btn" aria-label="Open menu">
  <i class="fas fa-bars"></i>
</button>

<nav class="navbar" id="navbar-menu">
  <ul>
    <li><a href=".index.html" style="color: black;">Home</a></li>
    <li><a href=".content-01.html">Content</a></li>
    <li><a href=".about.html">About Us</a></li>
    <li><a href=".contact.html">Contact Us</a></li>
    <li><a href=".reference.html">References</a></li>
  </ul>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 5, column 3; to line 5, column 26](#)

```
↔<head>↔ <meta charset="UTF-8" />↔ <me
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 6, column 3; to line 6, column 74](#)

```
F-8" />↔ <meta name="viewport" content="width=device-width, initial-
scale=1.0" />↔ <ti
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 8, column 3; to line 8, column 53](#)

```
/title>↔ <link rel="stylesheet" href="../Style/style.css" />↔ <li
```

Document checking completed. No errors or warnings to show.

## Source

```
1. <!DOCTYPE html>↔
2. <html lang="en">↔
3. ↔
4. <head>↔
5.   <meta charset="UTF-8" />↔
6.   <meta name="viewport" content="width=device-width, initial-scale=1.0" />↔
7.   <title>Airgo</title>↔
8.   <link rel="stylesheet" href="../Style/style.css" />↔
9.   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.6.0/css/all.min.css">↔
10. ↔
11. ↔
12. </head>↔
13. ↔
14. <body>↔
15. ↔
16.   <div class="header">↔
17.     <div class="header-content">↔
18.       <a href=".index.html" class="logo">AIRGO</a>↔
19.       <button class="hamburger" id="hamburger-btn" aria-label="Open menu">↔
20.         <i class="fas fa-bars"></i>↔
21.       </button>↔
22.     ↔
23.     ↔
24.     ↔
25.     <nav class="navbar" id="navbar-menu">↔
26.       <ul>↔
27.         <li><a href=".index.html" style="color: black;">Home</a></li>↔
28.         <li><a href=".content-01.html">Content</a></li>↔
29.         <li><a href=".about.html">About Us</a></li>↔
30.         <li><a href=".contact.html">Contact Us</a></li>↔
31.         <li><a href=".reference.html">References</a></li>↔
32.       </ul>↔
33.     </nav>↔
34.   </div>↔
35. </div>↔
36. ↔
37.   <div class="main-body">↔
38.     <div class="body-left">↔
39.       <h1>↔
40.         ARE YOU<br>↔
41.         READY TO SEE<br></h1>↔
42.       <h2 class="f">↔
43.         FUTURE?</h2>↔
44. ↔
45.       <p class="home.text">↔
46.         Find a place where innovation collides with creativity We are↔
47.         committed to providing intelligent, easy-to-use products that↔
48.         would simplify and enjoy your life. Get to know our features, get to↔
49.         know more about what we offer and get the ideal combination of↔
50.         both design and functionality.↔
51.       </p>↔
52.       <button class="read-btn">READ MORE</button>↔
53.     </div>↔
54.     <div class="body-right">↔
55.       ↔
56.     </div>↔
57.   </div>↔
58. ↔
```

```
59. ↵
60. ↵
61. <div class="footer">↵
62.   <div class="socials">↵
63.     <a href="https://www.facebook.com"><i class="fab fa-facebook-f"></i>
64.     <a href="https://www.Twitter.com"><i class="fab fa-twitter"></i></a>↵
65.     <a href="https://www.instagram.com"><i class="fab fa-instagram"></i>
66.   </div>↵
67.   <div class="copyright">↵
68.     <p>Copyright © 2025 Air Go – All rights reserved.</p>↵
69.   </div>↵
70. </div>↵
71. <script>↵
72. const hamburger = document.getElementById('hamburger-btn');↵
73. const navbarMenu = document.getElementById('navbar-menu');↵
74. const hamburgerIcon = hamburger.querySelector('i');↵
75. ↵
76. hamburger.addEventListener('click', () => {↵
77.   navbarMenu.classList.toggle('active');↵
78.   hamburger.classList.toggle('open'); // NEW: add class to button↵
79. ↵
80.   if (hamburger.classList.contains('open')) {↵
81.     hamburgerIcon.classList.remove('fa-bars');↵
82.     hamburgerIcon.classList.add('fa-times');↵
83.   } else {↵
84.     hamburgerIcon.classList.remove('fa-times');↵
85.     hamburgerIcon.classList.add('fa-bars');↵
86.   }↵
87. ↵
88. ↵
89.   });↵
90. </script>↵
91. ↵
92. </body>↵
93. ↵
94. </html>
```

Used the HTML parser.

Total execution time 4 milliseconds.

---

[About this checker](#) • [Report an issue](#)