

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area (checked with vnu 25.11.25)

Checker Input

Show  source  outline  image report

Check by   css

```
<div class="main-body">
  <main class="contact-section">
    <div class="contact-left">
      <h4>CONTACT US</h4>
      <p class="contact-info">
        <span>📞</span> +44 07777760223
      </p>
      <p class="contact-info">
        <span>✉</span> Airgo.LTD@gmail.com
      </p>
    </div>

    <div class="contact-right">
      <h2>Let's connect.</h2>
      <p>Ready to take your deliveries sky-high?</p>
    </div>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 5, column 3; to line 5, column 26](#)

↵<head>↵ <meta charset="UTF-8" />↵ <me

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 6, column 3; to line 6, column 74](#)

F-8" />↵ <meta name="viewport" content="width=device-width, initial-scale=1.0" />↵ <ti

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 8, column 3; to line 8, column 53](#)

/title>↵ <link rel="stylesheet" href="..Style/style.css" />↵ <li

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 49, column 13; to line 49, column 83](#)

```
<input type="text" id="first-name" placeholder="FIRST NAME" required
/>↔
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 50, column 13; to line 50, column 81](#)

```
<input type="text" id="last-name" placeholder="LAST NAME" required
/>↔
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 52, column 30; to line 52, column 91](#)

```
s="email"><input type="email" id="email" placeholder="EMAIL" required /></div>
```

Document checking completed. No errors or warnings to show.

## Source

```

1. <!DOCTYPE html>↔
2. <html lang="en">↔
3. ↔
4. <head>↔
5.   <meta charset="UTF-8" />↔
6.   <meta name="viewport" content="width=device-width, initial-scale=1.0" />↔
7.   <title>Airgo</title>↔
8.   <link rel="stylesheet" href="../Style/style.css" />↔
9.   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.6.0/css/all.min.css">↔
10.  </head>↔
11.  ↔
12.  <body>↔
13.    <div class="header">↔
14.      <div class="header-content">↔
15.        <a href=".index.html" class="logo">AIRGO</a>↔
16.        <button class="hamburger" id="hamburger-btn" aria-label="Open menu">↔
17.          <i class="fas fa-bars"></i>↔
18.        </button>↔
19.        <nav class="navbar" id="navbar-menu">↔
20.          <ul>↔
21.            <li><a href=".index.html">Home</a></li>↔
22.            <li><a href=".content-01.html">Content</a></li>↔
23.            <li><a href=".about.html">About Us</a></li>↔
24.            <li><a href=".contact.html" style="color: black;">Contact Us</a>
25.              <li><a href=".reference.html">References</a></li>↔
26.            </ul>↔
27.          </nav>↔
28.        </div>↔
29.      </div>↔
30.    ↔
31.    <div class="main-body">↔

```

```

32.      <main class="contact-section">↔
33.          <div class="contact-left">↔
34.              <h4>CONTACT US</h4>↔
35.              <p class="contact-info">↔
36.                  <span>📞 </span> +44 07777760223↔
37.              </p>↔
38.              <p class="contact-info">↔
39.                  <span>✉️ </span> Airgo.LTD@gmail.com↔
40.              </p>↔
41.          </div>↔
42.      ↔
43.          <div class="contact-right">↔
44.              <h2>Let's connect.</h2>↔
45.              <p>Ready to take your deliveries sky-high?</p>↔
46.      ↔
47.          <form>↔
48.              <div class="form-group">↔
49.                  <input type="text" id="first-name" placeholder="FIRST NAME" required />↔
50.                  <input type="text" id="last-name" placeholder="LAST NAME" required />↔
51.              </div>↔
52.              <div class="email"><input type="email" id="email" placeholder="EMAIL" required /></div>↔
53.              <div class="submit"><button type="submit">SUBMIT</button></div>↔
54.          </form>↔
55.      </div>↔
56.  </main>↔
57. </div>↔
58. <div class="footer">↔
59.     <div class="socials">↔
60.         <a href="https://www.facebook.com"><i class="fab fa-facebook-f"></i></a>↔
61.         <a href="https://www.Twitter.com"><i class="fab fa-twitter"></i></a>↔
62.         <a href="https://www.instagram.com"><i class="fab fa-instagram"></i></a>↔
63.     </div>↔
64.     <div class="copyright">↔
65.         <p>Copyright © 2025 Air Go – All rights reserved.</p>↔
66.     </div>↔
67. </div>↔
68. <script>↔
69.     const hamburger = document.getElementById('hamburger-btn');↔
70.     const navbarMenu = document.getElementById('navbar-menu');↔
71.     const hamburgerIcon = hamburger.querySelector('i');↔
72.     ↔
73.     hamburger.addEventListener('click', () => {↔
74.         navbarMenu.classList.toggle('active');↔
75.         hamburger.classList.toggle('open'); // NEW: add class to button↔
76.     }↔
77.     if (hamburger.classList.contains('open')) {↔
78.         hamburgerIcon.classList.remove('fa-bars');↔
79.         hamburgerIcon.classList.add('fa-times');↔
80.     } else {↔
81.         hamburgerIcon.classList.remove('fa-times');↔
82.         hamburgerIcon.classList.add('fa-bars');↔
83.     }↔
84.     ↔
85.     ↔
86.     });↔
87. </script>↔
88. </body>↔
89. ↔
90. </html>

```

Used the HTML parser.

Total execution time 4 milliseconds.

[About this checker](#) • [Report an issue](#)