


Filename: 2025-09-03 - 15.29.12.HSD1000




Default image (Contrast 100%)

Sample Info

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
A1	1170	Ladder		Issue with ladder peak detection (too many peaks detected); Ladder
B1	1.53	GGA2 negative A		Sample concentration outside recommended range; Peak out of Sizing Range
C1		T		
D1		G		
E1		C		
A2	373	U2OS A		
B2	389	T		
C2	1590	G		Sample concentration outside recommended range
D2	350	C		
E2	393	T47D A		
F2	74.4	T		
G2	312	G		
H2	86.3	C		

A1: Ladder




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
A1	1170	Ladder		Issue with ladder peak detection (too many peaks detected); Ladder

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	345	-	21200	-		Lower Marker
50	92.1	-	2830	7.84		
100	102	-	1570	8.70		
200	136	-	1050	11.58		
300	165	-	847	14.06		
400	165	-	633	14.01		
500	166	-	512	14.16		
597	22.5	-	57.8	1.91		
700	139	-	306	11.84		
806	29.2	-	55.6	2.48		
1000	158	-	242	13.41		
1500	250	250	256	-		Upper Marker

B1: GGA2 negative A




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
B1	1.53	GGA2 negative A		Sample concentration outside recommended range; Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	327	-	20100	-		Lower Marker
1500	250	250	256	-		Upper Marker
2513	1.53	-	0.939	100.00		Peak outside of Sizing Range

C1: T




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
C1		T		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	328	-	20200	-		Lower Marker
1500	250	250	256	-		Upper Marker

D1: G




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
D1		G		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	335	-	20600	-		Lower Marker
1500	250	250	256	-		Upper Marker

E1: C




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
E1		C		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	347	-	21400	-		Lower Marker
1500	250	250	256	-		Upper Marker

A2: U2OS A




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
A2	373	U2OSA		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	382	-	23500	-		Lower Marker
89	373	-	6400	100.00		
1500	250	250	256	-		Upper Marker

B2: T




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
B2	389	T		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	402	-	24700	-		Lower Marker
89	389	-	6750	100.00		
1500	250	250	256	-		Upper Marker

C2: G




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
C2	1590	G		Sample concentration outside recommended range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	434	-	26700	-		Lower Marker
88	378	-	6630	23.81		
125	1210	-	14900	76.19		
1500	250	250	256	-		Upper Marker

D2: C




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
D2	350	C		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	363	-	22300	-		Lower Marker
91	350	-	5940	100.00		
1500	250	250	256	-		Upper Marker

E2: T47D A




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
E2	393	T47D A		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	386	-	23800	-		Lower Marker
91	81.4	-	1380	20.73		
131	311	-	3670	79.27		
1500	250	250	256	-		Upper Marker

F2: T




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
F2	74.4	T		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	391	-	24100	-		Lower Marker
92	74.4	-	1250	100.00		
1500	250	250	256	-		Upper Marker

G2: G




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
G2	312	G		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	426	-	26200	-		Lower Marker
90	83.2	-	1420	26.69		
127	229	-	2780	73.31		
1500	250	250	256	-		Upper Marker

H2: C



Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
H2	86.3	C		

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	463	-	28500	-		Lower Marker
90	86.3	-	1470	100.00		
1500	250	250	256	-		Upper Marker