


Filename: 2025-08-20 - 11.02.25.HSD1000




Default image (Contrast 100%)

Sample Info

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
A1	1050	Ladder		Issue with ladder peak detection (too many peaks detected); Ladder
B1	212	RFWD3 negative A		Peak out of Sizing Range
C1	214	T		Peak out of Sizing Range
D1	233	G		Peak out of Sizing Range
E1	230	C		Peak out of Sizing Range
A2	634	U2OS A		Peak out of Sizing Range
B2	631	T		Peak out of Sizing Range
C2	658	G		Peak out of Sizing Range
D2	763	C		Peak out of Sizing Range
E2	314	T47D A		Peak out of Sizing Range
F2	329	T		Peak out of Sizing Range
G2	324	G		Peak out of Sizing Range
H2	392	C		Peak out of Sizing Range

A1: Ladder




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
A1	1050	Ladder		Issue with ladder peak detection (too many peaks detected); Ladder

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	348	-	21400	-		Lower Marker
50	87.2	-	2680	8.31		
100	95.8	-	1470	9.13		
200	128	-	982	12.17		
300	154	-	789	14.67		
400	150	-	577	14.30		
500	148	-	457	14.16		
700	123	-	270	11.70		
803	24.5	-	46.8	2.33		
1000	139	-	214	13.23		
1500	250	250	256	-		Upper Marker

B1: RFWD3 negative A




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
B1	212	RFWD3 negative A		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
8	14.2	-	2590	6.68		Peak outside of Sizing Range
25	393	-	24200	-		Lower Marker
30	198	-	10300	93.32		
1500	250	250	256	-		Upper Marker

C1: T




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
C1	214	T		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
8	15.8	-	3050	7.41		Peak outside of Sizing Range
25	398	-	24500	-		Lower Marker
30	198	-	10300	92.59		
1500	250	250	256	-		Upper Marker

D1: G




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
D1	233	G		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
7	30.3	-	6340	12.96		Peak outside of Sizing Range
25	433	-	26700	-		edited Lower Marker
29	203	-	10700	87.04		
1500	250	250	256	-		Upper Marker

E1: C




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
E1	230	C		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
7	20.4	-	4720	8.85		Peak outside of Sizing Range
25	445	-	27400	-		Lower Marker
29	210	-	11100	91.15		
1500	250	250	256	-		Upper Marker

A2: U2OS A




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
A2	634	U2OSA		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
7	18.6	-	4390	2.93		Peak outside of Sizing Range
25	460	-	28300	-		Lower Marker
29	205	-	10700	32.28		
90	411	-	7010	64.79		
1500	250	250	256	-		Upper Marker

B2: T




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
B2	631	T		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
6	9.79	-	2390	1.55		Peak outside of Sizing Range
25	473	-	29100	-		Lower Marker
29	202	-	10600	32.00		
90	420	-	7190	66.44		
1500	250	250	256	-		Upper Marker

C2: G




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
C2	658	G		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
5	34.9	-	11600	5.30		Peak outside of Sizing Range
25	486	-	29900	-		edited Lower Marker
29	219	-	11600	33.23		
87	404	-	7160	61.47		
1500	250	250	256	-		Upper Marker

D2: C




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
D2	763	C		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
7	6.42	-	1440	0.84		Peak outside of Sizing Range
25	462	-	28500	-		Lower Marker
29	203	-	10600	26.55		
89	366	-	6340	47.91		
178	189	-	1620	24.69		
1500	250	250	256	-		Upper Marker

E2: T47D A




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
E2	314	T47D A		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
7	7.52	-	1710	2.39		Peak outside of Sizing Range
25	486	-	29900	-		Lower Marker
30	189	-	9810	60.12		
92	118	-	1970	37.48		
1500	250	250	256	-		Upper Marker

F2: T




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
F2	329	T		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
7	3.53	-	814	1.07		Peak outside of Sizing Range
25	505	-	31100	-		Lower Marker
29	207	-	10900	63.09		
90	118	-	2020	35.84		
1500	250	250	256	-		Upper Marker

G2: G




Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
G2	324	G		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
6	12.6	-	3290	3.89		Peak outside of Sizing Range
25	560	-	34500	-		Lower Marker
29	209	-	11000	64.69		
90	98.5	-	1690	30.44		
179	3.18	-	27.3	0.98		
1500	250	250	256	-		Upper Marker

H2: C



Sample Table

Well	Conc. [pg/ul]	Sample Description	Alert	Observations
H2	392	C		Peak out of Sizing Range

Peak Table

Size [bp]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
5	7.02	-	2210	1.79		Peak outside of Sizing Range
25	529	-	32500	-		Lower Marker
29	215	-	11400	54.96		
88	97.2	-	1690	24.81		
173	72.3	-	643	18.44		
1500	250	250	256	-		Upper Marker