

MS

Portfolio Admin Dashboard Guide

A résumé review and a build plan for a private dashboard that edits everything on **mohd-shoaib.vercel.app**: work, projects, skills with logos, photo, résumé and site copy. It keeps the site's neo-brutalist theme and its content rules.

- 01 Résumé analysis
- 02 Résumé ↔ site mismatches
- 03 What the dashboard must edit
- 04 Architecture options
- 05 Data model
- 06 Screens & mockups
- 07 Skill logos
- 08 Security
- 09 Build roadmap
- 10 Checklist & next steps

Prepared for Mohd Shoaib

1 October 2026

Stack: Next.js 16 · React 19 · TypeScript · plain CSS

What your résumé does well, and what to fix

I reviewed `public/resume.pdf` (the file the site serves as the download, "Resume-8") and compared it with `src/data/profile.ts`.

Strengths

- Fits on one page with a clear order: Education → Skills → Experience → Projects → Achievements.
- An internship with a current, in-demand theme: **LLM post-training and evaluation** at Ethara.ai.
- Achievements you can check: **SIH 2025 internal, 1st place**; LeetCode; McKinsey Forward.
- A solid CGPA (8.05) and a full-stack range (MERN, PostgreSQL, Docker).

Weaknesses

- CarePulse is missing.** It is your strongest project and it leads the site.
- The project bullets have **no numbers**. The site says "15+ endpoints", "155 tests" and "p95 < 300 ms"; the résumé doesn't.
- Projects have no Live or Repo links.
- The skills block doesn't match your target. The site headline says "Backend (Python, FastAPI...)", but the résumé lists C++ first and never mentions FastAPI or testing.

Line-by-line findings

Priority	Finding	Recommendation
HIGH	Your phone number is in the public PDF.	Commit <code>9bb7682</code> removed it, but <code>03f8f7b</code> ("Serve Resume-8") put back a version that has <code>(+91) 9997569431</code> . Anyone who downloads the résumé from the site can see it. Serve a copy without the phone number and keep the full copy for direct applications only.
HIGH	"LeetCode Rank 1,750"	The site says <i>peak contest rating 1,709 (top 18%)</i> . "Rank 1,750" reads as a global rank, which overstates it. Write "Contest rating 1,709 (top 18%), 354 problems solved".
HIGH	TerraLoom "list, search, and book properties"	The site describes a listing platform with CRUD, reviews and Mapbox, and doesn't mention bookings. If there's no booking flow, remove "book". Interviewers will ask about it.
MEDIUM	HireStream "advanced search by role, location, experience"	The site says <i>case-insensitive \$regex keyword search</i> . Describe what the code actually does, then add the numbers: 15+ endpoints, 4 collections, JWT in httpOnly cookies.
MEDIUM	No CarePulse, FastAPI, pytest or GitHub Actions	Add CarePulse as project #1: FastAPI, PostgreSQL RLS, 155 pytest tests, CI. That backs up your backend headline.
MEDIUM	SIH is described as "Authenticity Validator for Academia"	Use the product name from the site, TrueGrad (OCR-based certificate validator). A name is easier to remember.
LOW	"Soft Skills" line, Google Colab	Low value. Use the space for Testing (pytest, Jest, Playwright) or Cloud (AWS basics).

LOW	Typos: "OOP , DBMS"; "Ethara.ai" vs "Ethara AI"	Fix the spacing and spell the company name the same way everywhere.
-----	--	---

Why this matters for the dashboard: the site and the résumé drifted apart because they are edited separately. The dashboard below keeps **one source of truth**, runs a **consistency check** against the uploaded résumé, and keeps résumé versions so you always know which file is live.

02 · RÉSUMÉ ↔ SITE MISMATCHES

Where the two sources disagree

Field	Résumé (resume.pdf)	Site (profile.ts)	Use
LeetCode	Rank 1,750 · 350+ solved	Peak 1,709 · 354 solved	Site
Flagship project	HireStream	CarePulse	CarePulse
Headline focus	(none) · C++ listed first	Backend: Python, FastAPI, Node.js, PostgreSQL	Site
TerraLoom scope	List, search, book	List, reviews, maps	Site
SIH project	Authenticity Validator	TrueGrad (OCR)	Both: name + purpose
Phone	Present	Absent	Remove from public copy

03 · SCOPE

What the dashboard must edit

Every item maps to an existing export in `src/data/profile.ts` or a folder in `public/`, so the public pages keep reading the same shapes.

Module	Edits	Maps to
Profile & hero	Name, initials, role, location, email, headline (lead / emphasis / tail), about lede and notes, social links	<code>profile</code>
Photo	Upload, crop to 3:4, convert to WebP, set width and height	<code>profile.photo</code> , <code>public/pfp/</code>
Résumé	Upload PDF, keep versions, choose the live one, check for phone or email leaks, show extracted text for an ATS check	<code>profile.resume</code> , <code>public/resume.pdf</code>
Stats	Value, label, count-up number, decimals, thousands grouping	<code>stats</code>
Skills	Groups (add, rename, reorder) and tools with logos: devicon picker or SVG upload, text-chip fallback	<code>skills</code> , <code>public/logos/</code>
Experience	Company, role, period, year, highlights with **bold** , stack; reorder	<code>experience</code>

Projects	Slug, index (auto), name, tagline, lede, status, stack, labelled points, links, note, screenshots (carousel order)	<code>projects</code> , <code>public/shots/</code>
Education	Title, org, detail	<code>education</code>
Awards	Title, detail, optional link	<code>awards</code>
Publish	Diff of pending changes, publish, deploy status, rollback	Git history / Vercel

Portfolio rules the dashboard enforces

- **Verified only.** `profile.ts` says *"unverified and [CONFIRM] lines are deliberately left out"*. Each entry gets a *Verified* toggle, and unverified entries never publish.
- **Bold syntax.** Highlights and points use `**double asterisks**`. The editor has a Bold button and a live preview rendered by the real `Rich` component.
- **Slugs** are lowercase kebab-case, unique, and can't change after publish without a redirect.
- **Images** are WebP. Portrait is 3:4 (720×960); screenshots are about 16:9 (current ones are 1400 px wide); logos are square SVG.
- **Project index** ("01", "02"...) comes from the list order, so it's never typed by hand.
- **Theme tokens only.** The admin reuses `--accent`, `--border`, `--surface`, 2px borders and hard shadows, and follows the light/dark toggle.

Three ways to build it

RECOMMENDED

A. Git-backed admin

The dashboard commits JSON and images to your GitHub repo through the GitHub API. Vercel auto-deploys the commit (about 60 s).

- + No database, free, full history and rollback, and the site stays fully static.
- About a minute before changes go live.

B. Database + blob storage

Neon/Vercel Postgres holds the content, Vercel Blob holds the files, and pages use ISR with `revalidateTag`.


- + Changes go live in seconds.
- You maintain a database, a schema and migrations; free tiers pause the DB; and content leaves git.

C. Headless CMS

Sanity, Decap or TinaCMS.

- + Editor UI included.
- It won't match your theme, adds heavy dependencies (the repo currently has *only* next/react), and costs you the portfolio story of building it yourself.

Recommended flow (Option A)



Step 1: move content out of TypeScript

Code can't safely rewrite `profile.ts`, so split it into data and types:

```
content/
  profile.json stats.json skills.json experience.json
  projects.json education.json awards.json
src/data/profile.ts - now only types + typed re-exports, so every page keeps working:
import raw from "../../content/projects.json";
export const projects = parseProjects(raw); // validates at build: a bad edit fails the build, not the live
site
```

Nothing on the public side changes: `HomeView`, `/work/[slug]` and the others still import `projects`, `skills` and the rest from `@/data/profile`.

Schemas & file layout

A single validator runs in three places: the admin form (inline errors), the server action (rejects bad data) and `next build` (last line of defence). Zod is the easy choice. If you want to keep zero runtime dependencies, a small hand-written `parse*` function per collection works as well.

```

type Verified = { verified: boolean }; // unverified entries are stripped on publish

type Tool = { id: string; name: string; logo?: string }; // logo: "/logos/x.svg"; missing → text chip
type SkillGroup = { id: string; label: string; tools: Tool[] };

type Project = Verified & {
  slug: string; // /^[a-z0-9]+(-[a-z0-9]+)*$/ , unique
  name: string; tagline: string; lede: string;
  status?: "Live" | "Ongoing" | string;
  stack: string[]; // suggests names from skills.json
  points: { label: string; text: string }[]; // text supports bold
  links: { label: string; href: string }[]; // https:// only
  note?: string;
  shots: string[]; // "/shots/<slug>-n.webp", order = carousel order
  featured: boolean; // "Selected work" vs "The rest of it"
}; // index "01".. is derived from array order at read time

type ResumeVersion = {
  file: string; // "/resumes/2026-10-01-backend.pdf"
  label: string; // "Backend · MongoDB-tailored"
  uploadedAt: string; live: boolean; // exactly one live → copied to /resume.pdf
  checks: { phone: boolean; textLayerOk: boolean; pages: number };
};

```

New files in the repo

Path	Purpose
src/app/admin/layout.tsx	Admin shell: sidebar, top bar, theme toggle. Reuses <code>globals.css</code> tokens plus <code>admin.css</code> .
src/app/admin/(sections)/.../page.tsx	overview, profile, projects, projects/[slug], skills, experience, resume, media, publish
src/app/admin/login/page.tsx	Sign-in screen
src/app/admin/actions.ts	Server Actions: <code>saveCollection</code> , <code>uploadAsset</code> , <code>publish</code> , <code>rollback</code>
src/proxy.ts	Blocks <code>/admin/*</code> without a valid session cookie. In Next 16, <code>proxy.ts</code> replaces <code>middleware.ts</code> .
src/lib/github.ts	Multi-file atomic commit: blobs → tree → commit → update ref
src/lib/schema.ts	Validators shared by the forms, the actions and the build
content/*.json	The content itself

Environment variables

```

ADMIN_USER=shoaib
ADMIN_PASSWORD_HASH=scrypt$... # never the plain password
SESSION_SECRET=32+ random bytes # signs the session cookie
GITHUB_TOKEN=github_pat_... # fine-grained: this repo only, Contents: read/write
GITHUB_REPO=Shoaib-Navi/portfolio
VERCEL_TOKEN=... # optional: read deploy status for the Publish screen

```

Overview: the landing screen

Same design as the public site: cream canvas, 2px ink borders, hard offset shadows, a yellow accent for the active item and main action, and Space Grotesk.




Figure 1: Overview. Health checks compare the live résumé with the site data. Pending edits are grouped into a single publish.

Overview contents

- Counts for projects, skills and logo coverage, plus the live résumé version
- Last deploy status and a link to the live site
- Health checks with a Fix link to the right screen

Why pending changes are grouped

- Each save goes into a draft; **Publish** writes one commit, so you get one deploy instead of ten
- You can edit several things and ship them together

Project editor

The screenshot shows a web browser window with the URL `/admin/projects/carepulse`. The page is titled "PROJECTS / CAREPULSE" and "Edit project".

Form Fields:

- NAME:** CarePulse
- SLUG:** carepulse (with a note: `/work/carepulse` · locked after publish)
- TAGLINE:** Multi-tenant hospital management system
- LEDE:** Outpatient system for Indian clinics covering registration, live queue, vitals, consultation, lab orders and results, prescriptions and pharmacy dispensing for 6 staff roles. (182 / 220 characters)
- STATUS:** Ongoing · Team of 2
- PLACEMENT:** ★ Selected work

STACK - PICKED FROM YOUR SKILLS

- Python, FastAPI, PostgreSQL, React.js, Docker, SQLAlchemy
- + add...

POINTS - DRAG TO REORDER

- Backend:** 60 REST API operations in Python / FastAPI across 16 modules...
- Data & tenancy:** PostgreSQL row-level security per tenant plus a role matrix...
- Testing:** 155 pytest tests (25 unit, 86 integration, 44 security)...
- + Add point (Tip: select text → **B** wraps it in `**...**`)

☒ Verified: every claim here is true and I can explain it

SCREENSHOTS · CAROUSEL ORDER

- 1 / 1 · cover carepulse.webp · 1400×749 · 40 KB
- Drop PNG/JPG here auto-converted to WebP · 16:9 crop

LINKS

- No public links
- Note shown instead: "The repository is private."

LIVE PREVIEW · SAME COMPONENT AS THE SITE

- 01 · ONGOING · TEAM OF 2
- CarePulse**
- Multi-tenant hospital management system

Buttons: Edit, Preview, Delete, Save draft

Footer: ✓ Draft saved · publish when ready

Figure 2: Project editor. Stack chips come from your skills library, so the logos stay consistent across the site.

Editor behaviour

- **Autosave to draft** every few seconds (in `localStorage`) so a closed tab doesn't lose work.
- **Inline validation:** slug format and uniqueness, https-only links, required fields, length hints that match the site layout.
- **Drag to reorder** points, screenshots and the project list (which also sets the "01/02/03" index).
- **Preview tab** renders the real `/work/[slug]` page from the draft, in light and dark.
- **Delete** asks you to type the slug, and removes the project's shots in the same commit.
- **New project** starts from a template with the point labels you use (Backend, Data, Security, Testing, CI/CD).

Skills & toolbox (dark mode)




Figure 3: Skills manager in dark mode (Tokyo Night palette from the site). Groups and chips reorder by dragging.

Résumé & photo




Figure 4: Résumé manager. Making a version live copies it to `/resume.pdf`, so the download link never changes.




Figure 5: Profile and photo. Uploads are cropped in the browser (canvas) and saved as WebP, so no image library is needed.

Publish & rollback




Figure 6: Publish. A readable diff, one commit, deploy status polled from Vercel, and rollback that creates a revert commit.

Design rules for the admin UI

Element	Rule (from <code>globals.css</code>)
Colours	Light: canvas <code>#F7F5EE</code> , surface <code>#FFF</code> , ink <code>#161616</code> , accent <code>#FACC00</code> . Dark: canvas <code>#14151F</code> , surface <code>#1B1D29</code> , ink <code>#C0CAF5</code> , accent <code>#E8B556</code> . Import the same tokens; don't copy the values.
Borders & shadow	<code>--bw: 2px solid --border</code> ; hard shadow <code>4px 4px 0</code> for cards and <code>2px 2px 0</code> for buttons. No blur shadows.
Radius	Cards <code>14px (--radius-card)</code> , chips and inputs <code>8px (--radius-chip)</code> , pills <code>999px</code> .
Type	Space Grotesk; headings 700 with <code>-0.02em</code> tracking; eyebrows 0.75rem, uppercase, <code>0.14em</code> tracking.
Accent use	Only for the active nav item, the one primary action per screen, focus rings and selection.
Status colours	Green, amber and red appear only in pills and health checks, always next to an icon or text.
Motion	Use <code>--ease-out</code> and respect <code>prefers-reduced-motion</code> . Leave out the public site's cursor and grid effects.

Adding a skill with a logo

All 21 current logos come from **devicon** (the filenames end in `-original.svg` / `-plain.svg`). Keep that as the default source so new logos match.

1. **Search** the devicon catalogue (`cdn.jsdelivr.net/gh/devicons/devicon/devicon.json`) by name or alias.
2. **Pick a variant:** `original` by default, `plain` if the original is a wordmark, like AWS.
3. The server **downloads the SVG, sanitizes it** (removes `<script>`, `on*` attributes, `<foreignObject>` and external `href`s), checks it is under 30 KB, and saves it to `/public/logos/<name>-<variant>.svg`.
4. **Contrast preview** on both `--logo-pad` colours (`#F2F0E9` and `#232636`). Dark logos like Next.js, Express and GitHub Actions may need a `-dark` variant or an `invertOnDark` flag.
5. **Upload fallback:** a custom SVG goes through the same sanitizer; PNG is allowed only at 128 px or more and is converted to WebP.
6. **No logo:** the tool shows as a text chip (`.s-tool--text`), the same as the AI/ML group today.

Logos in use by skills or project stacks can't be deleted. The Media library shows where each file is used and flags unused ones for cleanup.

Protecting a public admin panel

Risk	Mitigation
Unauthorised access	Single-user login: script password hash in an env var, plus a signed, httpOnly, Secure, SameSite=Strict session cookie (8 h). Alternatively, GitHub OAuth (Auth.js) that accepts only <code>Shoaib-Navi</code> . Every Server Action checks the session again, because the proxy alone is not enough.
Brute force	5 attempts per 15 min per IP, a constant-time compare, and a generic "invalid credentials" message.
Token leak	A fine-grained GitHub PAT scoped to this repo only, with Contents read/write and nothing else. It stays server-side and is never sent to the browser.
Malicious uploads	Check MIME type and magic bytes, cap the size (images 2 MB, PDF 1 MB), sanitize SVGs, and generate the filenames yourself (never use the uploaded name).
XSS through content	Only <code>**bold**</code> is parsed; <code>Rich</code> never uses <code>dangerouslySetInnerHTML</code> . Links must be <code>https://</code> .
Indexing	<code>/admin</code> is excluded in <code>robots.ts</code> and the sitemap, and sends <code>noindex</code> in its metadata.
Personal data	The résumé check blocks publishing a PDF with a phone number unless you override it on purpose.

Build order

Phase	Deliverable	Tasks	Effort
0	Fix the résumé	Serve a copy without the phone number; fix the LeetCode and TerraLoom claims; add CarePulse and numbers; export with a clean text layer.	½ day
1	Content as JSON	Move <code>profile.ts</code> data to <code>content/*.json</code> ; write the validators; the site builds unchanged.	1 day
2	Auth + shell	<code>proxy.ts</code> , login page, session cookie, admin layout with sidebar and theme toggle, noindex.	1 day
3	GitHub commit layer	<code>lib/github.ts</code> atomic multi-file commit; draft store; Publish screen with diff.	1–2 days
4	Editors	Profile, Experience, Education and Awards forms, then the Projects editor (points, reorder, shots).	2–3 days
5	Media	Photo crop to WebP, screenshot upload, résumé versions and checks, devicon picker, SVG sanitizer.	2 days
6	Polish	Health checks, preview tab, deploy status, rollback, mobile layout, tests.	1–2 days

Total: about 9–12 focused days. This is also a strong project to put on the résumé: auth, a GitHub Git Data API integration, file processing, schema validation, and a CI deploy loop.

Testing plan

- **Unit** (Vitest): validators, slug rules, the `**bold**` parser, SVG sanitizer, phone detector.
- **Integration**: server actions with a mocked GitHub API. Check that one publish creates one commit with all the changed files.
- **E2E** (Playwright): login → add a skill → publish → the diff shows the change; `/admin` redirects to login when signed out.
- **Build guard**: CI fails if `content/*.json` doesn't validate.

Before you call it done

Functional

- ☐ Add, edit, reorder and delete projects, jobs, skills, awards
- ☐ Replace photo and screenshots (WebP, correct ratio)
- ☐ Upload a résumé, make it live, roll it back
- ☐ Add a skill with a devicon or uploaded logo
- ☐ Publish produces one commit and one deploy
- ☐ Public pages look identical before and after the JSON move

Quality & safety

- ☐ `/admin` unreachable when signed out; actions re-check the session
- ☐ PAT scoped to one repo; no secrets in client bundles
- ☐ SVG sanitizer tested with a malicious file
- ☐ Light and dark mode; keyboard navigation; focus rings
- ☐ Reduced motion respected; works at 375 px width
- ☐ `/admin` absent from sitemap and robots

Next step: once you approve, I can start with Phase 0 (résumé fixes) and Phase 1 (moving content to JSON). They're low risk, change nothing visible on the site, and every later phase builds on them.