

# Version 0

*Click Resources and it brings you a group of topics. Click on one of the topics and the pages have links with information.*

## Resources

### Browse Topics

#### General

Learn about I2P and how to install the software

#### Using I2P Software

Learn how to use I2P software

#### Updates

News, updates, and release notes

#### Contributor Guides

For contributors and volunteers

#### Developer Resources

Developer guidelines and applications

#### Research

Academic papers and peer reviews

#### Advanced Connections

For contributors and volunteers

#### Troubleshooting

Developer guidelines and applications

#### Privacy and Safety

Developer guidelines and applications

# Version 1

*Click Resources and it brings you a group of topics. This has the FAQ categories incorporated. I2P Software, I2P Network, I2P Support are incorporated.*

*Click on one of the boxes and it leads to a page with links and information.*

## Resources

### General Topics

<h4>Introduction</h4> <p>Learn about I2P and how to get started</p>	<h4>Using I2P Software</h4> <p>Learn how to use I2P software</p>	<h4>Updates</h4> <p>News, updates, and release notes</p>
<h4>Contributor Guides</h4> <p>For contributors and volunteers</p>	<h4>Developer Resources</h4> <p>Developer guidelines and applications</p>	<h4>Research</h4> <p>Academic papers and peer reviews</p>

### Advanced Resources

<h4>I2P Software</h4> <p>Tagline goes here</p>	<h4>I2P Network</h4> <p>Tagline goes here</p>	<h4>Privacy and Safety</h4> <p>Tagline goes here</p>
--	---	--

### Support

<h4>Troubleshooting</h4> <p>Troubleshooting your network connections</p>	<h4>Glossary</h4> <p>Common terms and definitions</p>	<h4>Bug Reporting</h4> <p>Report your bugs</p>
--	---	--

## Version 2

*Click Resources and it brings you a group of topics. This has the FAQ categories incorporated. I2P Software, I2P Network, I2P Support are incorporated.*

*Click on one of the boxes and it leads to a page with links and information.*

*This differs from version 1 and assumes there is much more information within each category/box. Different level of hierarchy and organization. It is much more information-dense, however. I think it could be too much and if there is that much information, breaking it up into a second page might be necessary.*

## Resources

### General Topics

<h4>Introduction</h4> <p>Learn about I2P and how to get started</p>	<h4>Using I2P Software</h4> <p>Learn how to use I2P software</p>	<h4>Updates</h4> <p>News, updates, and release notes</p>
<h4>Contributor Guides</h4> <p>For contributors and volunteers</p>	<h4>Developer Resources</h4> <p>Developer guidelines and applications</p>	<h4>Research</h4> <p>Academic papers and peer reviews</p>

### I2P Software

<h4>I2P Software Topic</h4> <p>Tagline goes here</p>	<h4>I2P Software Topic</h4> <p>Tagline goes here</p>	<h4>I2P Software Topic</h4> <p>Tagline goes here</p>
--	--	--

### I2P Network

<h4>Introduction to Network</h4> <p>An introduction to the network diagram and how I2P protects your traffic and activities</p>	<h4>Verify I2P Contact</h4> <p>More about verifying I2P contacts</p>	<h4>Peers</h4> <p>All about peers</p>
<h4>Performance</h4> <p>Learn about why your connection might be slow</p>	<h4>I2P Network Topic</h4> <p>Tagline goes here</p>	<h4>I2P Network Topic</h4> <p>Tagline goes here</p>

### I2P Support

<h4>Troubleshooting</h4> <p>Troubleshooting your network connections</p>	<h4>Glossary</h4> <p>Common terms and definitions</p>	<h4>Bug Reporting</h4> <p>Report your bugs</p>
--	---	--

## Resources > Introduction

### Introduction

[What is I2P?](#)

[Privacy](#)

[How to Connect to I2P Network](#)

[Overview of the Network](#)

[Decentralization](#)

[What I2P does not do](#)

[Comparisons](#)

[What is Included](#)

[Tour I2P Software](#)

[Getting Started Resources](#)

[Installing Java](#)

### What is I2P?

The Invisible Internet Project (I2P) is a fully encrypted private network layer that has been developed with privacy and security by design in order to provide protection for your activity, location and your identity. The software ships with a router that connects you to the network and applications for sharing, communicating and building.

### I2P Cares About Privacy

I2P hides the server from the user and the user from the server. All I2P traffic is internal to the I2P network. Traffic inside I2P does not interact with the Internet directly. It is a layer on top of the Internet. It uses encrypted unidirectional tunnels between you and your peers. No one can see where traffic is coming from, where it is going, or what the contents are. Additionally I2P offers resistance to pattern recognition and blocking by censors. Because the network relies on peers to route traffic, location blocking is also reduced.

### How to Connect to the I2P Network

The Invisible Internet Project provides software to download that connects you to the network. In addition to the network privacy benefits, I2P provides an application layer that allows people to use and create familiar apps for daily use. I2P provides its own unique DNS so that you can self host or mirror content on the network. You can create and own your own platform that you can add to the I2P directory or only invite your friends. The I2P network functions the same way the Internet does. When you download the I2P software, it includes everything you need to connect, share, and create privately.

### An Overview of the Network

I2P uses cryptography to achieve a variety of properties for the tunnels it builds and the communications it transports. I2P tunnels use transports, NTCP2 and SSU, to hide the nature of the traffic being transported over it. Connections are encrypted from router-to-router, and from client-to-client(end-to-end). Forward-secrecy is provided for all connections. Because I2P is cryptographically addressed, I2P addresses are self-authenticating and only belong to the user who generated them.

I2P is a secure and traffic protecting Internet-like layer. The network is made up of peers ("routers") and unidirectional inbound and outbound virtual tunnels. Routers communicate with each other using protocols built on existing transport mechanisms (TCP, UDP, etc), passing messages. Client applications have their own cryptographic identifier ("Destination") which enables it to send and receive messages. These clients can connect to any router and authorize the temporary allocation ("lease") of some tunnels that will be used for sending and receiving messages through the network. I2P has its own internal network database (using a modification of the Kademlia DHT) for distributing routing and contact information securely.

### About Decentralization and I2P

The I2P network is almost completely decentralized, with exception to what are called "Reseed Servers," which is how you first join the network. This is to deal with the DHT ( Distributed Hash Table ) bootstrap problem. Basically, there's not a good and reliable way to get out of running at least one permanent bootstrap node that non-network users can find to get started. Once you're connected to the network, you only discover peers by building "exploratory" tunnels, but to make your initial connection, you need to get a peer set from somewhere. The reseed servers, which you can see listed on <http://127.0.0.1:7657/configreseed> in the Java I2P router, provide you with those peers. You then connect to them with the I2P router until you find one who you can reach and build exploratory tunnels through. Reseed servers can tell that you bootstrapped from them, but nothing else about your traffic on the I2P network.

### What I2P Does Not Do

The I2P network does not officially "Exit" traffic. It has outproxies to the Internet run by volunteers, which are centralized services. I2P is primarily a hidden service network and outproxying is not an official function, nor is it advised. The privacy benefits you get from participating in the the I2P network come from remaining in the network and not accessing the internet. I2P recommends that you use Tor Browser or a trusted VPN when you want to browse the Internet privately.

### Comparisons

There are a great many other applications and projects working on anonymous communication and I2P has been inspired by much of their efforts. This is not a comprehensive list of anonymity resources - both freehaven's Anonymity Bibliography and GNUnet's related projects serve that purpose well. That said, a few systems stand out for further comparison. The following have individual comparison pages:

- [Tor / Onion Routing](#)
- [Freenet](#)

The following are discussed on the other networks page:

- RetroShare
- Morphmix / Tarzan
- Mixminion / Mixmaster
- JAP
- MUTE / AntsP2P
- Haystack

## Introduction

What is I2P?  
Privacy  
How to Connect to I2P Network  
Overview of the Network  
Decentralization  
What I2P does not do  
Comparisons  
What is Included  
Tour I2P Software  
Getting Started  
Installing Java

## Resources > Introduction

### What is I2P?

The Invisible Internet Project (I2P) is a fully encrypted private network layer that has been developed with privacy and security by design in order to provide protection for your activity, location and your identity. The software ships with a router that connects you to the network and applications for sharing, communicating and building.

### I2P Cares About Privacy

I2P hides the server from the user and the user from the server. All I2P traffic is internal to the I2P network. Traffic inside I2P does not interact with the Internet directly. It is a layer on top of the Internet. It uses encrypted unidirectional tunnels between you and your peers. No one can see where traffic is coming from, where it is going, or what the contents are. Additionally I2P offers resistance to pattern recognition and blocking by censors. Because the network relies on peers to route traffic, location blocking is also reduced.

### How to Connect to the I2P Network

The Invisible Internet Project provides software to download that connects you to the network. In addition to the network privacy benefits, I2P provides an application layer that allows people to use and create familiar apps for daily use. I2P provides its own unique DNS so that you can self host or mirror content on the network. You can create and own your own platform that you can add to the I2P directory or only invite your friends. The I2P network functions the same way the Internet does. When you download the I2P software, it includes everything you need to connect, share, and create privately.

### An Overview of the Network

I2P uses cryptography to achieve a variety of properties for the tunnels it builds and the communications it transports. I2P tunnels use transports, NTCP2 and SSU, to hide the nature of the traffic being transported over it. Connections are encrypted from router-to-router, and from client-to-client(end-to-end). Forward-secrecy is provided for all connections. Because I2P is cryptographically addressed, I2P addresses are self-authenticating and only belong to the user who generated them.

I2P is a secure and traffic protecting Internet-like layer. The network is made up of peers ("routers") and unidirectional inbound and outbound virtual tunnels. Routers communicate with each other using protocols built on existing transport mechanisms (TCP, UDP, etc), passing messages. Client applications have their own cryptographic identifier ("Destination") which enables it to send and receive messages. These clients can connect to any router and authorize the temporary allocation ("lease") of some tunnels that will be used for sending and receiving messages through the network. I2P has its own internal network database (using a modification of the Kademlia DHT) for distributing routing and contact information securely.

### About Decentralization and I2P

The I2P network is almost completely decentralized, with exception to what are called "Reseed Servers," which is how you first join the network. This is to deal with the DHT ( Distributed Hash Table ) bootstrap problem. Basically, there's not a good and reliable way to get out of running at least one permanent bootstrap node that non-network users can find to get started. Once you're connected to the network, you only discover peers by building "exploratory" tunnels, but to make your initial connection, you need to get a peer set from somewhere. The reseed servers, which you can see listed on <http://127.0.0.1:7657/configreseed> in the Java I2P router, provide you with those peers. You then connect to them with the I2P router until you find one who you can reach and build exploratory tunnels through. Reseed servers can tell that you bootstrapped from them, but nothing else about your traffic on the I2P network.

### What I2P Does Not Do

The I2P network does not officially "Exit" traffic. It has outproxies to the Internet run by volunteers, which are centralized services. I2P is primarily a hidden service network and outproxying is not an official function, nor is it advised. The privacy benefits you get from participating in the the I2P network come from remaining in the network and not accessing the internet. I2P recommends that you use Tor Browser or a trusted VPN when you want to browse the Internet privately.

### Comparisons

There are a great many other applications and projects working on anonymous communication and I2P has been inspired by much of their efforts. This is not a comprehensive list of anonymity resources - both freehaven's Anonymity Bibliography and GUNet's related projects serve that purpose well. That said, a few systems stand out for further comparison. The following have individual comparison pages:

- [Tor / Onion Routing](#)
- [Freenet](#)

The following are discussed on the other networks page:

- [RetroShare](#)
- [Morphmix / Tarzan](#)
- [Mixminion / Mixmaster](#)
- [JAP](#)
- [MUTE / AntsP2P](#)
- [Haystack](#)

### What is Included

*This section is quite long (<https://geti2p.net/en/about/software>) might need its own page for it. Or condense the information for this section and offer more details elsewhere.*

### Tour I2P Software

Click here to see more of I2P and how it works and how you can use it. (Or embed a video here)

### Getting Started

There are 3 basic steps to getting started: download, install, and configure. Follow those steps and instructions at the [Getting Started page](#). It will walk you through choosing your operating system for the download(s) required. You'll then follow the step-by-step [installation instructions](#) for getting it running and opening I2P software. Finally, you will [configure your browser](#). You can also continue to learn more about how to use I2P [here](#).

### Installing Java

There are three operating systems that require Java: Mac, Windows, and Linux. If you are downloading I2P, you must [download](#) and install Java first. You can follow instructions for how to install Java [here](#).



## Resources > Advanced Connections

### Advanced Connections

NAT / Firewall

Is it possible to use I2P as a SOCKS proxy?

How can I access the web console from my other machines or password protect it?

What ports does I2P use?

Why is I2P listening for connections on port 32000?

Is it possible to block I2P?

In wrapper.log I see an error stating Protocol family unavailable when I2P is loading

What systems will I2P run on?

What about "De-Anonymizing" attacks?

Reseeds

Bandwidth

Why is my connection slow?

Privacy related topics

Advanced set up ( outproxy/ NAT)

sigs & GPG

Introduce router and applications

Outproxy

### What is I2P?

The Invisible Internet Project (I2P) is a fully encrypted private network layer that has been developed with privacy and security by design in order to provide protection for your activity, location and your identity. The software ships with a router that connects you to the network and applications for sharing, communicating and building.

### I2P Cares About Privacy

I2P hides the server from the user and the user from the server. All I2P traffic is internal to the I2P network. Traffic inside I2P does not interact with the Internet directly. It is a layer on top of the Internet. It uses encrypted unidirectional tunnels between you and your peers. No one can see where traffic is coming from, where it is going, or what the contents are. Additionally I2P offers resistance to pattern recognition and blocking by censors. Because the network relies on peers to route traffic, location blocking is also reduced.

### How to Connect to the I2P Network

The Invisible Internet Project provides software to download that connects you to the network. In addition to the network privacy benefits, I2P provides an application layer that allows people to use and create familiar apps for daily use. I2P provides its own unique DNS so that you can self host or mirror content on the network. You can create and own your own platform that you can add to the I2P directory or only invite your friends. The I2P network functions the same way the Internet does. When you download the I2P software, it includes everything you need to connect, share, and create privately.

### An Overview of the Network

I2P uses cryptography to achieve a variety of properties for the tunnels it builds and the communications it transports. I2P tunnels use transports, NTCP2 and SSU, to hide the nature of the traffic being transported over it. Connections are encrypted from router-to-router, and from client-to-client(end-to-end). Forward-secrecy is provided for all connections. Because I2P is cryptographically addressed, I2P addresses are self-authenticating and only belong to the user who generated them.

I2P is a secure and traffic protecting Internet-like layer. The network is made up of peers ("routers") and unidirectional inbound and outbound virtual tunnels. Routers communicate with each other using protocols built on existing transport mechanisms (TCP, UDP, etc), passing messages. Client applications have their own cryptographic identifier ("Destination") which enables it to send and receive messages. These clients can connect to any router and authorize the temporary allocation ("lease") of some tunnels that will be used for sending and receiving messages through the network. I2P has its own internal network database (using a modification of the Kademlia DHT) for distributing routing and contact information securely.

### About Decentralization and I2P

The I2P network is almost completely decentralized, with exception to what are called "Reseed Servers," which is how you first join the network. This is to deal with the DHT ( Distributed Hash Table ) bootstrap problem. Basically, there's not a good and reliable way to get out of running at least one permanent bootstrap node that non-network users can find to get started. Once you're connected to the network, you only discover peers by building "exploratory" tunnels, but to make your initial connection, you need to get a peer set from somewhere. The reseed servers, which you can see listed on <http://127.0.0.1:7657/configreseed> in the Java I2P router, provide you with those peers. You then connect to them with the I2P router until you find one who you can reach and build exploratory tunnels through. Reseed servers can tell that you bootstrapped from them, but nothing else about your traffic on the I2P network.

### What I2P Does Not Do

The I2P network does not officially "Exit" traffic. It has outproxies to the Internet run by volunteers, which are centralized services. I2P is primarily a hidden service network and outproxying is not an official function, nor is it advised. The privacy benefits you get from participating in the the I2P network come from remaining in the network and not accessing the internet. I2P recommends that you use Tor Browser or a trusted VPN when you want to browse the Internet privately.

### Comparisons

There are a great many other applications and projects working on anonymous communication and I2P has been inspired by much of their efforts. This is not a comprehensive list of anonymity resources - both freehaven's Anonymity Bibliography and GNUnet's related projects serve that purpose well.

That said, a few systems stand out for further comparison. The following have individual comparison pages:

- [Tor / Onion Routing](#)
- [Freenet](#)

The following are discussed on the other networks page:

- [RetroShare](#)
- [Morphmix / Tarzan](#)
- [Mixminion / Mixmaster](#)