AR Unit-5 Assignmen

Contents

1. Virtual Retinal Display
2. Monitor-based System
3. Projection Display
4. Video See-Through System

Prepared by :
Prachi Sah –
2021UCS1702

Virtual Retinal Display

A **virtual retinal display (VRD)** projects images directly onto the retina, creating a seamless, immersive AR experience without the need for a physical screen.

Virtual Retinal Display :

Definition

Virtual retinal display (VRD) is an innovative technology that projects images directly onto the retina of the eye, creating a high-resolution, immersive augmented reality experience. This technology has the potential to revolutionize various fields, including healthcare, gaming, and

Direct Projection

VRD projects images directly onto the retina, bypassing the need for external displays or

High Resolution

VRD systems offer high resolution and clarity, creating a realistic and immersive visual experience.

How Virtual Retinal Display Works ?

1

Light Source

A light source emits a beam of light that is modulated to create the desired images.

2

Scanning Mechanism

A scanning mechanism directs the light beam across the retina, creating a dynamic image.

3

Image Projection

The modulated light beam projects the image onto the retina, where it is perceived by the brain.



Key Components of a Virtual Retinal Display System

Light Source

A high-powered laser or LED is used to generate a beam of light that is modulated to form the desired image.

Scanning Mechanism

A mirror or other optical element is used to scan the light beam across the retina, creating a dynamic image.

Eye Tracking

Eye-tracking technology is used to monitor the user's eye movements, ensuring that the image is always projected onto the correct location on the retina.

Advantages of Virtual Retinal Display

1 Immersive Experience

VRD creates a truly immersive experience, eliminating the need for bulky headsets or external displays.

2 Wide Field of View

VRD systems can project images across a wide field of view, providing a more natural and expansive visual experience.

3 Improved Comfort

VRD is a non-invasive technology that is comfortable to use for extended periods, minimizing eye strain or fatigue.

4 Enhanced Clarity

VRD technology offers high resolution and clarity, making it ideal for tasks that require precise visual detail.

Potential Applications of Virtual Retinal Display

Healthcare	Surgeons can use VRD to overlay real-time anatomical information on the patient's body, enhancing precision and reducing errors.
Gaming	VRD can revolutionize gaming by creating truly immersive and interactive experiences, with realistic graphics and haptic feedback.
Education	VRD can enhance educational experiences by providing interactive and engaging learning environments, bringing virtual worlds and concepts to life.
Military	VRD can be used for advanced training simulations, providing soldiers with realistic and immersive experiences to prepare them for real-world scenarios.

Challenges and Limitations of Virtual Retinal Display

High Cost

The development and production of VRD systems are currently expensive, limiting widespread adoption.

Size and Weight

VRD devices are currently relatively large and bulky, which may limit their portability and comfort for extended use.

Eye Safety

The safety of projecting high-intensity light directly onto the retina requires careful consideration and research.

2.

Monitor-Based System

A monitor-based AR system displays augmented content on a screen or monitor, overlaying virtual elements onto a live video feed of the real environment, but without the immersive, head-mounted experience of AR headsets.

Monitor-Based Systems

Desktop or Laptop

AR content is projected onto the monitor, allowing users to interact with digital elements in a real-world context.

Webcam Integration

The webcam captures the user's environment and integrates it into the AR display, creating a more immersive experience.

Cost-Effective Approach

Monitor-based AR systems are typically more affordable than wearable AR devices, making them accessible to a wider audience.



Hardware Requirements

Component	Requirement
Processor	High-performance CPU for real-time processing
GPU	Graphics card capable of handling 3D rendering
RAM	Sufficient memory for smooth performance
Webcam	High-quality webcam for accurate environment capture

Tracking Techniques for Monitor-Based AR

1

Marker-Based

Uses visual markers or fiducial tags to track the user's position and orientation.

2

Markerless

Relies on image recognition and computer vision to track objects and the user's movements.

3

Hybrid

Combines marker-based and markerless tracking techniques for enhanced accuracy and robustness.



Rendering and Visualization in Monitor-Based AR

1. **3D Model Creation**
   Digital models representing objects or environments are created using 3D modeling software.

2. **Texture Mapping**
   Realistic textures and materials are applied to the 3D models to create a visually appealing and immersive experience.

3. **Real-Time Rendering**
   The 3D models are rendered in real time, allowing for dynamic interaction and movement within the augmented view.

Interaction Methods in Monitor-Based AR

Hand Gestures

Users can interact with the augmented view by using hand gestures recognized by the system.

Mouse and Keyboard

Traditional input devices can be used to navigate the AR environment and interact with digital elements.

Touchscreen Interaction

Touchscreen devices can provide intuitive and direct interaction with the augmented view.

Voice Commands

Voice recognition technology allows users to control AR elements with spoken commands.

Applications of Monitor-Based AR

Industrial Maintenance

AR provides real-time instructions and visual guidance for repair and maintenance tasks.

Educational Tools

AR enhances learning by providing interactive and immersive experiences.

3.

Projection Display

A projection display AR system projects virtual content directly onto real-world surfaces, blending digital information with the physical environment.

Projection Display: Redefining Immersio

Projection display technology uses a projector to cast images onto a surface. It allows for large-scale displays and immersive experiences, going beyond traditional screens. Projection displays are used in various applications, including home entertainment, business presentations, and interactive installations.

Projection Display Fundamentals

1 Light Source

Projectors utilize a light source, like LED or laser, to illuminate the image.

2 Lens System

The lens system focuses the light onto the surface, creating a projected image.

3 Image Processing

The projector processes digital signals to form an image, which is then projected onto the screen.

4 Resolution and Brightness

The resolution and brightness of the projected image depend on the projector's specifications

Projection Mapping: Blending Digital and Physical

1 2 3 4

Projection Mapping

Projection mapping involves projecting images onto a three-dimensional surface, creating an illusion of depth and movement.

Surface Analysis

A 3D model of the surface is created, enabling precise mapping of the projection.

Content Creation

Animated content is designed to fit the surface's geometry, blending seamlessly with its contours.

Projection and Synchronization

Projectors are strategically placed to illuminate the surface, while software synchronizes projections for seamless integration.

Augmented Reality Applications

Industry	Applications
Gaming	Interactive games, immersive experiences, overlaying virtual objects on real-world environments.
Retail	Virtual try-on experiences, product visualizations, interactive shopping.
Healthcare	Medical training simulations, anatomical visualizations, patient diagnostics.
Education	Interactive learning experiences, virtual field trips, historical reconstructions.

Challenges and Considerations

Integration

Integrating AR technologies with existing systems can be challenging, requiring seamless compatibility.

Privacy

Protecting user privacy is crucial, ensuring responsible data collection and usage within AR applications.

Accessibility

AR experiences should be accessible to all users, regardless of their abilities or technical limitations.

4

Video See-Through System

A Video See-Through (VST) system uses cameras to capture the real world and overlays virtual content onto a video feed displayed to the user.

Defining Video See-Through (VST) Systems

Key Feature

VST systems utilize cameras to capture real-world scenes and display digital content onto the captured video feed.

How it Works

The live video feed is processed and digitally combined with computer-generated graphics, creating an augmented reality



Common Example

AR smartphones and smartglasses are examples of devices that leverage VST technology to overlay virtual information on the real world.

The Importance of VST in

Enhanced Real-World Interaction

VST enables seamless integration of digital elements with real-world objects, facilitating more natural interactions with virtual content.

Enhanced User Experience

VST offers a more immersive and interactive AR experience compared to other methods, as digital content is layered onto the user's direct view.

Versatile Applications

The ability to seamlessly integrate virtual objects into real-world environments allows for diverse applications in various industries.

Working of VST

1

Capture Real-World Scene

A camera captures live video feed from the user's environment.

2

Process Video Feed

The captured video feed is processed by a computer, analyzing the scene to identify objects and features.

3

Generate Digital Content

Computer-generated graphics are created, based on the user's interactions and the identified objects in the scene.

4

Overlay Digital Content

The generated digital content is superimposed onto the real-world video feed, creating an augmented reality view.

5

Display Augmented Reality

The combined augmented view is displayed to the user through a display, such as a smartphone screen or AR glasses.

Hardware Components of VST Systems

Component	Function
Cameras	Capture live video feed of the user's environment.
Processors	Process captured video data, analyze the scene, and generate digital content.
Sensors	Track user's movements and provide input for AR content positioning.
Displays	Display the augmented reality view to the user, combining the real-world video with generated digital content.

Optical See-Through Vs Visual See-

Issue	Optical-See-Through (OST) HMDs	Video-See-Through (VST) HMDs
Latency	Suffer from latency between the real and the virtual imagery, but interaction with real objects is not hindered	Enforce sychronization of real and virtual imagery, but user suffers from overall latency during interaction with the real world
Resolution Limit	Only virtual imagery suffers from resolution restrictions	Both real and virtual imagery suffer from resolution restrictions
Distortion	Need to overcome distortion of real imagery by optimization of both display and compensating optics*	Need to correct image for optical aberrations in cameras
	In both, display optics aberrations may need compensation by by warped / chroma-corrected rendering	
FOV Limit	FOV of the virtual display is constrained by size limits on the compensating optics, but the real imagery does not need to be obscured*	FOV for real and virtual imagery may approach the human FOV, but the display is usually sealed off to increase contrast
Viewpoint Displacement	Viewpoint remains at eye position	Offset between camera and eye position introduces depth misjudgement and disorientation**
Occlusion	Most designs cannot fully occlude real imagery by virtual content, which introduces depth misjudgement and ghosting effects, while SRDs may provide sufficient occlusion by overwhelming the see-through view with a brighter augmented image	Do not suffer from ghosting or occlusion problems, since the real and virtual content are both rendered by the display, with full control over opacity**
Complexity and Size	Involve complex optical paths*: design and fabrication are more complex, and resulting display may be bulkier	Typically have fewer optical elements and are cheap and easy to manufacture



Video See-Through



Optical See-Through

Challenges and Limitations of VST

1 Latency

Delays in processing the video feed and generating digital content can create a lag in the augmented view, causing a mismatch between real-world actions and virtual responses.

2 Computational Power

VST requires significant processing power to handle video analysis, digital content generation, and overlaying in real time. Limited processing power can impact the overall experience.

3 Visual Distortion

The combination of the real-world video feed with digital content can lead to distortions or artifacts, affecting the perceived quality of the augmented experience.

Applications of VST in Augmented Reality

Gaming

VST allows for interactive and immersive gaming experiences, where virtual objects are seamlessly integrated into the real world.

Navigation

VST can overlay navigation instructions onto real-world scenes, providing directions, points of interest, and real-time traffic information.

Education

VST enables interactive learning experiences, where digital models, simulations, and information are displayed alongside real-world objects.

Retail

VST can enhance shopping experiences by providing virtual try-on, product information, and interactive product demonstrations.



The Road Ahead: AR Trends and Innovations

1

Advancements in Hardware

Improved processors, sensors, and display technologies enhance AR experiences, making them more realistic and immersive.

2

Integration with IoT

Connecting AR devices to the Internet of Things expands capabilities, enabling smart environments and interactive experiences.

3

AI and Machine Learning

AI and machine learning algorithms enhance AR experiences by personalizing content, understanding context, and adapting to user preferences.

Thank You !!

Prepared By :

PRACHI SAH – 2021UCS1702