

TRACKFLOW

Brand & Design System

The multi-project command center for vibe coders

Version 1.0 — March 2026

Author: Shohjahon Razzoqov

Reference for: Claude CLI, Cursor, development team

Contents

- 1. **Brand Identity** — Logo, wordmark, tagline, voice
- 2. **Color System** — Neutrals, accent, semantic, dark mode tokens
- 3. **Typography** — Font stack, scale, pairing rules
- 4. **Spacing & Layout** — Base unit, density, grid, responsive
- 5. **Component Patterns** — Cards, badges, buttons, forms, navigation
- 6. **Icon & Visual Language** — Icon set, illustration style, motion
- 7. **Public Profile & Social** — OG images, share cards, profile layout
- 8. **CSS Token Reference** — Complete variable export for implementation

1. Brand Identity

1.1 Wordmark

The TrackFlow wordmark is set in **Courier/monospace** at heavy weight. The "Track" is rendered in the primary text color (Ink #1C1C19 light / #E0E0DC dark) and "Flow" in the accent color (Indigo #6366A0 light / #7B7BD0 dark). This split reinforces the product's dual nature: structured tracking meets fluid workflow.

TRACKFLOW

Wordmark rules:

- Always uppercase. Never title case, never lowercase.
 - Always monospace font (JetBrains Mono in product, Courier as fallback).
 - Minimum size: 14px / 10pt. Below this, use the abbreviated mark: TF.
 - Clear space: at least 1x the cap height on all sides.
 - On dark backgrounds: "Track" = #E0E0DC, "Flow" = #7B7BD0.
 - Never place the wordmark on busy backgrounds. Use a solid surface.
-

1.2 Abbreviated Mark

TF

Used for favicons, mobile app icons, tab bar, and anywhere the full wordmark doesn't fit. Same color split. Contained in a rounded square (8px radius at 32x32, 12px at 64x64) with Cloud (#FAFAF8) background in light mode, Surface (#1A1A18) in dark mode.

1.3 Tagline

"Ship more. Track everything. Show your work."

Secondary tagline for developer audiences:

"The command center for developers who ship."

1.4 Brand Voice

TrackFlow speaks like a senior developer colleague — direct, knowledgeable, no-nonsense, but never cold. The tone is:

- **Confident, not arrogant.** We know our product is good. We don't need to shout.
- **Technical, not jargon-heavy.** Use precise terms when they add clarity. Avoid buzzwords.
- **Concise, not terse.** Say what needs saying. Don't pad with filler. Don't be rude.
- **Warm, not cute.** Occasional humor is fine. Emoji in product UI is not.

2. Color System

TrackFlow uses a warm-neutral foundation with a single muted indigo accent. The palette is deliberately quiet — calm colors that don't compete with the content. Status colors are desaturated ~30% from typical UI kits.

2.1 Neutral Foundation

Warm off-whites (2–3% warm undertone vs pure gray). Light mode backgrounds use Cloud/Mist. Dark mode uses warm blacks, not blue-blacks.

Name	Hex	HSL (approx)	Usage
Cloud	#FAFAF8	60 14% 98%	App background (light)
Mist	#F4F4F1	60 10% 96%	Surface / card background (light)
Fog	#EAEAE6	60 8% 91%	Hover state / secondary surface
Stone	#D4D4CE	60 5% 82%	Borders, dividers
Ash	#9C9C95	60 3% 60%	Placeholder text, disabled
Slate	#6B6B64	60 3% 41%	Secondary text, descriptions
Charcoal	#3D3D38	60 4% 23%	Body text, paragraph content
Ink	#1C1C19	60 5% 10%	Headings, primary text, wordmark

2.2 Primary Accent — Indigo

A desaturated indigo that conveys calm authority. Not blue, not purple — occupies the space between. Used sparingly: links, active states, primary buttons, the wordmark accent.

Name	Hex	HSL (approx)	Usage
Indigo 50	#EEEEF6	240 30% 95%	Accent background, selected row
Indigo 100	#C7C7E2	240 25% 83%	Accent border (light), hover ring
Indigo 300	#8E8EC5	240 25% 66%	Secondary accent, visited link
Indigo 500	#6366A0	238 23% 51%	Primary accent (light mode)
Indigo 600	#4B4E84	237 26% 41%	Accent hover, pressed button
Indigo 800	#353764	237 29% 30%	Accent text on light bg

2.3 Semantic Status Colors

Desaturated to inform without shouting. Each has a foreground (text/icon) and background (pill/badge fill) variant.

Name	Hex	BG Hex	Usage
Success	#3D8B6E	#EBF3EE	Deployed, completed, active, live
Warning	#C4956A	#FBF3EB	Stale (>3d no commit), approaching deadline
Danger	#C26A6A	#FBEDED	Failed deploy, overdue, critical issue
Info	#5B8CA8	#EBF2F7	In progress, informational, neutral status

2.4 Dark Mode

Built from scratch — not inverted light mode. Warm blacks, elevated surfaces use lighter fills (not shadows), and accent shifts brighter to maintain WCAG AA contrast.

Name	Hex	Light equiv.	Usage
Base	#111110	Cloud	App background (dark)
Surface	#1A1A18	Mist	Card background (dark)
Elevated	#242422	Fog	Modal, dropdown, popover bg
Border	#2E2E2B	Stone	Borders, dividers (dark)
Accent	#7B7BD0	Indigo 500	Primary accent (dark mode)
Text	#E0E0DC	Ink	Headings, primary text (dark)
Muted	#8A8A84	Slate	Secondary text (dark)

2.5 Dark Mode Semantic Backgrounds

Name	Hex (fg)	Hex (bg)	Usage
Success dark	#5DBF8E	#1A2E24	Deployed badge on dark bg
Warning dark	#D4A87A	#2E2418	Stale badge on dark bg
Danger dark	#D48A8A	#2E1A1A	Failed badge on dark bg
Info dark	#7BAEC8	#1A2430	In-progress badge on dark bg

2.6 Usage Rules

- **60/30/10 rule:** 60% neutral (Cloud/Mist surfaces), 30% Charcoal/Ink (text), 10% Indigo (accents, CTAs). Status colors are additive — they appear only when status needs to be communicated.
- **Never use pure #FFFFFF or #000000.** Always use Cloud (#FAFAF8) or Ink (#1C1C19) instead. Pure black/white feels clinical. The warm shift is subtle but essential.

- **Text on colored backgrounds:** Use the darkest shade from the same color family. Success text (#3D8B6E) on Success bg (#EBF3EE). Never gray or black text on colored fills.
- **Contrast minimums:** All text must meet WCAG AA (4.5:1 for normal text, 3:1 for large text). Charcoal on Cloud = 10.2:1. Slate on Cloud = 4.8:1. Ash on Cloud = 2.8:1 (decorative only).

3. Typography

3.1 Font Stack

CSS Variable	Value	Purpose
--font-sans	Geist Sans, system-ui, sans-serif	UI text, headings, body, descriptions, navigation. Primary font for all interface elements.
--font-mono	JetBrains Mono, Consolas, monospace	Data values, commit hashes, tech stack tags, timestamps, saved prompts, code blocks.

3.2 Loading

Both fonts are loaded via next/font for automatic optimization, self-hosting, and zero layout shift. No external font CDN requests.

```
import { GeistSans } from "geist/font/sans"; import { JetBrains_Mono } from "next/font/google";
```

3.3 Type Scale

Only two weights: 400 (regular) and 500 (medium). Never use 600 or 700 — they feel heavy against the calm palette.

Token / Element	Size / Weight	Where Used
Page title	24px / 500	Dashboard header, settings, page names
Section heading	18px / 500	Card headers, panel titles, group labels
Subheading	15px / 500	Project name in list, modal title
Body	14px / 400	Descriptions, paragraphs, form labels
Small	12px / 400	Timestamps, meta text, helper text
Caption	11px / 400	Fine print, legal, footer links
Data value (mono)	14px / 500	Commit hashes, stats, dates, counters
Badge/tag (mono)	11px / 500	Tech stack pills, status labels, branch names
Code block (mono)	13px / 400	Saved prompts, config, architecture notes

3.4 Line Heights

Context	Line height	Notes
Headings	1.25	Tight for visual hierarchy
Body text	1.6	Comfortable for reading paragraphs
Compact UI (lists)	1.4	Dense project rows, sidebar items
Monospace data	1.5	Readable code blocks and data values

3.5 Pairing Rules

- **Never mix weights on the same line.** A heading is 500. Body is 400. Don't bold individual words in body text (use Indigo color for emphasis instead).
- **Mono for data, sans for everything else.** If it came from a database, API, or git — it's mono. If a human wrote it or it's UI chrome — it's sans.
- **Color replaces weight for emphasis.** Instead of bolding a word in a sentence, color it Indigo 500. This keeps the visual weight consistent.
- **Uppercase for labels only.** Use uppercase + letter-spacing (0.04em) for small section labels and table headers. Never for body text or headings.
- **Sentence case everywhere.** Headings, buttons, navigation, badges — all sentence case. Never Title Case, never ALL CAPS (except the wordmark and uppercase labels).

4. Spacing & Layout

4.1 Base Unit

All spacing is a multiple of **4px**. Available steps: 4, 8, 12, 16, 20, 24, 32, 48, 64. No arbitrary values.

4.2 Density Rules (Compact Mode — Default)

Element	Value	Notes
Card padding	16px	All internal card padding
Card gap	12px	Space between adjacent cards
Row height (list)	40px	Project rows, task items, sidebar items
Row height (table)	36px	Data table rows
Sidebar width	240px	Expanded; collapses to 56px (icon only)
Top nav height	48px	Fixed header with breadcrumb
Input height	36px	All form inputs, selects, buttons
Button padding	8px 16px	Standard button; small: 6px 12px
Badge padding	2px 8px	Status and tech stack pills
Icon size	16px	Inline icons; 20px for navigation icons
Avatar size	28px	Small (sidebar); 40px medium; 80px profile
Border radius (sm)	4px	Badges, pills, small elements
Border radius (md)	8px	Cards, inputs, buttons, modals
Border radius (lg)	12px	Large cards, containers, profile cards
Border width	0.5px	All borders. 1px exception: focused inputs

4.3 Public Profile Override (Spacious Mode)

The public profile page (trackflow.dev/username) uses relaxed spacing to feel like a portfolio showcase, not a dashboard:

Element	Value	Notes
Content max-width	720px	Centered, narrower than dashboard
Section padding	32px	Between profile sections
Card padding	24px	Larger than default for breathing room
Line height (body)	1.7	More open for readability
Avatar size	96px	Large, prominent, rounded-full

4.4 Responsive Breakpoints

Breakpoint	Value	Behavior
Mobile	<640px	Single column, sidebar hidden, bottom nav
Tablet	640–1024px	Collapsed sidebar (56px icon), adapted grid
Desktop	1024–1440px	Full sidebar, 2-3 column grids
Wide	>1440px	Max content width 1280px, centered

4.5 Grid System

Dashboard uses a CSS Grid layout. No fixed column count — use auto-fit with min/max for responsive cards:

```
.project-grid { display: grid; grid-template-columns: repeat(auto-fill, minmax(320px, 1fr)); gap: 12px; }
```

Kanban columns use `flex: 1; min-width: 280px;` inside a horizontal scroll container.

5. Component Patterns

5.1 Cards

The primary container pattern. All content sits in cards. Three card variants:

Variant	Background	Application
Default card	background-primary + 0.5px border-tertiary	Project cards, detail panels, forms
Surface card	background-secondary + no border + radius-sm	Message cards, stat summaries, counters
Ghost card	transparent + dashed 0.5px border + radius-sm	Empty states, "add new project" CTA

5.2 Badges / Pills

Used for status indicators and tech stack tags. Always monospace font.

Type	Style	Examples
Status badge	Semantic bg + semantic fg + radius-sm	Deployed, In progress, Stale, Failed
Tech stack pill	Indigo 50 bg + Indigo 600 text + radius-sm	Next.js, TypeScript, PostgreSQL
Neutral pill	Fog bg + Slate text + radius-sm	Branch name, commit hash, date

5.3 Buttons

Variant	Style	Usage
Primary	Indigo 500 bg + white text + radius-md	Main CTA per page (max 1 per view)
Secondary	Transparent bg + 0.5px Stone border + radius-sm	Secondary actions, cancel, back
Ghost	Transparent bg + no border + Indigo 500 text + underline	Full-page actions, inline links, "show more"
Danger	Transparent bg + 0.5px Danger border + radius-sm	Delete, Degrade, destructive actions

Hover: Primary darkens to Indigo 600. Secondary gets Fog background. Ghost gets underline. All transitions: 150ms ease.

5.4 Inputs

- Height: 36px. Border: 0.5px Stone. Radius: 8px. Background: Cloud (light) / Surface (dark).
- Focus: 1px Indigo 500 border + 0 0 0 3px Indigo 50 ring. Transition: 150ms.
- Error: 1px Danger border + 0 0 0 3px Danger bg ring. Error text below in Danger color, 12px.
- Placeholder: Ash (#9C9C95) color, 14px regular weight. Never use placeholder as label.

5.5 Sidebar Navigation

- Width: 240px expanded, 56px collapsed. Background: Mist (light) / Surface (dark).
- Nav item: 36px height, 8px horizontal padding, 4px radius. Text: 14px regular, Slate color.
- Active item: Indigo 50 background, Indigo 500 text, 500 weight. Left border: 2px Indigo 500.
- Hover: Fog background. Transition: 120ms ease.
- Section headers: 11px uppercase, Ash color, 0.04em letter-spacing, 24px top margin.

5.6 Tables / Data Grids

- Header: 11px uppercase, Ash color, 0.04em tracking. Bottom border: 0.5px Stone.
- Row: 36px height, 0.5px Stone bottom border. Hover: Fog background.
- Alternating row colors: do not use. Rely on borders for separation (cleaner).
- Sortable columns: Ash icon arrow. Active sort: Charcoal icon, column header gets 500 weight.

5.7 Modals / Dialogs

- Overlay: #1C1C19 at 40% opacity. Backdrop-blur: 4px.
- Modal: background-primary, radius-lg (12px), padding 24px, max-width 480px, centered.
- Entry animation: fade in 200ms + translateY(-8px to 0). Exit: fade out 150ms.
- Close: ghost button with X icon, top-right, 8px from edges.

6. Icons & Visual Language

6.1 Icon Set

Lucide React (lucide.dev) — the only icon set. Consistent stroke style (1.5px), tree-shakeable, already bundled with shadcn/ui.

- Size: 16px (inline), 20px (navigation/action), 24px (empty state illustrations).
- Color: `currentColor` always. Icons inherit text color from their container.
- Never use emoji as icons in the product UI. Emoji may appear in user-generated content only.
- Never use filled icons. All Lucide icons are stroke-only by default — keep it that way.

6.2 Illustrations

TrackFlow does not use illustrations in the product. Empty states use:

- A 24px Lucide icon in Ash color, centered.
- A short heading (15px, Charcoal) below the icon.
- A description line (13px, Slate) and a ghost button ("Add your first project").

No decorative SVG illustrations, no mascots, no abstract shapes. The product is the visual.

6.3 Motion / Animation

Motion is functional, not decorative. Every animation must earn its frame budget.

Animation	Duration / Easing	Where
Hover state	120ms ease	All interactive elements
Focus ring	150ms ease	Input focus, button focus
Page transition	200ms ease-out	Route changes (Framer Motion)
Modal enter	200ms ease-out	Scale 0.98→1 + fade in
Modal exit	150ms ease-in	Fade out only (no scale)
Kanban drag	spring(300, 30)	Framer Motion drag gesture
Skeleton pulse	1.5s ease-in-out infinite	Loading placeholder shimmer
Toast enter	300ms ease-out	Slide in from top-right
Toast exit	200ms ease-in	Slide out + fade

Never animate: color changes on non-interactive elements, layout shifts, border radius changes. Respect `prefers-reduced-motion`.

7. Public Profile & Social Cards

7.1 Open Graph Image (OG)

Generated dynamically via `next/og` (Satori). Each user profile gets a unique OG image at 1200x630px.

Layout:

- Background: Cloud (#FAF8F8). No gradients, no patterns.
 - Left side: Avatar (80px, rounded-full) + name (24px, Ink) + @username (16px, Slate).
 - Right side: Project count + tech stack pills (top 5) + shipping streak.
 - Bottom: TRACKFLOW wordmark (14px mono) + "trackflow.dev/username" in Slate.
 - Dark mode OG variant: Base (#111111) background with light text. Same layout.
-

7.2 Public Profile Page (trackflow.dev/username)

This is the viral feature. It must be beautiful, fast, and shareable. Uses spacious mode spacing.

Sections (top to bottom):

- **Header:** Avatar + name + bio + GitHub link + tech stack pills.
 - **Activity heatmap:** GitHub-style contribution grid but for TrackFlow (commits, deploys, milestones across all projects). 52 weeks, 7 rows. Colors: Cloud (0 activity), Indigo 50 (low), Indigo 100 (medium), Indigo 500 (high).
 - **Shipped projects:** Grid of project cards. Each shows: name, description, tech stack pills, status badge, last activity (mono), deploy URL. Clickable → project detail.
 - **Shipping streak:** Current streak in days. Large mono number + small label. Subtle celebration at milestones (7, 30, 100 days).
-

7.3 Client Share Page (trackflow.dev/share/[token])

A read-only view of a single project for client visibility. No login required.

- Shows: project name, status, milestones (completed/total), recent updates.
- Does NOT show: other projects, internal notes, saved prompts, cost data.
- Branded with a subtle "Powered by TrackFlow" footer link (Ash color, 11px).

8. CSS Token Reference

Complete variable export. Copy directly into `globals.css`. All tokens use CSS custom properties for instant theme switching.

8.1 Light Mode Tokens

```
@layer base {
  :root {
    /* Neutrals */
    --background: 250 250 248; /* #FAFAF8 Cloud */
    --surface: 244 244 241; /* #F4F4F1 Mist */
    --surface-hover: 234 234 230; /* #EAEAE6 Fog */
    --border: 212 212 206; /* #D4D4CE Stone */
    --text-primary: 28 28 25; /* #1C1C19 Ink */
    --text-secondary: 107 107 100; /* #6B6B64 Slate */
    --text-tertiary: 156 156 149; /* #9C9C95 Ash */
    --text-body: 61 61 56; /* #3D3D38 Charcoal */

    /* Accent */
    --accent: 99 102 160; /* #6366A0 Indigo 500 */
    --accent-hover: 75 78 132; /* #4B4E84 Indigo 600 */
    --accent-light: 238 238 246; /* #EEEEF6 Indigo 50 */
    --accent-muted: 199 199 226; /* #C7C7E2 Indigo 100 */

    /* Semantic */
    --success: 61 139 110; /* #3D8B6E */
    --success-bg: 235 243 238; /* #EBF3EE */
    --warning: 196 149 106; /* #C4956A */
    --warning-bg: 251 243 235; /* #FBF3EB */
    --danger: 194 106 106; /* #C26A6A */
    --danger-bg: 251 237 237; /* #FBEDED */
    --info: 91 140 168; /* #5B8CA8 */
    --info-bg: 235 242 247; /* #EBF2F7 */

    /* Layout */
    --radius-sm: 4px;
    --radius-md: 8px;
    --radius-lg: 12px;
    --sidebar-width: 240px;
    --sidebar-collapsed: 56px;
    --nav-height: 48px;
    --input-height: 36px;
  }
}
```



```
--row-height: 40px;

}

}
```

8.2 Dark Mode Tokens

```
.dark {

--background: 17 17 16; /* #111110 Base */
--surface: 26 26 24; /* #1A1A18 Surface */
--surface-hover: 36 36 34; /* #242422 Elevated */
--border: 46 46 43; /* #2E2E2B */
--text-primary: 224 224 220; /* #E0E0DC */
--text-secondary: 138 138 132; /* #8A8A84 */
--text-tertiary: 90 90 85; /* #5A5A55 */
--text-body: 192 192 186; /* #C0C0BA */

--accent: 123 123 208; /* #7B7BD0 */
--accent-hover: 148 148 218; /* #9494DA */
--accent-light: 34 34 58; /* #22223A */
--accent-muted: 58 58 90; /* #3A3A5A */

--success: 93 191 142; /* #5DBF8E */
--success-bg: 26 46 36; /* #1A2E24 */
--warning: 212 168 122; /* #D4A87A */
--warning-bg: 46 36 24; /* #2E2418 */
--danger: 212 138 138; /* #D48A8A */
--danger-bg: 46 26 26; /* #2E1A1A */
--info: 123 174 200; /* #7BAEC8 */
--info-bg: 26 36 48; /* #1A2430 */

}
```

8.3 Tailwind Config Extension

```
// tailwind.config.ts

theme: {
  extend: {
    fontFamily: {
      sans: ['var(--font-geist-sans)', 'system-ui', 'sans-serif'],
      mono: ['var(--font-jetbrains)', 'Consolas', 'monospace'],
    },
    colors: {
      cloud: '#FAFAF8',

```

```
mist: '#F4F4F1',
fog: '#EAEAE6',
stone: '#D4D4CE',
ash: '#9C9C95',
slate: '#6B6B64',
charcoal: '#3D3D38',
ink: '#1C1C19',
indigo: {
  50: '#EEEEF6',
  100: '#C7C7E2',
  300: '#8E8EC5',
  500: '#6366A0',
  600: '#4B4E84',
  800: '#353764',
},
},
borderRadius: {
  sm: '4px',
  md: '8px',
  lg: '12px',
},
},
},
```

TRACKFLOW

This document is the single source of truth for TrackFlow's visual identity. Every component, every color, every spacing value should reference this guide.

When in doubt, choose the quieter option.

When something feels off, it probably has too much color.

When the UI disappears and only the content remains — you got it right.

Ship more. Track everything. Show your work.