

Operator Related Problems

(Total 10 questions)

| SL | Problem statement | Difficulty levels | | | | | | |
|----|--|-------------------|--|---------------|---------------|--|-------------|--|
| 1. | Program that will take two numbers X and Y as inputs, then calculate and print the values of their addition, subtraction, multiplication, division (quotient and remainder). | * | | | | | | |
| | <table><tr><th>Sample input (X,Y)</th><th>Sample output</th></tr><tr><td>5 10</td><td>Addition: 15 Subtraction: -5 Multiplication: 50 Quotient : 0 Reminder: 5</td></tr><tr><td>-5 10.5</td><td>Addition: 5.5 Subtraction: -15.5 Multiplication: -52.5 Quotient: 0 Reminder: -48</td></tr></table> | | Sample input (X,Y) | Sample output | 5 10 | Addition: 15 Subtraction: -5 Multiplication: 50 Quotient : 0 Reminder: 5 | -5 10.5 | Addition: 5.5 Subtraction: -15.5 Multiplication: -52.5 Quotient: 0 Reminder: -48 |
| | Sample input (X,Y) | | Sample output | | | | | |
| | 5 10 | | Addition: 15 Subtraction: -5 Multiplication: 50 Quotient : 0 Reminder: 5 | | | | | |
| | -5 10.5 | | Addition: 5.5 Subtraction: -15.5 Multiplication: -52.5 Quotient: 0 Reminder: -48 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 2. | Program that will calculate the circumference of a circle having radius r . <div>Area, $A = 2 * \pi * r$</div> | * | | | | | | |
| | <table><tr><th>Sample input (r)</th><th>Sample output</th></tr><tr><td>5</td><td>Area: 31.4</td></tr><tr><td>10.5</td><td>Area: 65.94</td></tr></table> | | Sample input (r) | Sample output | 5 | Area: 31.4 | 10.5 | Area: 65.94 |
| | Sample input (r) | | Sample output | | | | | |
| | 5 | | Area: 31.4 | | | | | |
| | 10.5 | | Area: 65.94 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 3. | Program that will take two numbers (a, b) as inputs and compute the value of the equation – (Without using math.h) <div>$X = (3.31 * a^2 + 2.01 * b^3) / (7.16 * b^2 + 2.01 * a^3)$</div> | * | | | | | | |
| | <table><tr><th>Sample input (a, b)</th><th>Sample output</th></tr><tr><td>5 10.5</td><td>X = 2.315475</td></tr><tr><td>100 -250</td><td>X = -12.766287</td></tr></table> | | Sample input (a, b) | Sample output | 5 10.5 | X = 2.315475 | 100 -250 | X = -12.766287 |
| | Sample input (a, b) | | Sample output | | | | | |
| | 5 10.5 | | X = 2.315475 | | | | | |
| | 100 -250 | | X = -12.766287 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| 4. | Program that will increment and decrement a number X by 1 inside the <i>printf</i> function. (Use ++ and - - operators) | ** | | | | | | |
|--|---|----|-------------------|---------------|--------------|---|---------|---|
| <table><tr><th>Sample input(X)</th><th>Sample output</th></tr><tr><td>5</td><td>X++ : 5 ++X : 6 X- - : 5 --X : 4</td></tr><tr><td>-5</td><td>X++ : -5 ++X : -4 X- - : -5 --X : -6</td></tr></table> | | | Sample input(X) | Sample output | 5 | X++ : 5 ++X : 6 X- - : 5 --X : 4 | -5 | X++ : -5 ++X : -4 X- - : -5 --X : -6 |
| Sample input(X) | Sample output | | | | | | | |
| 5 | X++ : 5 ++X : 6 X- - : 5 --X : 4 | | | | | | | |
| -5 | X++ : -5 ++X : -4 X- - : -5 --X : -6 | | | | | | | |
| 5. | Program that will increment and decrement a number X by Y . (Use += and -= operators) | * | | | | | | |
| <table><tr><th>Sample input(X,Y)</th><th>Sample output</th></tr><tr><td>5 10</td><td>Incremented Value: 10 Decrement Value: -5</td></tr><tr><td>-5 5</td><td>Incremented Value: 0 Decrement Value: -10</td></tr></table> | | | Sample input(X,Y) | Sample output | 5 10 | Incremented Value: 10 Decrement Value: -5 | -5 5 | Incremented Value: 0 Decrement Value: -10 |
| Sample input(X,Y) | Sample output | | | | | | | |
| 5 10 | Incremented Value: 10 Decrement Value: -5 | | | | | | | |
| -5 5 | Incremented Value: 0 Decrement Value: -10 | | | | | | | |
| 6. | Program that will multiply and divide a number X by Y . (Use *= and /= operators) | * | | | | | | |
| <table><tr><th>Sample input(X,Y)</th><th>Sample output</th></tr><tr><td>56 10</td><td>Multiplication: 560 Division: 5</td></tr><tr><td>-56 -10</td><td>Multiplication: 560 Division: 5</td></tr></table> | | | Sample input(X,Y) | Sample output | 56 10 | Multiplication: 560 Division: 5 | -56 -10 | Multiplication: 560 Division: 5 |
| Sample input(X,Y) | Sample output | | | | | | | |
| 56 10 | Multiplication: 560 Division: 5 | | | | | | | |
| -56 -10 | Multiplication: 560 Division: 5 | | | | | | | |
| 7. | Program that will declare and initialize an integer and a floating point number. Then it will perform floating to integer and integer to floating conversions using (a) Assignment operation (b) Type casting | ** | | | | | | |
| <table><tr><th>Sample input</th><th>Sample output</th></tr><tr><td>-150 123.125</td><td>Assignment: 123.125000 assigned to an int produces 123 Assignment: -150 assigned to a float produces -150.000000 Type Casting: (float) -150 produces -150.000000 Type Casting: (int) 123.125 produces -123</td></tr></table> | | | Sample input | Sample output | -150 123.125 | Assignment: 123.125000 assigned to an int produces 123 Assignment: -150 assigned to a float produces -150.000000 Type Casting: (float) -150 produces -150.000000 Type Casting: (int) 123.125 produces -123 | | |
| Sample input | Sample output | | | | | | | |
| -150 123.125 | Assignment: 123.125000 assigned to an int produces 123 Assignment: -150 assigned to a float produces -150.000000 Type Casting: (float) -150 produces -150.000000 Type Casting: (int) 123.125 produces -123 | | | | | | | |

| 8. | <p>Program that will take two numbers as inputs and print the maximum value. (Using conditional operator - ?)</p> <table><tr><th>Sample input (x, y)</th><th>Sample output</th></tr><tr><td>20 100</td><td>Max: 100</td></tr><tr><td>50 -20</td><td>Max: 50</td></tr></table> | Sample input (x, y) | Sample output | 20 100 | Max: 100 | 50 -20 | Max: 50 | ** |
|------------------------|--|------------------------|---------------|----------|---------------------------|--------|---------|----|
| Sample input (x, y) | Sample output | | | | | | | |
| 20 100 | Max: 100 | | | | | | | |
| 50 -20 | Max: 50 | | | | | | | |
| 9. | <p>Program that will evaluate the following equations -</p> $X = a - b / 3 + c * 2 - 1$ $Y = a - (b / (3 + c) * 2) - 1$ $Z = a - ((b / 3) + c * 2) - 1$ <table><tr><th>Sample input (a, b, c)</th><th>Sample output</th></tr><tr><td>9 12 3</td><td>X = 10 Y = 4 Z = -1</td></tr></table> | Sample input (a, b, c) | Sample output | 9 12 3 | X = 10 Y = 4 Z = -1 | * | | |
| Sample input (a, b, c) | Sample output | | | | | | | |
| 9 12 3 | X = 10 Y = 4 Z = -1 | | | | | | | |
| 10. | <p>Program that will take a, b & c as inputs and decide if the statements are True (1) of False (0)</p> <p>a) $(a + b) \leq 80$ b) $!(a + c)$ c) $a! = 0$</p> <table><tr><th>Sample input (a, b, c)</th><th>Sample output</th></tr><tr><td>10 -10 0</td><td>a) 1 b) 0 c) 1</td></tr></table> | Sample input (a, b, c) | Sample output | 10 -10 0 | a) 1 b) 0 c) 1 | ** | | |
| Sample input (a, b, c) | Sample output | | | | | | | |
| 10 -10 0 | a) 1 b) 0 c) 1 | | | | | | | |