Dokumentacija prvog sajta Web Programiranje PHP-2

Student: Milos Simic 113/13

Smer: IT

1. Uvod


1.1 Korisceni programski jezici:


U izradi sajta korišdeni su HTML, CSS, JavaScript, Jquery, PHP, Ajax, kao i HTML5, CSS3. Sajt je rađen u programu: Notepad++, dok su slike obrađivane u programimu Adobe Photoshop.

1.2 Opis funkcionalnosti:

Na pocetnoj strani u header-u i footer-u se nalazi dinamicki meni, na archive strani se nalazi sortiranje putem Ajax-a, prilikom logovanja korisnika (autorizovani korisnik) prikazuje se stranica gallery koja ima dinamicki prikaz slika, prilikom logovanja korisnika (za admin stranu: username: admin, password: admin) dobija se kompletan admin panel koji sadrzi sledece funkcionalnosti : insert, update i delete svih dinamickih stavki na sajtu kao i paginacija(stranicenje) istih u admin panelu.

1.3 Template:





The 10 Best Pubs in The Lake District, Cumbria	By January 23. Sp 4 Boil The Kettle And Make A Cup Of Tea Folks, This Is Going To Be A Big One!	Harrogate's Top 10 independent Eats huseaday, Cottabur 3, 2007
		Sudget in Oxford Tuestiday, October 1, 2007 Cooking Book
By December 12, 17 (2) 44 Darks 2007 83 12	By December 1 0 0 4	Buy Book Online Nawl
Tasty Schlutzkrapfen (Spinach- Filled Ravioli)	Where To Get The Best Sunday Roast in The Cotswolds	
	By Hovember 27, ♥ ♥ ★ Models 2017 10 12	Newsletter
	Bristol's 10 Amazing Weekend Brunches And Late Breakfasts fluamed tempor incididunt ut lobare of abdore imagina alliquia til terim ad minimi veriami, quie rostrud exprohation Continue heading.	Subacribe our newalatter gor get notification about new updates, information discount, etc. Your ermail
	By Bootensteer 18. © C 4 Bogdon 2017 to 12 The 10 Best Brunch Spots In Newcastle, England	
	fluamed temper incididunt ut labore et dotors magne alique. Itt enim ad minim veniam, quis nostrud exercitation Continue treating.	
	By August 15. 0 0 4 Namorée 2007 50 12	
	The 10 Best Bars By The Seaside In Blackpool, UK livermed temper incididant ut babare at the temper adjust by terminal minim yeniam gais notiful assentation.	
	Continue Reading.	
	nyriip anyii 200 Oto Oto 4 How To Get A Narcissist To Feel Empathy	
	finamed tempor incididunt ut labore at dotore magna afiqua. Ut enim ad minim veniom, quia nostrud exercitorion	

Continue Peacing.



- [] header
- [] nav (in header and footer)
- [] center
- [] footer

Template kod:

```
<?php
     session_start();
     include('konekcija.inc');
?>
<!DOCTYPE html>
<html lang="en">
<?php
     include('include/header.php');
     include('logReg.php');
?>
<body>
  <!-- Preloader Start -->
  <div id="preloader">
    <div class="yummy-load"></div>
  </div>
  <!-- ***** Top Header Area Start ***** -->
  <div class="top_header_area">
    <div class="container">
```

```
<div class="row">
        <div class="col-5 col-sm-6">
          <!-- Top Social bar start -->
          <div class="top social bar">
                  href="#"><i class="fa fa-facebook"
                                                               aria-
            <a
hidden="true"></i></a>
                   href="#"><i class="fa
                                                fa-twitter"
            <a
                                                               aria-
hidden="true"></i></a>
                   href="#"><i
                                  class="fa
                                               fa-linkedin"
            <a
                                                               aria-
hidden="true"></i></a>
                                                fa-skype"
                   href="#"><i class="fa
            <a
                                                               aria-
hidden="true"></i></a>
                  href="#"><i
                                  class="fa fa-dribbble"
            <a
                                                               aria-
hidden="true"></i></a>
          </div>
        </div>
        <!-- Login Register Area -->
                    <?php
                         include('include/logRegOut.php');
                         if(count($greske) != 0)
                         {
                              foreach($greske as $g)
                               {
```

```
echo"<div class='alert
                                                               alert-
danger'>".$g."</div>";
                               }
                          }
                     ?>
      </div>
    </div>
  </div>
  <!-- ***** Top Header Area End ***** -->
  <!-- ***** Header Area Start ***** -->
  <header class="header_area">
    <div class="container">
      <div class="row">
        <!-- Logo Area Start -->
        <div class="col-12">
          <div class="logo_area text-center">
                   href="index.php" class="yummy-logo">Yummy
            <a
Blog</a>
          </div>
        </div>
      </div>
```

```
<div class="row">
        <div class="col-12">
          <nav class="navbar navbar-expand-lg">
                     class="navbar-toggler" type="button"
            <but
                                                             data-
toggle="collapse"
                        data-target="#yummyfood-nav"
                                                              aria-
controls="yummyfood-nav" aria-expanded="false" aria-label="Toggle
navigation"><i
                  class="fa
                               fa-bars"
                                           aria-hidden="true"></i>
Menu</button>
            <!-- Menu Area Start -->
            <div class="collapse navbar-collapse justify-content-
center" id="yummyfood-nav">
                                   <?php
include('include/navigacija.php'); ?>
            </div>
          </nav>
        </div>
      </div>
    </div>
  </header>
  <!-- ***** Header Area End ***** -->
     <?php include("include/comments.php");?>
  <!-- ***** Categories Area Start ***** -->
```

```
<section class="categories area clearfix" id="about">
    <div class="container">
                <?php include('include/forme.php'); ?>
      <div class="row">
        <div class="col-12 col-md-6 col-lg-4">
          <div class="single_catagory wow fadeInUp" data-wow-
delay=".3s">
            <img src="img/catagory-img/1.jpg" alt="">
            <div class="catagory-title">
              <a href="#">
                 <h5>Food</h5>
              </a>
            </div>
                          </div>
                     </div>
        <div class="col-12 col-md-6 col-lg-4">
          <div class="single_catagory wow fadeInUp" data-wow-
delay=".6s">
            <img src="img/catagory-img/2.jpg" alt="">
            <div class="catagory-title">
               <a href="#">
                 <h5>Cooking</h5>
               </a>
```

```
</div>
          </div>
        </div>
        <div class="col-12 col-md-6 col-lg-4">
          <div class="single_catagory wow fadeInUp" data-wow-</pre>
delay=".9s">
            <img src="img/catagory-img/3.jpg" alt="">
             <div class="catagory-title">
               <a href="#">
                 <h5>Life Style</h5>
               </a>
            </div>
          </div>
        </div>
                </div>
    </div>
  </section>
  <!-- ***** Categories Area End ***** -->
  <!-- ***** Blog Area Start ***** -->
  <section class="blog_area section_padding_0_80">
    <div class="container">
```

```
<div class="row justify-content-center">
        <div class="col-12 col-lg-8">
           <div class="row">
                                 <?php
                                       $upit_post = "SELECT * FROM
postovi ORDER BY datum DESC LIMIT 9;";
                                       $rez_post = mysqli_query($conn,
$upit_post);
                                       rb = 0;
                                       while($p
                                                                       =
mysqli_fetch_array($rez_post))
                                       {
                                            if($rb == 0)
                                            {
                                                 include('post1.php');
                                            }
                                            if($rb > 0 \&\& $rb < 5)
                                            {
                                                  include('post2.php');
                                            }
                                            if($rb > 4 \&\& $rb < 9)
                                            {
                                                  include('post3.php');
```

```
}
                                        $rb++;
                              ?>
        </div>
      </div>
      <!-- ***** Blog Sidebar ***** -->
      <?php include("include/sidebar.php");?>
    </div>
  </div>
</section>
<!-- ***** Blog Area End ***** -->
<?php include('include/instagram.php'); ?>
<!-- ***** Footer Menu Area Start ***** -->
<footer class="footer_area">
  <div class="container">
    <div class="row">
      <div class="col-12">
        <div class="footer-content">
```

```
<!-- Logo Area Start -->
            <div class="footer-logo-area text-center">
                    href="index.php" class="yummy-logo">Yummy
              <a
Blog</a>
            </div>
            <!-- Menu Area Start -->
            <nav class="navbar navbar-expand-lg">
              <button class="navbar-toggler" type="button"</pre>
                                                               data-
toggle="collapse"
                     data-target="#yummyfood-footer-nav"
                                                                aria-
controls="yummyfood-footer-nav" aria-expanded="false"
                                                                aria-
label="Toggle navigation"><i class="fa fa-bars" aria-hidden="true"></i>
Menu</button>
              <!-- Menu Area Start -->
              <div class="collapse navbar-collapse justify-content-
center" id="yummyfood-footer-nav">
                 <?php include('include/navigacija.php'); ?>
              </div>
            </nav>
          </div>
        </div>
      </div>
    </div>
    <?php include('include/copyright.php'); ?>
  </footer>
```

```
<!-- ***** Footer Menu Area End ***** -->
  <!-- Jquery-2.2.4 js -->
  <script src="js/jquery/jquery-2.2.4.min.js"></script>
  <!-- Popper js -->
  <script src="js/bootstrap/popper.min.js"></script>
  <!-- Bootstrap-4 js -->
  <script src="js/bootstrap/bootstrap.min.js"></script>
  <!-- All Plugins JS -->
  <script src="js/others/plugins.js"></script>
  <!-- Active JS -->
  <script src="js/active.js"></script>
     <script src="js/provera.js"></script>
</body>
<?php mysqli_close($conn); ?>
```

1.4 CSS kod koji je isao uz template:

```
- bootstrap.min.css
- animate.css
- font-awesome.min.css
- magnific-popup.css
- meanmenu.min.css
- owl.carousel.min.css
- pe-icon-7-stroke.css
- responsive.css
- style.css
Ostali CSS kod:
@import url(http://fonts.googleapis.com/css?family=Roboto);
/***** LOGIN MODAL *****/
.loginmodal-container {
 padding: 30px;
 max-width: 350px;
 width: 100% !important;
 background-color: #F7F7F7;
 margin: 0 auto;
 border-radius: 2px;
 box-shadow: 0px 2px 2px rgba(0, 0, 0, 0.3);
 overflow: hidden;
 font-family: roboto;
}
.loginmodal-container h1 {
text-align: center;
 font-size: 1.8em;
 font-family: roboto;
```

```
.loginmodal-container input[type=submit] {
 width: 100%;
 display: block;
 margin-bottom: 10px;
 position: relative;
.loginmodal-container input[type=text], input[type=password], input[type=email] {
 height: 44px;
 font-size: 16px;
 width: 100%;
 margin-bottom: 10px;
 -webkit-appearance: none;
 background: #fff;
 border: 1px solid #d9d9d9;
 border-top: 1px solid #c0c0c0;
 /* border-radius: 2px; */
 padding: 0 8px;
 box-sizing: border-box;
 -moz-box-sizing: border-box;
}
.loginmodal-container
                         input[type=text]:hover,
                                                     input[type=password]:hover,
input[type=email]:hover {
 border: 1px solid #b9b9b9;
 border-top: 1px solid #a0a0a0;
 -moz-box-shadow: inset 0 1px 2px rgba(0,0,0,0.1);
 -webkit-box-shadow: inset 0 1px 2px rgba(0,0,0,0.1);
 box-shadow: inset 0 1px 2px rgba(0,0,0,0.1);
.loginmodal {
 text-align: center;
 font-size: 14px;
 font-family: 'Arial', sans-serif;
 font-weight: 700;
```

```
height: 36px;
 padding: 0 8px;
/* border-radius: 3px; */
/* -webkit-user-select: none;
 user-select: none; */
}
.loginmodal-submit {
 /* border: 1px solid #3079ed; */
 border: 0px;
 color: #fff;
 text-shadow: 0 1px rgba(0,0,0,0.1);
 background-color: #4d90fe;
 padding: 17px 0px;
 font-family: roboto;
 font-size: 14px;
 /* background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#4d90fe),
to(#4787ed)); */
}
.loginmodal-submit:hover {
/* border: 1px solid #2f5bb7; */
 border: 0px;
 text-shadow: 0 1px rgba(0,0,0,0.3);
 background-color: #357ae8;
 /* background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#4d90fe),
to(#357ae8)); */
.loginmodal-container a {
 text-decoration: none;
 color: #666;
 font-weight: 400;
 text-align: center;
 display: inline-block;
 opacity: 0.6;
 transition: opacity ease 0.5s;
```

```
#dropdown
      margin-left: 7.8%;
  margin-top: 1%;
.table-bordered
      width: 70% !important;
      margin: 0 auto;
.table-striped
      width: 50% !important;
      margin: 0 auto;
}
.wrapper-paging {
      display: none;
      margin-left: 300px;
      padding-bottom: 60px;
}
.wrapper-paging ul,
.wrapper-paging li {
      float: left;
      margin: 0;
      padding: 0;
}
.wrapper-paging ul {
      float: left;
      list-style-type: none;
      text-align: left;
}
```


```
.wrapper-paging a {
      border: 2px solid black;
      border-radius: 3px;
      -moz-border-radius: 3px;
      -webkit-border-radius: 3px;
      display: inline-block;
      color: black;
      cursor: pointer;
      margin-right: 3px;
      padding: 3px 7px;
      text-decoration: none;
}
.wrapper-paging .paging-this {
      cursor: default;
      padding: 3px 0;
}
.wrapper-paging a:hover {
      background-color: #007bff;
      color: black;
}
.wrapper-paging .paging-back,
.wrapper-paging .paging-next {
      border-color: black;
}
.wrapper-paging .paging-this:hover {
      background-color: #007bff;
      color: black;
}
.wrapper-paging .paging-this b {
      font-weight: normal;
}
```

```
.wrapper-paging .paging-disabled,
.wrapper-paging .paging-disabled:hover {
      background-color: #007bff;
      border-color: black;
      color: black;
      cursor: default;
}
.wrapper-panel {
      clear: both;
      padding-top: 10px;
      margin-left:300px;
}
.aTag
      text-align: center;
  display: block;
      font-size: 25px;
.listAdmin
      margin: 20px;
.listAdmin ul
      text-align: center;
.listAdmin ul li
      display: inline-block;
      margin-left: 30px;
.listAdmin h2
      color: #007bff !important;
```

```
div.gallery {
  margin: 5px;
  border: 1px solid #ccc;
  float: left;
  width: 300px;
}
div.gallery:hover {
  border: 1px solid #777;
}
div.gallery img {
  width: 100%;
  height: auto;
}
div.desc {
  padding: 15px;
  text-align: center;
#cleaner
      clear: both;
#galerija
      margin-left: 50px;
      margin-top: 20px;
}
```

2. Organizacija

2.1 Organizaciona sema:



2.2 Mapa sajta:


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
   xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
   xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
      http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<!-- created with Free Online Sitemap Generator www.xml-sitemaps.com -->
<url>
 <loc>https://yummyblog.000webhostapp.com/</loc>
 <lastmod>2018-02-15T14:27:53+00:00</lastmod>
<priority>1.00</priority>
</url>
<url>
 <loc>https://yummyblog.000webhostapp.com/index.php</loc>
 <lastmod>2018-02-15T14:27:53+00:00</lastmod>
<priority>0.80</priority>
</url>
<url>
 <loc>https://yummyblog.000webhostapp.com/archive.php</loc>
 <lastmod>2018-02-15T14:27:53+00:00</lastmod>
```

```
<priority>0.80</priority>
</url>
<url>
<loc>https://yummyblog.000webhostapp.com/contact.php</loc>
<lastmod>2018-02-15T14:27:53+00:00</lastmod>
<priority>0.80</priority>
</url>
<url>
<loc>https://yummyblog.000webhostapp.com/aboutme.php</loc>
<lastmod>2018-02-15T14:27:53+00:00</lastmod>
<priority>0.80</priority>
</url>
</url>
</url>
</url>
<url>
<ur
```


2.3 Slike stranica i opisi funkcionalnosti:

-archive.php


Sortiranje dinamicki prikazanih postova preko Ajax-a



-contact.php Mail() funkcija




-gallery.php Dinamicki prikaz slika (galerija)



-admin.php

Admin strana sa prikazom svih dinamickih stvari sa sajtu koje mogu da se menjaju, brisu i unose. Nad svim tabelama u admin panelu postoji i stranicenje putem Ajaxa.



3. Kodovi

Logovanje i registracija:

```
<?php
     if(isset($ REQUEST['btnLogin']))
     {
          $user = trim($_REQUEST['user']);
          $pass = md5(trim($_REQUEST['pass']));
          $upit = "SELECT * FROM korisnici k INNER JOIN uloge u ON
k.id uloga = u.id uloga
                     WHERE korisnicko ime = '$user' AND lozinka =
'$pass'";
          $rez = mysqli_query($conn, $upit);
          if(mysqli_num_rows($rez) == 0)
          {
                $greske[] = "Greska pri logovanju";
          }
          else
```

```
$r = mysqli fetch array($rez);
                $ SESSION['idU'] = $r['id uloga'];
                $ SESSION['uloga'] = $r['naziv'];
                $ SESSION['korlme'] = $r['korisnicko ime'];
          }
     }
     if(isset($ REQUEST['btnRegister']))
     {
          $user = $ REQUEST['username'];
          $fName = $ REQUEST['first name'];
          $IName = $ REQUEST['last name'];
          $email = $ REQUEST['email'];
          $pass = md5($ REQUEST['pass']);
          $coPass = md5($ REQUEST['rePass']);
          r = "/^[\w\d\s]{2,20}$/";
          r= "/^[A-z]{3,20}$/";
          r = "/^[A-z]{4,25}$/";
          reEmail = "/^([a-zA-Z0-9 \-\.]+)@([a-zA-Z0-9 \-\.]+)\.([a-zA-Z0-9 \-\.]+)
Z]{2,5})$/";
          rePass = "/^[\w\d\s]{3,15}$/";
```

```
if(!preg_match($reUser, $user))
{
     $greske[] = "Korisnicko ime nije validno";
}
if(!preg_match($refName, $fName))
{
     $greske[] = "Ime nije validno";
}
if(!preg_match($relName, $IName))
{
     $greske[] = "Prezime nije validno";
}
if(!preg_match($reEmail, $email))
{
     $greske[] = "E-mail nije validan";
}
if(!preg match($rePass, $ REQUEST['pass']))
{
     $greske[] = "Lozinka nije validna";
}
if($pass != $coPass)
```

```
{
                $greske[] = "Lozinke nisu iste";
           }
          if(count($greske) == 0)
          {
                $upit user = "SELECT * FROM korisnici WHERE
korisnicko ime = '$user';";
                $query = mysqli_query($conn, $upit_user);
                if(mysqli_num_rows($query)!=0)
                {
                     $greske[] = "Mora biti jedinstven username";
                }
                else
                {
                     $upit_upis = "INSERT INTO korisnici VALUES(",
'$user', '$fName', '$lName', '$email', '$pass', 2)";
                     $rez = mysqli_query($conn, $upit_upis);
                     if($rez)
                     {
                           header('Location: index.php');
                     }
                }
          }
```

```
}
?>
```

Provera na klijentskoj strani:

```
function proveraUsername()
{
     var username = document.getElementById('tbUsername').value;
     var regUsername = /^[\w\d\s]{2,20}$/;
     if(!regUsername.test(username))
     {
          document.getElementById('tbUsername').style.color = 'red';
     }
     else
     {
          document.getElementById('tbUsername').style.border = '2px
solid green';
          document.getElementById('tbUsername').style.color
                                                                    =
'black';
     }
}
```

```
function proveraFirstName()
{
     var fName = document.getElementById('tbFirstName').value;
     var regFName = /^[A-z]{3,20}$/;
     if(!regFName.test(fName))
     {
          document.getElementById('tbFirstName').style.color = 'red';
     }
     else
     {
          document.getElementById('tbFirstName').style.border = '2px
solid green';
          document.getElementById('tbFirstName').style.color
                                                                     =
'black';
     }
}
function proveraLastName()
{
     var lName = document.getElementById('tbLastName').value;
     var regLName = /^[A-z]{4,25}$/;
     if(!regLName.test(IName))
```

```
{
           document.getElementById('tbLastName').style.color = 'red';
     }
     else
     {
           document.getElementById('tbLastName').style.border = '2px
solid green';
           document.getElementById('tbLastName').style.color
                                                                        =
'black';
function proveraEmail()
     var email = document.getElementById('tbEmail').value;
     var regEmail = /^([a-zA-Z0-9_\-\.]+)@([a-zA-Z0-9_\-\.]+)\.([a-zA-Z0-9_\-\.]+)
Z]{2,5})$/;
     if(!regEmail.test(email))
     {
           document.getElementById('email').style.color = 'red';
     }
     else
     {
```

```
document.getElementById('email').style.border = '2px solid
green';
          document.getElementById('email').style.color = 'black';
     }
function proveraPassword()
     var password = document.getElementById('tbPassword').value;
     var regPassword = /^[\w\d\s]{3,25}$/;
     if(!regPassword.test(password))
     {
          document.getElementById('tbPassword').style.color = 'red';
     }
     else
     {
          document.getElementById('tbPassword').style.border = '2px
solid green';
          document.getElementById('tbPassword').style.color
'black';
     }
function proveraPassword2()
```

```
{
     var password = document.getElementById('tbPassword').value;
     var password2 = document.getElementById('tbPassword2').value;
     if(!password.match(password2))
     {
          document.getElementById('tbPassword2').style.color = 'red';
     }
     else
     {
          document.getElementById('tbPassword2').style.border
                                                                  =
'2px solid green';
          document.getElementById('tbPassword2').style.color
                                                                  =
'black';
     }
}
Forme za logovanje i registraciju:
       class="modal
                        fade" id="login-modal"
                                                    tabindex="-1"
role="dialog" aria-labelledby="myModalLabel" aria-hidden="true"
style="display: none;">
```

<div class="modal-dialog">

```
<div class="loginmodal-container">
                              <h1>Login
                                                 to
                                                            Your
Account</h1><br>
                          <form method="post" action="<?php echo</pre>
$ SERVER['PHP SELF']; ?>">
                              <input type="text" name="user"</pre>
placeholder="Username">
                              <input
                                                type="password"
name="pass" placeholder="Password">
                              <input
                                                   type="submit"
name="btnLogin" class="login loginmodal-submit" value="Login">
                          </form>
                         </div>
                    </div>
               </div>
               <div class="modal fade" id="register-modal"</pre>
tabindex="-1" role="dialog" aria-labelledby="myModalLabel" aria-
hidden="true" style="display: none;">
                    <div class="modal-dialog">
                         <div class="loginmodal-container">
                              <h1>Register
                                                            your
Account</h1><br>
```

```
<form method="post" action="<?php echo</pre>
$ SERVER['PHP SELF'];?>">
                              <input type="text" id="tbUsername"</pre>
                                        placeholder="Username"
name="username"
onKeyUp="proveraUsername();"/>
                              <input type="text" id="tbFirstName"</pre>
name="first name"
                            placeholder="First
                                                          Name"
onKeyUp="proveraFirstName();"/>
                              <input type="text" id="tbLastName"</pre>
                            placeholder="Last
                                                          Name"
name="last name"
onKeyUp="proveraLastName();"/>
                              <input type="email" id="tbEmail"
                        placeholder="Email
                                                       Address"
name="email"
onKeyUp="proveraEmail();"/>
                              <input
                                                type="password"
id="tbPassword"
                      name="pass"
                                    placeholder="Password"
onKeyUp="proveraPassword();"/>
                              <input
                                                type="password"
id="tbPassword2" name="rePass" placeholder="Confirm password"
onKeyUp="proveraPassword2();"/>
                              <input
                                                   type="submit"
                          class="login
                                              loginmodal-submit"
name="btnRegister"
value="Register"/>
                          </form>
                         </div>
                    </div>
```



Dinamicki meni:

```
<?php
    if(isset($ SESSION['idU']))
    {
         $upit_nav = "SELECT * FROM navigacija;";
    }
    else
    {
         $upit_nav = "SELECT * FROM navigacija WHERE id_navigacija
NOT IN (4)";
    }
    $rez nav = mysqli query($conn, $upit nav);
    echo '';
    while($n = mysqli_fetch_array($rez_nav))
    {
         echo '
                                              class="nav-link"
                       <a
href="'.$n["putanja"].'">'.$n["naziv"].'</a>
              ':
```

```
}
     echo "";
?>
Archive page – sorting:
<div class="row">
               <div id="ispis"></div>
                    <?php
                          $upit_archive = "SELECT * FROM postovi;";
                          $rez_archive = mysqli_query($conn,
$upit_archive);
                          while($a
                                                                   =
mysqli_fetch_array($rez_archive))
                          {
                               include('archive_post.php');
                          }
                     ?>
      </div>
function sortThis(id){
 if (window.XMLHttpRequest) {
```

```
// code for IE7+, Firefox, Chrome, Opera, Safari
  xmlhttp=new XMLHttpRequest();
 } else { // code for IE6, IE5
  xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
 }
 xmlhttp.onreadystatechange=function() {
  if (xmlhttp.readyState==4 && xmlhttp.status==200) {
document.getElementsByClassName("row")[5].innerHTML=xmlhttp.res
ponseText;
  }
 xmlhttp.open("GET","sort.php?value="+id.value,true);
 xmlhttp.send();
 }
Contact page – mail()
<?php
                                if(isset($ REQUEST['posalji']))
                                {
                                     $txt = $ REQUEST['text'];
```

```
$text = wordwrap($txt, 70);
                                    $to
                                                                   =
"milos.simic.113.13@ict.edu.rs";
                                    $subject = "O sajtu";
                                    $headers
                                                             "From:
webmaster@example.com";
                                    if(mail($to, $subject, $text,
$headers))
                                          echo("<div class='alert
alert-success' style='text-align: center'>
     <strong>Uspesno poslat mail</strong>
                                                    </div>");
                                    else
                                          echo("<div class='alert
alert-danger' style='text-align: center'>
     <strong>Niste uspeli da posaljete mail</strong>
                                                    </div>");
                          ?>
```

Galerija

```
<?php
           $upit_gal = "SELECT * FROM galerija";
           $rez_gal = mysqli_query($conn, $upit_gal);
           echo("<div id='galerija'>");
           while($red_gal = mysqli_fetch_array($rez_gal))
           {
                 echo "<div class='gallery'>
                                                          target='_blank'
href="".$red_gal['putanja']."">
                                   <img src="".$red_gal['putanja'].""</pre>
alt="".$red_gal['alt']."' width='300' height='200'></a>
                       </div>";
           echo("</div>");
     ?>
```

Admin strana

```
<?php
           @$p = $_GET['p'];
           @$c = $_GET['c'];
           @$v = $_GET['v'];
           @$g = $_GET['g'];
           if(isset($p))
           {
                if(p == 0)
                {
                      include('include/admin_get_posts.php');
                 }
                else if(p == 1)
                 {
                      include('include/admin_get_users.php');
                 }
                else if(p == 2)
                {
                      include('include/admin_get_gallery.php');
                else if(p == 3)
```

```
{
           include('include/admin_insert_posts.php');
     else if(p == 4)
     {
           include('include/admin_insert_users.php');
     }
     else if($p == 5)
     {
           include('include/admin_insert_gallery.php');
     }
else if(isset($c))
     include('include/admin_update_users.php');
else if(isset($v))
{
     include('include/admin_update_posts.php');
}
else if(isset($g))
{
```

```
include('include/admin_update_gallery.php');
}
else
{
   include('include/admin_get_posts.php');
}
?>
```

Include/admin_get_posts

```
<?php
    @$id = $_GET['dfm'];
    $upit_brisi_posts = "DELETE FROM postovi WHERE id_post = ".$id;
    mysqli_query($conn, $upit_brisi_posts);
    echo("<div class='table-wrapper'>");
    echo("<div class='wrapper-paging'>

        <a class='paging-back'>&lt;</a>
        <i><a class='paging-this'><strong>0</strong> of

<span>x</span></a>
        <a class='paging-next'>&gt;</a>
        <a class='paging-next'>&gt;</a>
```

```
</div>");
    echo("<form
                                    action='admin.php?p=0'
                   method='POST'
enctype='multipart/form-data'>");
        echo("");
        echo("<thead>");
        $sviPostovi = "SELECT * FROM postovi ORDER BY datum
DESC";
        $rezPostovi = mysqli_query($conn, $sviPostovi);
        if(mysqli num rows($rezPostovi) > 0)
        {
            echo("");
                 echo("Autor");
                 echo("Naslov");
                 echo("Datum");
                 echo("Slika");
                 echo("Brisanje");
                 echo("Menjanje");
            echo("");
            echo("</thead>");
            echo("");
            while($redPostovi = mysqli fetch array($rezPostovi))
            {
            echo("");
```

```
echo("".$redPostovi['autor']."");
                  echo("".$redPostovi['naslov']."");
                  echo("".$redPostovi['datum']."");
                  echo("<img src='".$redPostovi['slika']."'
width='200px' height='100px'/>");
                  echo("<a
href='admin.php?p=0&dfm=".$redPostovi['id_post']."'>Brisi</a>")
                  echo("<a
href='admin.php?v=".$redPostovi['id_post']."'>Menjaj</a>");
             echo("");
             echo("");
         }
         echo("");
    echo("</form>");
    echo("</div>");
    echo("<a class='aTag' href='admin.php?p=3'>Insert</a>");
?>
```

Include/admin_insert_posts

```
<?php
       echo("<form
                   method='POST'
                                 action='admin.php?p=3'
enctype='multipart/form-data'>");
       echo("");
       echo("");
           echo("Autor");
           echo("<input type='text' name='postAutor'
/>");
       echo("");
       echo("");
           echo("Naslov");
           echo("<input type='text' name='postNaslov'
/>");
       echo("");
       echo("");
           echo("Opis");
           echo("<textarea
name='postOpis'></textarea>");
       echo("");
```

```
echo("");
             echo("Datum");
             echo("<input
                                       type='datetime-local'
name='postDatum' />");
        echo("");
        echo("");
             echo("Slika");
            echo("<input type='file' name='postSlika'
/>");
        echo("");
        echo("");
             echo("<input type='submit' name='dodajPost'
value='Dodaj post' />");
            echo("<input type='reset' value='Ponisti' />");
        echo("");
        echo("");
        echo("</form>");
        if(isset($ REQUEST['dodajPost']))
                 {
```

```
$autor = $ REQUEST['postAutor'];
                           $datum = $ REQUEST['postDatum'];
                           $naslov = $_REQUEST['postNaslov'];
                           $opis = $ REQUEST['postOpis'];
                           @$imeSlike = $ FILES['postSlika']['name'];
                           @$tmpPozSlike
                                                                      =
$ FILES['postSlika']['tmp name'];
                           $finalPic = "images/".$imeSlike;
                           $greska dodaj = false;
                           if(strlen($autor) == 0)
                                 $greska dodaj = true;
                           if(strlen($datum) == 0)
                                 $greska dodaj = true;
                           if(strlen(\$naslov) == 0)
                                 $greska dodaj = true;
                           if(strlen(\$opis) == 0)
                                 $greska_dodaj = true;
                           if(!$greska_dodaj)
```

```
{
                                 move uploaded file($tmpPozSlike,
"images/".$imeSlike);
                                 $upit dodaj post = "INSERT INTO
postovi VALUES(", "".$finalPic."", "".$autor."", "".$datum."", "".$naslov."",
"".$opis."")";
                                 $rez insert post
                                                                      =
mysqli query($conn, $upit dodaj post);
                                 if($rez insert post)
                                      echo("<div class='alert
                                                                  alert-
success' style='text-align: center'>
                                                 <strong>Uspesno ste
dodali post ciji je autor".$autor."</strong>
                                            </div>");
                                 else
                                      echo("<div class='alert
                                                                  alert-
danger' style='text-align: center'>
                                                 <strong>Niste uspeli
da dodate post!</strong>
                                            </div>");
```

}else echo("<div class='alert alert-warning' style='text-align: center'>

```
<strong>Niste
popunili neko polje.</strong>
                                </div>");
                }
?>
Include/admin_update_posts
<?php
    @$id p = $ GET['v'];
    echo("<form method='POST' action='admin.php?v=".$id_p."'
enctype='multipart/form-data'>");
    echo("");
        echo("");
            echo("Autor");
            echo("Datum");
            echo("Naslov");
            echo("Opis");
            echo("Slika");
```

echo("");

```
$update_upit = "SELECT * FROM postovi WHERE
id post=$id p";
              $rez upit = mysqli query($conn, $update upit);
              $red upit = mysqli fetch array($rez upit);
                   echo("");
                       echo("
                            <input type='text'
                                                       size='6'
name='autorUp' value='".$red upit['autor']."' />
                            ");
                       echo("
                            <input type='text' size='25'
name='datumUp' value='".$red_upit['datum']."' />
                            ");
                       echo("
                            <input type='text'
                                                      size='25'
name='naslovUp' value='".$red_upit['naslov']."' />
                            ");
                       echo("
                            <input type='text' size='25'
name='opisUp' value='".$red upit['opis']."' />
                            ");
                       echo("
                            <img src='".$red upit['slika']."'</pre>
width='150px' height='100px' />
```

```
<input type='file' name='slikeUp' />
                             ");
                   echo("");
         echo("");
              echo("<td colspan='5'
                                             align='center'><input
type='submit' value='Sacuvaj promene' name='sacuvajPostove'>");
         echo("");
     echo("");
     echo("</form>");
    if(isset($ REQUEST['sacuvajPostove']))
    {
         $autorUp = $ REQUEST['autorUp'];
         $naslovUp = $ REQUEST['naslovUp'];
         $opisUp = $ REQUEST['opisUp'];
         $datumUp = $ REQUEST['datumUp'];
          @$imeSlike1 = $_FILES['slikeUp']['name'];
          @$tmp_slike1 = $_FILES['slikeUp']['tmp_name'];
         $putanjaSlike = "images/".$imeSlike1;
         if(empty($imeSlike1))
```

```
{
                $unapredi post = "UPDATE
                                                      postovi
                                                                 SET
autor="".$autorUp."", datum="".$datumUp."", naslov="".$naslovUp."",
opis="".$opisUp."" WHERE id post=$id p";
                $re = mysqli query($conn, $unapredi post);
               if($re)
                     echo("<div class='alert alert-success' style='text-
align: center'>
                                     <strong>Uspesno ste promenili
post ciji je autor $autorUp<br/></strong>
                               </div>");
                else
                     echo("<div class='alert alert-danger' style='text-
align: center'>
                                     <strong>Niste
                                                       uspeli
                                                                  da
promenite post ciji je autor $autorUp<br/></strong>
                               </div>");
          }
          elseif(move uploaded file($tmp slike1, $putanjaSlike))
          {
                     $unapredi_post1 = "UPDATE postovi
slika="".$putanjaSlike."", autor="".$autorUp."", datum="".$datumUp."",
naslov='".$naslovUp."', opis='".$opisUp."' WHERE id_post=$id_p";
```

```
$re1 = mysqli_query($conn, $unapredi_post1);
                     if($re1)
                          echo("<div class='alert alert-success'
style='text-align: center'>
                                          <strong>Uspesno
                                                                 ste
promenili post ciji je autor $autorUp<br/>></strong>
                                    </div>");
                     else
                          echo("<div class='alert
                                                       alert-danger'
style='text-align: center'>
                                          <strong>Niste uspeli
promenite post ciji je autor $autorUp<br/>></strong>
                                    </div>");
     }
?>
```

Include/admin_get_users

```
<?php
    @$id = $ GET['drm'];
    $upit brisi user = "DELETE FROM korisnici WHERE id korisnik =
".$id;
    mysqli query($conn, $upit brisi user);
    echo("<div class='table-wrapper'>");
    echo("<div class='wrapper-paging'>
    ul>
     <a class='paging-back'>&lt;</a>
                  class='paging-this'><strong>0</strong>
     <a
                                                            of
<span>x</span></a>
     <a class='paging-next'>&gt;</a>
    </div>");
    echo("<form method='POST' action='admin.php?p=1'>");
         echo("");
         echo("<thead>");
         $sviKorisnici = "SELECT * FROM korisnici ORDER BY
korisnicko ime ASC";
         $rezKorisnici = mysqli query($conn, $sviKorisnici);
         if(mysgli num rows($rezKorisnici) > 0)
```

```
{
            echo("");
                 echo("Korisnicko ime");
                 echo("Ime");
                 echo("Prezime");
                 echo("Email");
                 echo("Lozinka");
                 echo("Brisanie");
                 echo("Menjanje");
            echo("");
            echo("</thead>");
            echo("");
            while($redKorisnici
                                                      =
mysqli fetch array($rezKorisnici))
            echo("");
    echo("".$redKorisnici['korisnicko ime']."");
                 echo("".$redKorisnici['ime']."");
                 echo("".$redKorisnici['prezime']."");
                 echo("".$redKorisnici['email']."");
                 echo("".$redKorisnici['lozinka']."");
```

```
echo("<a
href='admin.php?p=1&drm=".$redKorisnici['id korisnik']."'>Brisi</a></t
d>");
                 echo("<a
href='admin.php?c=".$redKorisnici['id_korisnik']."'>Menjaj</a>");
             echo("");
             echo("");
        }
        echo("");
    echo("</form>");
    echo("</div>");
    echo("<a class='aTag' href='admin.php?p=4'>Insert</a>");
?>
Include/admin insert users
<?php
        echo("<form method='POST' action='admin.php?p=4'>");
        echo("");
        echo("");
             echo("Korisnicko ime:");
```

```
echo("<input type='text' name='korisnickolme'
/>");
        echo("");
        echo("");
            echo("Ime:");
            echo("<input type='text' name='korisnikIme'
/>");
        echo("");
        echo("");
            echo("Prezime:");
            echo("<input type='text' name='korisnikPrezime'
/>");
        echo("");
        echo("");
            echo("Email:");
            echo("<input type='email' name='korisnikEmail'
/>");
        echo("");
        echo("");
```

```
echo("Lozinka:");
              echo("<input
                                                type='password'
name='korisnikLozinka' />");
         echo("");
         echo("");
              echo("<input type='submit' name='dodajKor'
value='Dodaj korisnika' />");
              echo("<input type='reset' value='Ponisti' />");
         echo("");
         echo("");
         echo("</form>");
         if(isset($ REQUEST['dodajKor']))
                   {
                        $korIme = $ REQUEST['korisnickolme'];
                        $ime = $ REQUEST['korisnikIme'];
                        $prezime = $ REQUEST['korisnikPrezime'];
                        $email = $ REQUEST['korisnikEmail'];
                        $lozinka
                                                              =
md5($ REQUEST['korisnikLozinka']);
                        $greska dodaj = false;
```

```
if(strlen($korIme) == 0)
                                  $greska dodaj = true;
                            if(strlen(\$ime) == 0)
                                  $greska dodaj = true;
                            if(strlen($prezime) == 0)
                                  $greska_dodaj = true;
                            if(strlen($email) == 0)
                                  $greska_dodaj = true;
                            if(strlen($lozinka) == 0)
                                  $greska dodaj = true;
                            if(!$greska dodaj)
                            {
                                  $upit_dodaj_korisnika = "INSERT INTO
korisnici VALUES(", "".$korIme."", "".$ime."", "".$prezime."", "".$email."",
".$lozinka.", 2)";
                                  $rez insert user
                                                                        =
mysqli query($conn, $upit dodaj korisnika);
                                 if($rez insert user)
                                       echo("<div class='alert
                                                                    alert-
success' style='text-align: center'>
```

```
<strong>Uspesno ste
dodali korisnika.".$korIme."</strong>
                                             </div>");
                                 else
                                       echo("<div class='alert
                                                                   alert-
danger' style='text-align: center'>
                                                  <strong>Niste uspeli
da dodate korisnika!</strong>
                                             </div>");
                            }else echo("<div class='alert alert-warning'</pre>
style='text-align: center'>
                                                  <strong>Niste
popunili neko polje.</strong>
                                             </div>");
                      }
?>
```

Include/admin_update_users

```
<?php
    @$id = $ GET['c'];
    echo("<form method='POST' action='admin.php?c=".$id."'>");
        echo("");
             echo("");
                 echo("Korisnicko ime");
                 echo("Ime");
                 echo("Prezime");
                 echo("Email");
                 echo("Lozinka");
             echo("");
                 $upit_update = "SELECT * FROM korisnici WHERE
id korisnik=$id";
                 $rez update = mysqli query($conn,
$upit update);
                 $red update = mysqli fetch array($rez update);
                     echo("");
                         echo("
                              <input type='text' name='korlme'
value="".$red update['korisnicko ime']."' />
```

```
");
                          echo("
                               <input type='text' name='ime'
value="".$red_update['ime']."' />
                          ");
                          echo("
                               <input
                                                type='text'
name='prezime' value="".$red_update['prezime']."' />
                          ");
                          echo("
                               <input type='text' name='email'
value="".$red_update['email']."' />
                          "):
                          echo("
                              <input type='text' name='lozinka'
value="".$red_update['lozinka']."' />
                          ");
                      echo("");
             echo("");
                 echo("<input
                        value='Sacuvaj
type='submit'
                                                  promene'
name='sacuvajKorisnike'>");
             echo("");
        echo("");
```

```
echo("</form>");
          if(isset($ REQUEST['sacuvajKorisnike']))
          {
                $korisnicko ime = $ REQUEST['korIme'];
                $ime = $ REQUEST['ime'];
               $prezime = $ REQUEST['prezime'];
               $email = $ REQUEST['email'];
               $lozinka = md5($ REQUEST['lozinka']);
                $unapredi = "UPDATE
                                                    korisnici
                                                                 SET
korisnicko_ime="".$korisnicko_ime."",
                                                      ime="".$ime."",
prezime="".$prezime."", email="".$email."", lozinka="".$lozinka."" WHERE
id korisnik=".$id;
                $r= mysqli query($conn, $unapredi);
               if($r)
                     echo("<div class='alert alert-success' style='text-
align: center'>
                                     <strong>Uspesno ste promenili
korisnika $ime $prezime<br/></strong>
                                </div>"):
                else
```

```
echo("<div class='alert alert-danger' style='text-
align: center'>
                                   <strong>Niste
                                                     uspeli
                                                                da
promenite korisnika $ime $prezime<br/></strong>
                              </div>"):
          }
?>
Include/admin_get_gallery
<?php
     @$id = $ GET['dtm'];
     $upit_brisi_slike = "DELETE FROM galerija WHERE id_galerija =
".$id;
     mysqli query($conn, $upit brisi slike);
     echo("<div class='table-wrapper'>");
     echo("<div class='wrapper-paging'>
     ul>
      <a class='paging-back'>&lt;</a>
                    class='paging-this'><strong>0</strong>
      <a
                                                                of
<span>x</span></a>
      <a class='paging-next'>&gt;</a>
```

```
</div>");
    echo("<form
                   method='POST'
                                     action='admin.php?p=2'
enctype='multipart/form-data'>");
        echo("");
        echo("<thead>");
        $sveSlike = "SELECT * FROM galerija ORDER BY id galerija
ASC";
        $rezSlike = mysqli query($conn, $sveSlike);
        if(mysqli num rows($rezSlike) > 0)
        {
             echo("");
                 echo("Id");
                 echo("Alt");
                 echo("Slika");
                 echo("Brisanje");
                 echo("Menjanje");
             echo("");
             echo("</thead>");
             echo("");
             while($redSlike = mysqli fetch array($rezSlike))
             {
             echo("");
```

```
echo("".$redSlike['id galerija']."");
                  echo("".$redSlike['alt']."");
                  echo("<img src="".$redSlike['putanja'].""
width='200px' height='100px'/>");
                  echo("<a
href='admin.php?p=2&dtm=".$redSlike['id_galerija']."'>Brisi</a>")
                  echo("<a
href='admin.php?g=".$redSlike['id_galerija']."'>Menjaj</a>");
              echo("");
              }
              echo("");
         }
         echo("");
    echo("</form>");
    echo("</div>");
    echo("<a class='aTag' href='admin.php?p=5'>Insert</a>");
?>
```

Include/admin_insert_gallery

```
<?php
        echo("<form
                    method='POST'
                                   action='admin.php?p=5'
enctype='multipart/form-data'>");
        echo("");
        echo("");
            echo("Alt");
            echo("<input type='text' name='postAlt' />");
        echo("");
        echo("");
            echo("Slika");
            echo("<input type='file' name='postSlika'
/>");
        echo("");
        echo("");
            echo("<input type='submit' name='dodajSliku'
value='Dodaj sliku' />");
            echo("<input type='reset' value='Ponisti' />");
        echo("");
        echo("");
        echo("</form>");
```

```
if(isset($_REQUEST['dodajSliku']))
                      {
                           $alt = $_REQUEST['postAlt'];
                           @$imeSlike = $ FILES['postSlika']['name'];
                           @$tmpPozSlike
                                                                      =
$_FILES['postSlika']['tmp_name'];
                           $finalPic = "images/img/".$imeSlike;
                           $greska_dodaj = false;
                           if(strlen(\$alt) == 0)
                                 $greska dodaj = true;
                           if(!$greska dodaj)
                                 move_uploaded_file($tmpPozSlike,
"images/img/".$imeSlike);
                                 $upit_dodaj_sliku = "INSERT INTO
galerija VALUES(", "".$finalPic."", "".$alt."")";
```

```
$rez_insert_slika
                                                                        =
mysqli_query($conn, $upit_dodaj_sliku);
                                  if($rez insert slika)
                                       echo("<div class='alert
                                                                   alert-
success' style='text-align: center'>
                                                  <strong>Uspesno ste
dodali sliku</strong>
                                             </div>");
                                  else
                                       echo("<div class='alert
                                                                   alert-
danger' style='text-align: center'>
                                                  <strong>Niste uspeli
da dodate sliku!</strong>
                                             </div>");
                            }else echo("<div class='alert alert-warning'</pre>
style='text-align: center'>
                                                  <strong>Niste
popunili neko polje.</strong>
                                             </div>");
                      }
?>
```

Include/admin_update_gallery

```
<?php
    @$id g = $ GET['g'];
    echo("<form method='POST' action='admin.php?g=".$id g."'
enctype='multipart/form-data'>");
    echo("");
        echo("");
             echo("Alt");
             echo("Slika");
        echo("");
             $update_upit = "SELECT * FROM galerija WHERE
id galerija=$id g";
             $rez upit = mysqli query($conn, $update upit);
             $red upit = mysqli fetch array($rez upit);
                 echo("");
                     echo("
                          <input type='text' size='6'
name='altUp' value='".$red upit['alt']."' />
                          ");
                     echo("
```

```
<img src='".$red upit['putanja']."'</pre>
width='150px' height='100px' />
                              <input type='file' name='slikeUp' />
                              ");
                    echo("");
          echo("");
                              colspan='2'
               echo("<td
                                              align='center'><input
type='submit' value='Sacuvaj promene' name='sacuvajSlike'>");
          echo("");
     echo("");
     echo("</form>");
     if(isset($_REQUEST['sacuvajSlike']))
     {
          $altUp = $ REQUEST['altUp'];
          @$imeSlike2 = $ FILES['slikeUp']['name'];
          @$tmp slike2 = $ FILES['slikeUp']['tmp name'];
          $putanjaSlike = "images/img/".$imeSlike2;
          if(empty($imeSlike2))
          {
```

```
$unapredi post = "UPDATE galerija SET alt="".$altUp.""
WHERE id_galerija=$id_g";
                $rg = mysqli query($conn, $unapredi post);
                if($rg)
                     echo("<div class='alert alert-success' style='text-
align: center'>
                                     <strong>Uspesno ste promenili
sliku</strong>
                                </div>");
                else
                     echo("<div class='alert alert-danger' style='text-
align: center'>
                                     <strong>Niste
                                                        uspeli
                                                                   da
promenite sliku</strong>
                                </div>");
          }
          elseif(move uploaded file($tmp slike2, $putanjaSlike))
          {
                     $unapredi post1 = "UPDATE
                                                        galerija
                                                                  SET
putanja='".$putanjaSlike."', alt='".$altUp."' WHERE id_galerija=$id_g";
                     $rg1 = mysqli query($conn, $unapredi post1);
                     if($rg1)
```

```
echo("<div
                                        class='alert alert-success'
style='text-align: center'>
                                          <strong>Uspesno
                                                                 ste
promenili sliku</strong>
                                    </div>");
                     else
                          echo("<div
                                                       alert-danger'
                                        class='alert
style='text-align: center'>
                                          <strong>Niste uspeli
                                                                 da
promenite sliku</strong>
                                    </div>");
     }
?>
```

Stranicenje u admin panelu

```
$(document).ready(function() {
 $(".wrapper-paging").show();
 TABLE.paginate('.table-bordered', 7);
});
var TABLE = {};
TABLE.paginate = function(table, pageLength) {
 var $table = $(table);
 var $rows = $table.find('tbody > tr');
 var numPages = Math.ceil($rows.length / pageLength) - 1;
 var current = 0;
 var $nav = $table.parents('.table-wrapper').find('.wrapper-paging ul');
 var $back = $nav.find('li:first-child a');
 var $next = $nav.find('li:last-child a');
 $nav.find('a.paging-this strong').text(current + 1);
 $nav.find('a.paging-this span').text(numPages + 1);
 $back
```

```
.addClass('paging-disabled')
 .click(function() {
  pagination('<');</pre>
 });
$next.click(function() {
 pagination('>');
});
$rows
 .hide()
 .slice(0,pageLength)
 .show();
pagination = function (direction){
 reveal = function (current){
  $back.removeClass('paging-disabled');
  $next.removeClass('paging-disabled');
  $rows
   .hide()
   .slice(current * pageLength, current * pageLength + pageLength)
   .show();
```

```
$nav.find('a.paging-this strong').text(current + 1);
 };
    if (direction == '<') { // previous</pre>
  if (current > 1) {
   reveal(current -= 1);
  else if (current == 1) {
   reveal (current -= 1);
   $back.addClass('paging-disabled');
  }
 } else {
  if (current < numPages - 1) {</pre>
   reveal(current += 1);
  else if (current == numPages - 1) {
   reveal(current += 1);
   $next.addClass('paging-disabled');
  }
}}
```

4. Baza



