

h. Dispatch Transport

USE CASE

Textual Description

The system is triggered when the Transport Manager defines and dispatches a new delivery in the system. The system automatically integrates with the Employee module to ensure that a driver with a valid matching license is assigned to the shift, and that a warehouseman is scheduled at the destination store.

List of Actors

Transport Manager, HR Subsystem

Pre-conditions

- A shift schedule exists for the selected date and shift type in the Employee module.
- At least one operational truck exists in the transportation inventory.

Post-conditions

A new delivery instance is created and persistently saved in the system, successfully linked to a qualified scheduled

driver, an active truck, and a validated destination store.

Main Success Scenario

1. The Transport Manager actor sends a request to create a new delivery with a specific date, shift type, truck, and destination store.
2. The system evaluates the status and capacity of the requested truck.
3. The system queries the Employee module to identify if a driver with a matching license type is assigned.
4. The system queries the Employee module to verify that at least one warehouseman is assigned.
5. The system generates and saves a new delivery record in the database.
6. The system successfully completes the process and logs the execution.

Alternatives / Extensions

3a. No qualified driver scheduled for this shift:

1. The system identifies that no scheduled driver holds a license matching the requested truck.
2. The system logs the validation failure and blocks the transport dispatch.
3. The use case terminates.

4a. No warehouseman scheduled at destination store:

1. The system identifies that the destination store lacks an assigned warehouseman.
2. The system logs the validation failure and blocks the transport dispatch.
3. The use case terminates.