

# Comprehensive Glossary

## Table of Contents

|                                                                   |    |
|-------------------------------------------------------------------|----|
| INTRODUCTION TO ETHICS.....                                       | 2  |
| ETHICAL THEORIES AND MORAL SYSTEMS .....                          | 3  |
| PROFESSIONAL ETHICS.....                                          | 5  |
| TECHNICAL AND ETHICAL ISSUES IN SYSTEMS ANALYSIS AND DESIGN ..... | 6  |
| NETWORK SECURITY AND COUNTERMEASURES .....                        | 8  |
| PRIVACY IN CYBERSPACE .....                                       | 10 |
| CLOUD COMPUTING: SERVICES, SECURITY, AND ETHICAL FRAMEWORKS.....  | 12 |
| SOCIAL MEDIA ETHICAL, LEGAL, AND SECURITY ISSUES.....             | 14 |
| PRINCIPLES OF BUSINESS ETHICS .....                               | 16 |
| UNDERSTANDING SOCIAL ENGINEERING.....                             | 17 |
| ETHICAL HACKING AND INFORMATION SECURITY .....                    | 18 |
| INTELLECTUAL PROPERTY LAWS AND ETHICAL PRACTICES.....             | 20 |
| ANTI-CYBER CRIME LAW IN SAUDI ARABIA .....                        | 22 |

## Introduction to Ethics

| Term                         | Definition                                                                                                                                  | Example                                                                                     |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <b>Autonomy</b>              | The principle that individuals should have control over their own lives and be allowed to make decisions that apply to their lifestyle.     | A patient chooses whether to accept or refuse a medical treatment.                          |
| <b>Beneficence</b>           | An ethical principle requiring actions that promote the well-being of others and contribute positively to society.                          | A software engineer fixes a security vulnerability to protect users from harm.              |
| <b>Cultural Relativism</b>   | The view that an action is morally right if a person's culture approves of it; it denies the existence of objective moral principles.       | A custom accepted in one country may be considered unethical in another.                    |
| <b>Directives</b>            | Micro-level ethical rules specifically designed to guide the actions of individuals.                                                        | "Do not harm others."                                                                       |
| <b>Divine Command Theory</b> | An ethical theory asserting that moral judgments are derived from God's commandments and that "good" is aligned with God's will.            | Lying is wrong because God forbids it.                                                      |
| <b>Ethics</b>                | The philosophical and rational study of morality, focusing on evaluating moral beliefs and behaviors.                                       | Deciding whether collecting users' personal data without consent is morally acceptable.     |
| <b>Impartiality</b>          | A feature of a moral system requiring that rules apply equally to all people without bias or favoritism.                                    | A university applies the same cheating policy to every student regardless of status.        |
| <b>Informal</b>              | A feature of a moral system where moral rules are generally not enforced by law but by society and personal conscience.                     | People may criticize someone for being dishonest even if no law was broken.                 |
| <b>Justice</b>               | An ethical principle stating that decision-makers should focus on actions that are fair to all parties involved.                            | Two employees with the same performance receive equal pay.                                  |
| <b>Least Harm</b>            | An ethical principle stating that when every option causes some harm, the morally preferable choice is the one that minimizes overall harm. | During a disaster, doctors prioritize patients they can realistically save.                 |
| <b>Morality</b>              | A system consisting of rules of conduct and principles of evaluation used to prevent harm and promote human flourishing.                    | Society generally agrees that stealing and murder are morally wrong.                        |
| <b>Public</b>                | A feature of a moral system requiring that moral rules be publicly known and understood by everyone.                                        | Traffic laws are published so every driver knows the rules.                                 |
| <b>Rational</b>              | A feature of a moral system requiring moral decisions to be based on logical reasoning rather than emotions alone.                          | A judge bases a verdict on evidence rather than personal feelings.                          |
| <b>Respect</b>               | An ethical principle requiring individuals to recognize the dignity, rights, and autonomy of others.                                        | A company asks for a user's consent before collecting personal information.                 |
| <b>Social Policies</b>       | Macro-level ethical rules used to establish guidelines for society as a whole.                                                              | "Software should be protected by copyright laws."                                           |
| <b>Subjective Relativism</b> | The theory that an action is morally right if an individual personally approves of it; right and wrong are entirely personal.               | A person believes cheating is acceptable because they personally see nothing wrong with it. |

## Ethical Theories and Moral Systems

| Term                                  | Definition                                                                                                                                        | Example                                                                                                    |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| <b>Act Utilitarianism</b>             | An ethical theory stating an act is morally right if its consequences produce the greatest good for the greatest number of people.                | Sacrificing one road lane to build a hospital that benefits thousands of people.                           |
| <b>Categorical Imperative</b>         | A universal moral law identified by Kant that must be followed regardless of desires or circumstances.                                            | Never lie, even if telling the truth is difficult.                                                         |
| <b>Deontology</b>                     | Derived from the Greek word <i>deon</i> (duty); an ethical framework based on following universal moral laws and obligations.                     | Returning a lost wallet because it is your duty, not because you expect a reward.                          |
| <b>End in Itself</b>                  | The Kantian principle of treating people with respect for their dignity and autonomy, rather than using them merely as a means to achieve a goal. | A company asks for employees' consent before collecting personal data instead of secretly monitoring them. |
| <b>Golden Mean</b>                    | Aristotle's principle that virtue lies between two extremes: excess and deficiency.                                                               | Courage is the balance between cowardice and recklessness.                                                 |
| <b>Good Will</b>                      | For Kant, the only thing that is always good in itself; the motivation to do what is right because it is a duty.                                  | Returning extra change because it is the right thing to do, even if nobody would notice.                   |
| <b>Human Flourishing (Eudaimonia)</b> | Aristotle's idea that the ultimate goal of life is to achieve excellence and live a virtuous, fulfilling life.                                    | A person develops honesty, courage, and wisdom to become the best version of themselves.                   |
| <b>Imperfect Duty</b>                 | A moral obligation that should generally be followed but allows flexibility in how and when it is fulfilled.                                      | Helping those in need when reasonably able to do so.                                                       |
| <b>Intellectual Virtues</b>           | Virtues associated with reasoning, wisdom, and the pursuit of truth, as identified by Aristotle.                                                  | Critical thinking and good judgment when solving ethical dilemmas.                                         |
| <b>Moral Virtues</b>                  | Habits or dispositions formed through repeated virtuous actions, such as honesty and courage.                                                     | A person becomes honest by consistently telling the truth.                                                 |
| <b>Negative Right</b>                 | A right that others respect by refraining from interfering with an individual.                                                                    | Freedom of speech—others must not prevent you from expressing your opinion.                                |
| <b>Perfect Duty</b>                   | An absolute, unconditional obligation that must always be followed, often expressed as a prohibition.                                             | Do not steal, regardless of the circumstances.                                                             |
| <b>Positive Right</b>                 | A right that requires others to provide a service or perform an action.                                                                           | The right to receive public education.                                                                     |
| <b>Principle of Utility</b>           | The "Greatest Happiness Principle"; an action is morally right if it maximizes overall happiness for those affected.                              | Choosing a policy that benefits the majority of society.                                                   |
| <b>Rule Utilitarianism</b>            | An ethical theory stating an action is right if it follows a rule that, if universally followed, would produce the greatest overall good.         | Following traffic laws because society is safer when everyone obeys them.                                  |

|                           |                                                                                                                                 |                                                                                                           |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>Social Contract</b>    | An implicit agreement among individuals to follow moral rules and accept government enforcement for mutual benefit.             | Citizens obey traffic laws in exchange for safer roads and public order.                                  |
| <b>Universalizability</b> | The requirement that a moral rule must be one that everyone could logically follow without contradiction.                       | If everyone broke promises whenever convenient, promises would lose all meaning.                          |
| <b>Vice</b>               | A character trait that prevents human flourishing; often an excess or deficiency of a virtue.                                   | Greed is a vice because it represents an excess of desire for wealth.                                     |
| <b>Virtue Ethics</b>      | An ethical theory emphasizing the development of excellent character traits rather than focusing only on rules or consequences. | A person tells the truth because they strive to be an honest person, not because of punishment or reward. |

## Professional Ethics

| Term                           | Definition                                                                                                                                                        | Example                                                                                                              |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Agency Model</b>            | A relationship model where the professional acts as an agent, carrying out exactly what the client instructs them to do.                                          | A software consultant builds only the features requested by the client without offering alternatives.                |
| <b>Causal Responsibility</b>   | Responsibility assigned to individuals because their actions (or failure to act) directly caused an event.                                                        | A programmer introduces a bug that causes the system to crash.                                                       |
| <b>Code of Ethics</b>          | A statement of principles and core values that guides the ethical behavior of members of a profession.                                                            | The ACM Code of Ethics guides software engineers in making ethical decisions.                                        |
| <b>Due Care</b>                | Taking reasonable precautions and exercising the level of care expected from a competent professional to prevent harm.                                            | A software engineer thoroughly tests a medical system before deployment.                                             |
| <b>Due Diligence</b>           | The continuous process of identifying risks, maintaining security measures, and ensuring due care is consistently applied.                                        | A company regularly performs security audits and installs software updates.                                          |
| <b>External Whistleblowing</b> | Reporting illegal, harmful, or unethical activities to outside authorities, such as government agencies or the media, usually after internal efforts have failed. | An employee reports environmental violations to a government regulator after management ignores the issue.           |
| <b>Internal Whistleblowing</b> | Reporting unethical or illegal behavior to someone within the organization in an attempt to resolve the issue internally.                                         | An employee reports accounting fraud to the company's ethics committee.                                              |
| <b>Legal Responsibility</b>    | Responsibility imposed by law, regardless of personal opinions or intentions.                                                                                     | A company is legally liable for injuries caused by a defective product.                                              |
| <b>Moral Responsibility</b>    | A personal obligation to consider the ethical consequences of one's actions; it cannot simply be transferred to someone else.                                     | A software engineer refuses to release unsafe software despite pressure from management.                             |
| <b>Paternalistic Model</b>     | A relationship model where the professional makes decisions on behalf of the client, believing they know what is best.                                            | A doctor chooses a treatment without consulting the patient.                                                         |
| <b>Professional Ethics</b>     | The ethical standards and responsibilities that guide members of a particular profession.                                                                         | A software engineer protects confidential client information even after leaving the company.                         |
| <b>Role Responsibility</b>     | Responsibility arising from the duties and expectations associated with a particular job or role.                                                                 | A system administrator is responsible for protecting company servers.                                                |
| <b>Trust Model</b>             | A relationship model where the professional provides advice and options while the client participates in the final decision.                                      | A financial advisor explains investment options, and the client chooses which one to follow.                         |
| <b>Utilitarianism</b>          | An ethical approach that evaluates actions by comparing their overall benefits and harms to achieve the greatest good for the greatest number.                    | Choosing a software update that benefits millions of users even though it temporarily inconveniences a small number. |
| <b>Whistleblower</b>           | A person who discloses harmful, illegal, or unethical practices within an organization to protect the public interest.                                            | An employee exposes a company for knowingly selling unsafe software.                                                 |

## Technical and Ethical Issues in Systems Analysis and Design

| Term                               | Definition                                                                                                                                              | Example                                                                                                                   |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Cancelled Vacation Syndrome</b> | A situation where managers pressure employees to sacrifice personal time and money to meet unrealistic project deadlines.                               | A manager cancels everyone's vacation so a medical software project can be completed before release.                      |
| <b>Deontological Approach</b>      | An ethical approach based on following duties, rules, and professional obligations regardless of the consequences.                                      | A software engineer refuses to release unsafe software because it violates professional duties.                           |
| <b>Ethical Behavior</b>            | Acting in accordance with moral values, professional standards, and accepted ethical principles.                                                        | A developer reports a serious security flaw instead of hiding it.                                                         |
| <b>Hazard Log</b>                  | A document used to record identified hazards, monitor their status, and ensure every hazard is resolved before deployment.                              | Engineers document every possible failure in an aircraft control system and verify each one has been addressed.           |
| <b>Informed Consent</b>            | The principle that users should understand how a system works, what information is collected, and the consequences of using it before agreeing.         | A hospital explains how patient data will be stored before asking patients to sign a consent form.                        |
| <b>LOPSA</b>                       | The League of Professional System Administrators, an organization that provides a Code of Ethics for system administrators.                             | A system administrator follows the LOPSA Code of Ethics when handling confidential company data.                          |
| <b>N-version Programming</b>       | A fault-tolerance technique where multiple independent teams develop the same software requirements, and a voting mechanism selects the correct output. | Three separate teams develop aircraft control software, and the system compares their outputs before executing a command. |
| <b>Quality Assurance (QA)</b>      | Activities performed throughout the software development process to ensure the final product meets required quality standards.                          | QA engineers perform repeated testing before a banking application is released.                                           |
| <b>Red Lies</b>                    | Knowingly making false statements about the status, quality, or progress of a project.                                                                  | A manager tells the client that the software has been fully tested even though testing is incomplete.                     |
| <b>Redundancy</b>                  | Providing multiple interchangeable components so that if one fails, another immediately takes over.                                                     | An aircraft has multiple flight control computers so it can continue operating if one fails.                              |
| <b>Requirements Engineering</b>    | The process of gathering, analyzing, documenting, and managing software requirements before development begins.                                         | Developers identify that students must complete prerequisites before enrolling in a course.                               |
| <b>Risk Analysis</b>               | The process of identifying possible failures, estimating their likelihood and impact, and planning methods to prevent or reduce those risks.            | Engineers analyze what could happen if a hospital's life-support system suddenly loses power.                             |
| <b>Safety-Critical Systems</b>     | Systems whose failure could result in injury, death, environmental damage, or major financial loss.                                                     | Air traffic control software or a pacemaker.                                                                              |

|                               |                                                                                                                                                                     |                                                                                                |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Software Engineer</b>      | A professional who applies engineering principles to design, develop, test, maintain, and improve software systems.                                                 | A software engineer develops an online banking application.                                    |
| <b>Software Maintenance</b>   | Modifying software after deployment to fix bugs, improve performance, or adapt to new requirements.                                                                 | Releasing an update to patch a security vulnerability.                                         |
| <b>Software Requirements</b>  | A documented description of the functions, constraints, and behaviors a software system must satisfy.                                                               | "Only students who have completed the prerequisite course may enroll."                         |
| <b>Sweep It Under the Rug</b> | Ignoring known problems in the hope that they disappear instead of resolving them.                                                                                  | Management releases software despite knowing it contains critical bugs.                        |
| <b>System Safety Engineer</b> | A specialist responsible for identifying hazards, evaluating risks, maintaining hazard logs, and ensuring safety requirements are satisfied throughout development. | A safety engineer reviews every subsystem of a nuclear reactor before deployment.              |
| <b>Systems Analyst</b>        | A professional who analyzes business problems and designs information system solutions that satisfy organizational needs.                                           | A systems analyst gathers requirements before developers begin coding.                         |
| <b>Technical Issues</b>       | Problems related to the design, implementation, testing, or operation of software and hardware systems.                                                             | A database vulnerability allows unauthorized access to customer information.                   |
| <b>Validation</b>             | The process of determining whether the correct system has been built by checking that it satisfies user needs and requirements.                                     | Users test a university portal to confirm it supports course registration correctly.           |
| <b>Verification</b>           | The process of determining whether the system has been built correctly according to its specifications and design.                                                  | Developers review code and perform unit testing to ensure each module meets its specification. |



## Network Security and Countermeasures

| Term                                        | Definition                                                                                                                            | Example                                                                           |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>Application-layer Attack</b>             | An attack targeting applications running on servers or workstations, often using malware such as viruses, worms, or Trojans.          | Exploiting a vulnerability in a web application to steal customer data.           |
| <b>Backdoor</b>                             | A hidden method of bypassing normal authentication to gain unauthorized access to a system.                                           | A programmer secretly creates an administrator account that only they know about. |
| <b>Biometrics</b>                           | Authentication based on unique physical or behavioral characteristics, such as fingerprints, facial recognition, or iris scans.       | Unlocking a smartphone using Face ID.                                             |
| <b>Compromised-Key Attack</b>               | An attack where an attacker obtains a user's private cryptographic key and uses it to decrypt communications or impersonate the user. | A hacker steals an employee's private key and reads encrypted emails.             |
| <b>Cyber-piracy</b>                         | The unauthorized copying, distribution, or use of copyrighted software or digital content.                                            | Downloading and distributing cracked software.                                    |
| <b>Cyberterrorism</b>                       | Politically motivated cyberattacks intended to cause widespread fear, disruption, or economic damage.                                 | Attacking a country's power grid for political purposes.                          |
| <b>Denial of Service (DoS)</b>              | An attack in which a <b>single attacker</b> overwhelms a system or service with traffic, making it unavailable to legitimate users.   | One computer repeatedly sends requests until a website becomes unavailable.       |
| <b>Dictionary Attack</b>                    | A password attack that repeatedly guesses passwords using common words or predictable combinations.                                   | Trying thousands of common passwords like "password123" until one works.          |
| <b>Distributed Denial of Service (DDoS)</b> | A resource attack in which <b>multiple compromised systems</b> simultaneously flood a server or network until it becomes unavailable. | A botnet launches millions of requests against an online shopping website.        |
| <b>Eavesdropping</b>                        | The unauthorized interception of communications while they are being transmitted.                                                     | An attacker secretly listens to an unencrypted Wi-Fi conversation.                |
| <b>Email Bombing</b>                        | A form of DoS attack where an inbox is flooded with massive numbers of emails to prevent legitimate communication.                    | Sending thousands of emails to fill an employee's mailbox.                        |
| <b>Exploit Attack</b>                       | An attack that takes advantage of software bugs, vulnerabilities, or misconfigurations to gain unauthorized access.                   | Exploiting an unpatched operating system vulnerability.                           |
| <b>Insider Threat</b>                       | A security threat originating from someone within the organization, either intentionally or accidentally.                             | An employee accidentally gives confidential information to a scam caller.         |
| <b>IP Address Spoofing</b>                  | The act of disguising a packet's true source by forging its IP address.                                                               | An attacker pretends to be a trusted company server.                              |
| <b>Logic Attack (Logic Bomb)</b>            | Malicious code designed to execute only when a specific condition or event occurs.                                                    | A programmer inserts code that deletes company files if they are fired.           |



|                                      |                                                                                                                                  |                                                                                                          |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <b>Man-in-the-Middle (MitM)</b>      | An attack where an attacker secretly intercepts and may modify communications between two parties.                               | A hacker intercepts data sent over an insecure public Wi-Fi network.                                     |
| <b>Password</b>                      | A secret sequence of characters used to authenticate a user's identity.                                                          | Logging into an online banking account using a password.                                                 |
| <b>Phishing</b>                      | A social engineering attack that tricks users into revealing sensitive information by pretending to be a trusted organization.   | A fake bank email asks a customer to "verify" their password.                                            |
| <b>Resource Attack</b>               | An attack that consumes excessive system resources, making services slow or unavailable.                                         | A DDoS attack exhausts a server's CPU and bandwidth.                                                     |
| <b>Script Kiddie</b>                 | An inexperienced attacker who uses existing hacking tools without fully understanding how they work.                             | Downloading a hacking tool from the Internet and running it without modification.                        |
| <b>Security Hole (Vulnerability)</b> | A weakness in software, hardware, or system configuration that attackers can exploit.                                            | Leaving default administrator credentials unchanged.                                                     |
| <b>Sniffing (Snooping)</b>           | Using software to capture and read unencrypted network traffic.                                                                  | Capturing usernames and passwords transmitted over HTTP.                                                 |
| <b>Social Engineering</b>            | Manipulating people into revealing confidential information by exploiting trust rather than technical weaknesses.                | Calling an employee while pretending to be IT support to obtain a password.                              |
| <b>Stealth Backdoor</b>              | A specially designed backdoor that hides its presence and avoids detection during normal audits.                                 | Malware secretly creates a hidden administrator account that does not appear in normal account listings. |
| <b>Strong Password</b>               | A password containing uppercase and lowercase letters, numbers, special characters, and no easily guessed personal information.  | <b>M!7qZ@4Lp2\$</b>                                                                                      |
| <b>Structured Hacker</b>             | A skilled attacker who carefully plans attacks, researches targets, and possesses advanced programming and networking knowledge. | Spending months studying a company's network before launching an attack.                                 |
| <b>Technical Weakness</b>            | A flaw or vulnerability in hardware, software, or network configuration that may be exploited by attackers.                      | A router left with its default password.                                                                 |
| <b>Time Bomb</b>                     | A malicious program that remains inactive until a specific time or condition triggers its execution.                             | Code that activates after an employee stops logging into the system.                                     |
| <b>Unstructured Hacker</b>           | An inexperienced attacker with limited technical knowledge who performs attacks with little planning.                            | A teenager randomly trying hacking tools downloaded from the Internet.                                   |
| <b>Weak Password</b>                 | A password that is easy to guess because it uses common words, personal information, or simple patterns.                         | <b>football123</b> or <b>password</b>                                                                    |

## Privacy in Cyberspace

| Term                         | Definition                                                                                                                                                                       | Example                                                                              |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Biometrics</b>            | Systems designed to identify or verify individuals using unique physical or behavioral characteristics such as fingerprints, iris scans, facial recognition, voice, or DNA.      | Unlocking a smartphone using Face ID.                                                |
| <b>Cloud Computing</b>       | A computing model where data and programs are stored and accessed over the Internet rather than locally, raising concerns about data ownership, privacy, and legal jurisdiction. | Saving files to Google Drive instead of storing them only on your computer.          |
| <b>Computer Matching</b>     | The process of cross-checking information from multiple unrelated databases to identify matching records ("hits").                                                               | Comparing passport records with criminal databases to identify suspects.             |
| <b>Computer Merging</b>      | Also called <b>Data Banking</b> ; combining information from multiple unrelated databases into one composite database.                                                           | Combining hospital, banking, and university records into one file.                   |
| <b>Contextual Integrity</b>  | The principle that personal information should only be used for the purpose and in the context in which it was originally collected.                                             | A hospital shares patient records with advertisers without the patient's permission. |
| <b>Cookies</b>               | Small files stored on a user's device that remember browsing preferences and other information for future visits.                                                                | A website remembers your preferred language after you return.                        |
| <b>Cross-Device Tracking</b> | The practice of linking a user's activities across multiple devices to create a single profile for advertising or analytics.                                                     | Searching for shoes on your phone and seeing the same ads later on your laptop.      |
| <b>Cyber-Privacy</b>         | The protection and control of personal information collected, stored, shared, and exchanged through digital technologies.                                                        | Choosing who can access your personal information online.                            |
| <b>Data Banking</b>          | Another term for <b>Computer Merging</b> , where multiple databases containing personal information are integrated into one central database.                                    | A government combines tax, healthcare, and education databases into one system.      |
| <b>Data Mining</b>           | The analysis of large datasets to discover hidden patterns, relationships, and trends that can be used to predict behavior.                                                      | An online store recommends products based on your previous purchases.                |
| <b>Dataveillance</b>         | The continuous monitoring of people's activities through computer technology to collect and analyze personal data.                                                               | Software records every website an employee visits during work hours.                 |
| <b>Device Fingerprint</b>    | A unique combination of hardware and software characteristics used to identify and track a device without storing cookies.                                                       | A website recognizes your computer based on installed fonts and browser settings.    |
| <b>E-Government</b>          | The use of information technology by governments to provide online public services and interact electronically with citizens.                                                    | Renewing your passport through an online government portal.                          |

|                                               |                                                                                                                                               |                                                                                   |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>First-Party Cookie</b>                     | A cookie created by the website the user is currently visiting to improve functionality and remember preferences.                             | Amazon remembers the items in your shopping cart.                                 |
| <b>Flash Cookie (Supercookie)</b>             | A persistent cookie that cannot normally be removed by clearing browser history or deleting standard cookies.                                 | A website still recognizes your device after you've cleared your browser cookies. |
| <b>Government Surveillance</b>                | The monitoring of citizens by government agencies using technology for purposes such as security, law enforcement, or intelligence gathering. | Security cameras and facial recognition used in airports.                         |
| <b>Information Privacy</b>                    | The degree of control an individual has over how their personal information is collected, stored, shared, and exchanged.                      | Deciding whether an app may access your location.                                 |
| <b>Internet of Things (IoT)</b>               | A network of Internet-connected physical devices that collect and exchange data automatically.                                                | A smart thermostat that adjusts your home's temperature remotely.                 |
| <b>Online Behavioural Tracking</b>            | Monitoring a user's browsing activities across multiple websites to build profiles for advertising and analytics.                             | Advertisers tracking the websites you visit to show targeted ads.                 |
| <b>P3P (Platform for Privacy Preferences)</b> | A protocol allowing websites to declare their privacy policies so browsers can compare them with users' privacy preferences.                  | A browser warns that a website's privacy policy conflicts with your settings.     |
| <b>Privacy</b>                                | The fundamental right to be left alone and free from unwanted interference or intrusion.                                                      | Choosing not to share your medical history with others.                           |
| <b>Profiling</b>                              | Creating a profile of an individual by analyzing patterns discovered through data mining.                                                     | A bank predicts that a customer is a high-risk borrower based on spending habits. |
| <b>RFID (Radio Frequency Identification)</b>  | Technology using a microchip (tag) and reader communicating via radio waves to identify and track objects or people.                          | A public transport card that is scanned when entering a train station.            |
| <b>Surveillance Drone (UAS)</b>               | An unmanned aerial system equipped with cameras or sensors to monitor people or locations from the air.                                       | A police drone monitoring traffic during a public event.                          |
| <b>Surveillance Technology</b>                | Hardware or software used to secretly monitor or record people's activities.                                                                  | Malware that activates a victim's webcam without permission.                      |
| <b>Third-Party Cookie</b>                     | A cookie created by an external organization, usually an advertising network, to track users across multiple websites.                        | Facebook or Google ads following your browsing activity on different websites.    |
| <b>Tracking Cookie</b>                        | A third-party cookie designed specifically to monitor browsing behavior and deliver targeted advertisements.                                  | Seeing ads for a product after visiting an online shopping website.               |
| <b>Web 2.0</b>                                | The interactive web where users generate content and often exchange personal information in return for online services.                       | Posting photos and comments on Instagram or Facebook.                             |

## Cloud Computing: Services, Security, and Ethical Frameworks

| Term                                      | Definition                                                                                                                                | Example                                                                                                  |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <b>Account Hijacking</b>                  | The unauthorized acquisition of user credentials to eavesdrop on, manipulate, or falsify cloud-based data and transactions.               | A hacker steals an employee's Microsoft 365 password and accesses company files.                         |
| <b>Availability</b>                       | Ensuring that cloud services and data remain accessible to authorized users whenever they are needed.                                     | A cloud provider uses backup servers so users can still access Gmail during hardware failures.           |
| <b>Cloud Computing</b>                    | A computing model where IT resources and services are delivered over the Internet instead of being hosted locally.                        | Using Google Drive instead of storing files only on your computer.                                       |
| <b>Compliance</b>                         | Adhering to laws, regulations, organizational policies, and industry standards throughout the development and operation of cloud systems. | A hospital cloud system complies with healthcare privacy regulations.                                    |
| <b>Confidentiality</b>                    | Protecting information from unauthorized disclosure by ensuring only authorized users can access it.                                      | Encrypting patient records stored in the cloud.                                                          |
| <b>Data Breach</b>                        | An incident in which confidential information is accessed, disclosed, or stolen by unauthorized individuals.                              | A hacker leaks customer credit card information from a cloud database.                                   |
| <b>EaaS (Equipment as a Service)</b>      | A cloud service model that facilitates connecting and managing Internet of Things (IoT) devices and equipment over the Internet.          | A company remotely manages thousands of smart sensors installed in factories.                            |
| <b>Hybrid Cloud</b>                       | A cloud deployment model combining public and private cloud services to balance flexibility and security.                                 | A company stores sensitive employee data in a private cloud while hosting its website in a public cloud. |
| <b>IaaS (Infrastructure as a Service)</b> | A cloud service model that provides virtualized computing resources such as servers, storage, networking, and processing power.           | Renting virtual servers from Amazon EC2.                                                                 |
| <b>Integrity</b>                          | Ensuring that information remains accurate, complete, and unaltered except by authorized users.                                           | Preventing unauthorized modifications to financial records stored in the cloud.                          |
| <b>Malware Injection</b>                  | Malicious code inserted into cloud services that executes as though it were a legitimate cloud instance.                                  | An attacker uploads a malicious virtual machine to steal cloud data.                                     |
| <b>Multi-Tenancy</b>                      | A cloud architecture where multiple customers share the same physical infrastructure while their data remains logically separated.        | Several companies use the same cloud server without accessing each other's data.                         |
| <b>PaaS (Platform as a Service)</b>       | A cloud service model providing the platform, operating system, and development tools needed to build and deploy applications.            | Developing a web application using Google App Engine.                                                    |
| <b>Private Cloud</b>                      | A cloud environment dedicated exclusively to a single organization for greater control and security.                                      | A bank hosts its own private cloud for customer financial records.                                       |

|                                     |                                                                                                                                                          |                                                                                                                                            |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Privacy</b>                      | The right of users to control how their personal information is collected, stored, processed, and shared within cloud environments.                      | Choosing whether a cloud provider may collect usage statistics.                                                                            |
| <b>Public Cloud</b>                 | A cloud environment owned and operated by a third-party provider and made available to the general public.                                               | Microsoft Azure or Amazon Web Services (AWS).                                                                                              |
| <b>SaaS (Software as a Service)</b> | Cloud-hosted software applications delivered directly to end users over the Internet.                                                                    | Gmail, Microsoft 365, or Dropbox.                                                                                                          |
| <b>Security</b>                     | The protection of cloud systems, applications, and data against unauthorized access, attacks, and misuse.                                                | Using firewalls and encryption to secure cloud storage.                                                                                    |
| <b>Sustainability</b>               | The ability of cloud infrastructures to reduce environmental impact by minimizing physical hardware, energy consumption, paper usage, and commuting.     | Companies reduce electricity consumption by moving servers to energy-efficient cloud data centers.                                         |
| <b>Trust</b>                        | The confidence users place in cloud providers to securely store, manage, and protect their information.                                                  | A hospital chooses a trusted cloud provider to host patient records.                                                                       |
| <b>Utilitarianism</b>               | An ethical approach suggesting that cloud policies should maximize benefits for the greatest number of users while minimizing harm.                      | A cloud provider implements stronger security measures even if they slightly inconvenience users because it protects millions of accounts. |
| <b>Virtualization</b>               | The technology that allows multiple virtual machines or operating systems to run on a single physical server, forming the foundation of cloud computing. | One physical server hosts dozens of independent virtual servers.                                                                           |

## Social Media Ethical, Legal, and Security Issues

| Term                                   | Definition                                                                                                                                                      | Example                                                                                          |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Background Check</b>                | The process of reviewing a person's online presence, including social media, to verify qualifications or identify information relevant to employment decisions. | An employer reviews a candidate's LinkedIn profile before hiring them.                           |
| <b>Digital Marketing</b>               | The use of social media and other online platforms to promote products, strengthen brand loyalty, and gather customer insights.                                 | A company advertises a new product on Instagram and TikTok.                                      |
| <b>Electronic Word-of-Mouth (eWOM)</b> | Online recommendations, reviews, and opinions shared by users that influence others' purchasing decisions.                                                      | A customer posts a positive review about a restaurant on Google Maps.                            |
| <b>Facebook Exchange (FBX)</b>         | Facebook's advertising system that uses real-time bidding and browsing history to display retargeted advertisements.                                            | After visiting a shoe store website, Facebook shows advertisements for the same shoes.           |
| <b>Hashtag</b>                         | A keyword preceded by the # symbol used to categorize content and improve its discoverability on social media.                                                  | <b>#CyberSecurity</b> or <b>#ETHC303</b>                                                         |
| <b>Marketplace Ads</b>                 | Traditional Facebook advertisements displayed in the side column containing a headline, description, and image.                                                 | A clothing company advertises a seasonal sale using a Marketplace Ad.                            |
| <b>Nomophobia</b>                      | The fear or anxiety of being without a mobile phone or unable to use it.                                                                                        | Feeling stressed because your phone battery dies while you're away from home.                    |
| <b>Privacy Settings</b>                | User-controlled settings that determine who can view, share, or interact with personal information on social media.                                             | Setting your Instagram account to <b>Private</b> so only approved followers can view your posts. |
| <b>Promoted Posts</b>                  | Paid Facebook posts that increase the visibility and reach of existing content.                                                                                 | A business pays to promote an announcement about a new product launch.                           |
| <b>Reputation Management</b>           | The process of monitoring and maintaining an individual's or organization's online image.                                                                       | A company responds professionally to negative online reviews to protect its reputation.          |
| <b>Retargeting</b>                     | An online advertising technique that shows advertisements to users based on websites or products they previously visited.                                       | Looking at a laptop online and later seeing ads for that same laptop on Facebook.                |
| <b>Social Media</b>                    | Online platforms that allow users to create, share, and interact with content and communicate with others.                                                      | Facebook, Instagram, X, TikTok, and LinkedIn.                                                    |
| <b>Social Networking</b>               | The creation of online communities that enable people to communicate, collaborate, and share information regardless of geographic location.                     | Students joining a Facebook group to discuss a university course.                                |
| <b>Social Networking Use Policy</b>    | An organization's formal policy defining acceptable employee behavior, security requirements, and the appropriate use of social media.                          | A company prohibits employees from sharing confidential information on social media.             |
| <b>Social Signals</b>                  | User interactions such as likes, shares, comments, and reposts that search engines and platforms may use to evaluate content popularity and relevance.          | A blog post with thousands of shares ranks higher in search results.                             |

|                           |                                                                                                                                                     |                                                                                          |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| <b>Sponsored Stories</b>  | Facebook advertisements that highlight a user's interaction with a business (such as liking a page or checking in) and display it to their friends. | Your friend likes a restaurant, and Facebook shows that interaction as an advertisement. |
| <b>Web of Trust (WOT)</b> | A browser extension that evaluates and warns users about potentially malicious or untrustworthy websites.                                           | WOT warns that a website has a poor reputation before you visit it.                      |



## Principles of Business Ethics

| Term                                         | Definition                                                                                                                            | Example                                                                                              |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Business Ethics</b>                       | The application of moral principles and ethical standards to business decisions and organizational conduct.                           | A company refuses to use child labor even if it reduces costs.                                       |
| <b>Code of Ethics</b>                        | A formal document that outlines the ethical principles and expected standards of behavior for members of an organization.             | Employees sign and follow the company's Code of Ethics.                                              |
| <b>Corporate Social Responsibility (CSR)</b> | A company's commitment to operating ethically while contributing positively to society, the environment, and the economy.             | A company funds environmental conservation projects and community education programs.                |
| <b>Ethical Leadership</b>                    | Leadership that demonstrates honesty, integrity, fairness, and ethical decision-making while setting an example for others.           | A CEO openly admits a company mistake and takes responsibility for correcting it.                    |
| <b>Fairness</b>                              | The ethical principle of treating all individuals and stakeholders equally, impartially, and without discrimination.                  | Two employees with equal qualifications receive the same promotion opportunity.                      |
| <b>Global Ethics</b>                         | The application of ethical principles while respecting cultural differences and international business practices.                     | A multinational company follows local labor laws while maintaining universal human rights standards. |
| <b>Integrity</b>                             | Acting honestly, consistently, and according to strong moral principles, even when no one is watching.                                | A manager reports an accounting error that benefits the company financially.                         |
| <b>Organizational Ethics</b>                 | The ethical values, principles, and culture that guide decision-making within a specific organization.                                | A company prioritizes customer privacy in all of its business decisions.                             |
| <b>Professional Ethics</b>                   | Ethical standards governing the behavior of members of a particular profession.                                                       | An accountant refuses to falsify financial records.                                                  |
| <b>Stakeholder</b>                           | Any individual or group that is affected by or has an interest in an organization's decisions and activities.                         | Customers, employees, shareholders, suppliers, and the local community.                              |
| <b>Sustainability</b>                        | Conducting business in a way that meets current needs without compromising the ability of future generations to meet their own needs. | A company reduces energy consumption and switches to renewable energy sources.                       |
| <b>Transparency</b>                          | The practice of communicating honestly and openly with stakeholders about business activities and decisions.                          | A company publicly reports a data breach instead of hiding it.                                       |
| <b>Whistleblowing</b>                        | Reporting unethical, illegal, or harmful activities within an organization to protect the public interest.                            | An employee reports that the company is knowingly violating environmental regulations.               |

## Understanding Social Engineering

| Term                                 | Definition                                                                                                                                                                              | Example                                                                                        |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Dumpster Diving</b>               | The practice of searching through discarded materials to find sensitive information such as documents, passwords, hardware, or storage devices that can aid an attack.                  | An attacker finds employee contact lists in a company's trash bin.                             |
| <b>Impersonation</b>                 | Pretending to be another person or authority to gain trust, information, or physical access.                                                                                            | An attacker pretends to be an IT technician to obtain an employee's password.                  |
| <b>Malware</b>                       | Malicious software designed to damage systems, steal information, or gain unauthorized access to a computer.                                                                            | A Trojan secretly steals online banking credentials.                                           |
| <b>PBX (Private Branch Exchange)</b> | A private telephone network within an organization that attackers may exploit to make fraudulent calls appear to originate internally.                                                  | A scammer manipulates the PBX so a call appears to come from the company's IT department.      |
| <b>Phishing</b>                      | A social engineering attack that uses fraudulent emails or websites to trick victims into revealing sensitive information.                                                              | A fake bank email asks users to "verify" their login credentials.                              |
| <b>Phishing Test</b>                 | A simulated phishing attack conducted by an organization to assess employee awareness and improve security training.                                                                    | A company sends fake phishing emails to employees as part of cybersecurity training.           |
| <b>Phone Spoofing</b>                | The technique of falsifying caller ID information so a phone call appears to come from a trusted source.                                                                                | An attacker makes a call appear to come from the victim's bank.                                |
| <b>Pretexting</b>                    | Creating a believable but false scenario or identity to convince a victim to disclose information or grant access.                                                                      | An attacker pretends to be an HR employee requesting personal information.                     |
| <b>Shoulder Surfing</b>              | Obtaining confidential information by watching someone enter passwords or other sensitive data.                                                                                         | An attacker watches someone type their ATM PIN.                                                |
| <b>Smishing</b>                      | A phishing attack carried out through SMS text messages that encourages immediate action using fear, urgency, or rewards.                                                               | A text message claims your bank account has been locked and asks you to click a link.          |
| <b>Social Engineering</b>            | The manipulation of people into revealing confidential information or performing actions that compromise security by exploiting human psychology rather than technical vulnerabilities. | An attacker convinces an employee to reveal their password over the phone.                     |
| <b>Spear Phishing</b>                | A highly targeted phishing attack directed at a specific individual or organization using personalized information.                                                                     | A fake email addressed specifically to a company's finance manager requesting a bank transfer. |
| <b>Vishing</b>                       | A social engineering attack conducted over the telephone, often using phone spoofing to appear legitimate.                                                                              | An attacker pretends to be a bank representative and asks for a customer's verification code.  |
| <b>Whaling</b>                       | A phishing attack targeting high-ranking executives or government officials to gain access to valuable information or systems.                                                          | A CEO receives a fake email requesting confidential financial information.                     |

## Ethical Hacking and Information Security

| Term                                    | Definition                                                                                                                                                      | Example                                                                                                          |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Advanced Persistent Threat (APT)</b> | A sophisticated, long-term cyberattack in which an attacker gains unauthorized access and remains hidden while continuously monitoring or stealing information. | A nation-state hacker secretly remains inside a government network for months collecting classified information. |
| <b>Asset</b>                            | Anything of value that must be protected from threats, including hardware, software, information, and people.                                                   | A company's customer database.                                                                                   |
| <b>Attack Surface</b>                   | The total number of possible entry points that an attacker can use to access or compromise a system.                                                            | Open network ports, websites, employee accounts, and remote access services.                                     |
| <b>Availability</b>                     | Ensuring authorized users can access systems, services, and information whenever needed.                                                                        | A hospital's patient database remains available 24/7.                                                            |
| <b>Bot</b>                              | Software capable of performing automated tasks or being remotely controlled by an attacker.                                                                     | Malware installed on a victim's computer waiting for commands.                                                   |
| <b>Botmaster</b>                        | The attacker who controls a botnet and issues commands to compromised devices.                                                                                  | A hacker instructs thousands of infected computers to launch a DDoS attack.                                      |
| <b>Botnet</b>                           | A collection of compromised devices (zombies) controlled by a botmaster to perform coordinated malicious activities.                                            | Thousands of infected computers simultaneously attack a website.                                                 |
| <b>Confidentiality</b>                  | Protecting information from unauthorized access or disclosure.                                                                                                  | Encrypting patient medical records.                                                                              |
| <b>Cyber Attack</b>                     | Any deliberate attempt to gain unauthorized access to, damage, or disrupt computer systems or networks.                                                         | A ransomware attack encrypts company files.                                                                      |
| <b>Daisy Chaining</b>                   | Performing multiple attacks in sequence, where each successful attack provides information that enables the next attack.                                        | A hacker steals login credentials, then uses them to access confidential databases.                              |
| <b>Defensive Information Warfare</b>    | The protection of information systems against attacks while ensuring confidentiality, integrity, and availability.                                              | Installing firewalls and intrusion detection systems to defend a military network.                               |
| <b>Doxing</b>                           | Collecting and publicly revealing private or identifying information about an individual without permission.                                                    | Publishing someone's home address and phone number online.                                                       |
| <b>Exploit</b>                          | Software or techniques that take advantage of a vulnerability to compromise a system.                                                                           | Using an unpatched software flaw to gain administrator access.                                                   |
| <b>Hack Value</b>                       | The attractiveness or importance of a target from the attacker's perspective.                                                                                   | A major bank has a higher hack value than a personal blog.                                                       |
| <b>Information Assurance (IA)</b>       | The practice of protecting information by ensuring its confidentiality, integrity, availability, authentication, and non-repudiation.                           | A government agency uses encryption and digital signatures to protect classified documents.                      |
| <b>Information Warfare</b>              | The use of information systems and technologies to gain a strategic military, political, or economic advantage over an adversary.                               | Launching cyber operations to disrupt another country's communication systems.                                   |

|                                      |                                                                                                                       |                                                                                                  |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Integrity</b>                     | Protecting information from unauthorized modification or destruction while ensuring authenticity and accuracy.        | Preventing unauthorized changes to financial records.                                            |
| <b>Non-repudiation</b>               | A security property ensuring that the sender cannot deny sending a message and the receiver cannot deny receiving it. | A digitally signed contract proves who signed it.                                                |
| <b>Offensive Information Warfare</b> | Actions intended to disrupt, damage, or compromise an opponent's information systems.                                 | Disabling an enemy's communication network during a military conflict.                           |
| <b>Payload</b>                       | The harmful portion of malicious software that performs the intended malicious action after infection.                | A ransomware payload encrypts all files on a victim's computer.                                  |
| <b>Risk</b>                          | The likelihood that a threat will successfully exploit a vulnerability and cause damage.                              | An unpatched server is at high risk of being compromised.                                        |
| <b>Threat</b>                        | Any potential event, person, or circumstance capable of exploiting a vulnerability and causing harm to a system.      | A hacker attempting to steal confidential information.                                           |
| <b>Vulnerability</b>                 | A weakness in hardware, software, configuration, or procedures that can be exploited by attackers.                    | Leaving default administrator credentials unchanged.                                             |
| <b>Zero-Day Attack</b>               | An attack exploiting a previously unknown vulnerability before a security patch becomes available.                    | Attackers exploit a newly discovered browser vulnerability before the vendor releases an update. |
| <b>Zombie Computer</b>               | A compromised computer secretly controlled by a botmaster as part of a botnet.                                        | An infected home computer participates in a DDoS attack without the owner's knowledge.           |

## Intellectual Property Laws and Ethical Practices

| Term                                           | Definition                                                                                                                                                          | Example                                                                         |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Competitive Intelligence (CI)</b>           | The ethical collection and analysis of information from public and legally obtainable sources to understand competitors and support business decisions.             | A company analyzes a competitor's annual report before launching a new product. |
| <b>Copyright</b>                               | A legal protection granted to original works of authorship, including books, music, software, films, and artwork, once they are fixed in a tangible medium.         | A programmer owns the copyright to software they created.                       |
| <b>Copyright Infringement</b>                  | The unauthorized use, reproduction, distribution, or display of copyrighted material without the owner's permission.                                                | Downloading and distributing pirated software.                                  |
| <b>Cybersquatting</b>                          | Registering or using a domain name in bad faith to profit from another person's trademark or brand reputation.                                                      | Registering <b>nike-shoes.com</b> hoping Nike will buy it.                      |
| <b>Derivative Rights</b>                       | The copyright owner's exclusive right to authorize new works based on the original work.                                                                            | Turning a novel into a movie with the author's permission.                      |
| <b>Digital Millennium Copyright Act (DMCA)</b> | A U.S. law that prohibits bypassing technological protection measures used to protect copyrighted works.                                                            | Circumventing DVD encryption to copy a movie illegally.                         |
| <b>Digital Rights Management (DRM)</b>         | Technologies used to control access to and prevent unauthorized copying of digital copyrighted content.                                                             | Netflix encrypts its videos so only subscribers can watch them.                 |
| <b>Doctrine of First Sale</b>                  | A legal principle allowing the owner of a physical copy of a copyrighted work to sell or give away that copy without the copyright owner's permission.              | Selling a used textbook to another student.                                     |
| <b>Fair Use Doctrine</b>                       | A legal doctrine allowing limited use of copyrighted material without permission for purposes such as criticism, teaching, research, commentary, or news reporting. | Using a short quotation from a book in a research paper.                        |
| <b>Intellectual Property (IP)</b>              | Creations of the mind, including inventions, artistic works, symbols, designs, and software, protected by intellectual property laws.                               | A company's logo, patented invention, and software source code.                 |
| <b>License</b>                                 | Legal permission granted by the owner of intellectual property specifying how others may use it.                                                                    | Purchasing a software license to use Microsoft Office.                          |
| <b>Open Source Software (OSS)</b>              | Software whose source code is publicly available and may be modified and redistributed according to its license.                                                    | Linux or Mozilla Firefox.                                                       |
| <b>Patent</b>                                  | A legal right granted to inventors that prevents others from making, using, or selling an invention without permission for a limited period.                        | A company patents a new battery technology.                                     |
| <b>Patent Infringement</b>                     | Using, making, or selling a patented invention without the patent holder's authorization.                                                                           | Manufacturing a patented medical device without a license.                      |
| <b>Plagiarism</b>                              | Presenting another person's ideas, words, or work as your own without proper acknowledgment.                                                                        | Copying paragraphs from a website into an assignment without citation.          |
| <b>Proprietary Software</b>                    | Software owned by an individual or company that restricts modification, copying, and redistribution.                                                                | Microsoft Windows.                                                              |

|                            |                                                                                                                                      |                                                                             |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <b>Public Domain</b>       | Creative works that are no longer protected by copyright and may be used freely by anyone.                                           | A novel whose copyright has expired.                                        |
| <b>Reverse Engineering</b> | Analyzing a product or software to understand how it works so it can be studied, improved, or made compatible.                       | Studying hardware to develop compatible replacement components.             |
| <b>Service Mark</b>        | A trademark used to identify and distinguish services rather than physical products.                                                 | The logo of an airline or consulting company.                               |
| <b>Software License</b>    | A legal agreement specifying the rights and restrictions governing the use of software.                                              | Accepting the End User License Agreement (EULA) before installing software. |
| <b>Trade Dress</b>         | Protection for the distinctive appearance, packaging, or overall visual presentation of a product or business.                       | The unique layout and appearance of an Apple Store.                         |
| <b>Trade Secret</b>        | Valuable confidential business information that provides a competitive advantage and remains protected as long as it is kept secret. | Coca-Cola's secret formula.                                                 |
| <b>Trademark</b>           | A legally protected word, symbol, phrase, logo, or design used to identify the source of goods or services.                          | The Nike "Swoosh" logo.                                                     |

## Anti-Cyber Crime Law in Saudi Arabia

| Term                           | Definition                                                                                                                                       | Example                                                                   |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| <b>Computer Fraud</b>          | The use of computers or information systems to commit dishonest or illegal acts for financial or personal gain.                                  | Altering payroll records to increase your own salary.                     |
| <b>Cyber Defamation</b>        | Publishing false or harmful statements about a person or organization through electronic means with the intent to damage their reputation.       | Posting false accusations about a business on social media.               |
| <b>Cyber Extortion</b>         | Demanding money, services, or other benefits by threatening to damage, expose, or disable computer systems or digital information.               | A hacker demands payment to avoid leaking stolen company data.            |
| <b>Cyber Stalking</b>          | Using the Internet or electronic communication to repeatedly harass, threaten, or intimidate another person.                                     | Continuously sending threatening messages through social media.           |
| <b>Cybercrime</b>              | Any criminal activity carried out using computers, networks, or digital technologies.                                                            | Stealing banking credentials through phishing emails.                     |
| <b>Data Diddling</b>           | The unauthorized modification of data before, during, or after it is entered into a computer system.                                             | An employee changes payroll data before salaries are processed.           |
| <b>Denial of Service (DoS)</b> | An attack that prevents legitimate users from accessing a computer system or network by overwhelming its resources.                              | Flooding a government website with requests until it becomes unavailable. |
| <b>Email Bombing</b>           | Sending an extremely large number of emails to overwhelm a mailbox or email server.                                                              | Filling a company's mailbox with thousands of spam emails.                |
| <b>Email Spoofing</b>          | Forging the sender's email address so that an email appears to come from a trusted source.                                                       | A scam email appears to come from a bank instead of a criminal.           |
| <b>Hacking</b>                 | Gaining unauthorized access to a computer system or network by bypassing security controls.                                                      | Breaking into a company's internal network without permission.            |
| <b>Identity Theft</b>          | Illegally obtaining another person's personal information to impersonate them for fraud or other crimes.                                         | Using someone's national ID number to open a bank account.                |
| <b>Logic Bomb</b>              | Malicious code that remains inactive until a specified condition or event triggers its execution.                                                | Code deletes company files after an employee's account is removed.        |
| <b>Malware</b>                 | Malicious software designed to damage systems, disrupt operations, or gain unauthorized access.                                                  | Installing spyware that secretly steals passwords.                        |
| <b>Phishing</b>                | Fraudulently pretending to be a trusted organization to obtain sensitive information such as passwords or banking details.                       | A fake PayPal email asks users to log in using a malicious website.       |
| <b>Salami Attack</b>           | A fraud technique involving many very small unauthorized transactions that individually go unnoticed but collectively produce significant gains. | Deducting one cent from thousands of bank accounts each day.              |
| <b>Software Piracy</b>         | The unauthorized copying, distribution, installation, or sale of copyrighted software.                                                           | Installing one licensed software copy on hundreds of computers.           |
| <b>Spamming</b>                | Sending unsolicited bulk electronic messages, usually advertisements or scams.                                                                   | Sending thousands of promotional emails without recipients' consent.      |
| <b>Trojans (Keyloggers)</b>    | Malicious software that secretly records a user's keystrokes to steal passwords, banking information, and other sensitive data.                  | A keylogger records online banking credentials as they are typed.         |

|                                  |                                                                                                                                           |                                                                             |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <b>Unauthorized Access</b>       | Accessing a computer system, network, or information without permission or legal authorization.                                           | Logging into another employee's account without their permission.           |
| <b>Unauthorized Interception</b> | Secretly intercepting electronic communications or data transmissions without authorization.                                              | Capturing confidential emails transmitted over a network.                   |
| <b>Web Jacking</b>               | Taking unauthorized control of a website by compromising administrator credentials and preventing the legitimate owner from accessing it. | A hacker changes a company's website and demands payment to restore access. |