

Doxicap 100 mg

Patient Information Leaflet — Doxycycline Hydrochloride 100 mg. Read this leaflet carefully before you start taking this medicine.

Brand name	Doxicap 100 mg
Active ingredient	Doxycycline Hydrochloride 100 mg
Form	Capsule
Manufacturer	Renata PLC, Bangladesh
Pack & price	Unit price ₳2.20; strip of 10: ₳22.00; pack of 10 × 10: ₳220.00

1. What Doxicap is and what it is used for

Doxicap contains doxycycline, a tetracycline antibiotic. It treats infections caused by susceptible microorganisms, including:

- respiratory tract infections
- gastrointestinal infections
- chlamydial infections and sexually transmitted diseases
- acne, brucellosis, and cellulitis

2. Before you take Doxicap

Do not take if you: are hypersensitive to any tetracycline; are a child under 8 years of age; are pregnant; or are breast-feeding.

Use during tooth development (from the last half of pregnancy through 8 years of age) may cause **permanent discolouration of the teeth**.

3. How to take Doxicap

Swallow the capsules whole with plenty of fluid, during meals, while sitting or standing upright.

Condition	Dose
Usual dose	200 mg on the first day, then 100 mg daily for 7–10 days
Severe infections	200 mg daily for 10 days
Acne	100 mg daily
Genital chlamydia / non-gonococcal urethritis	100 mg twice daily for 7–21 days

Complete the full course as prescribed, even if you feel better.

4. Possible side effects

Nausea, vomiting, diarrhoea, skin rashes, haemolytic anaemia, and eosinophilia may occur. Contact your doctor if side effects are severe or persistent.

5. Use in pregnancy and breast-feeding

Avoid during pregnancy due to the risk of staining of the baby's teeth and effects on bone growth. The drug enters breast milk, so nursing mothers should not breast-feed while taking it.

6. How to store Doxicap

Store in a cool, dry place, protected from light. **Keep out of the reach of children.**

Source: product information from MedEx (medex.com.bd). This leaflet is reproduced for an illustrative technical assessment exercise only and is not medical advice.