

FIT2095 e-Business software technologies - S2 2021

Ctantad an	Cumday 2 October 2001 C:01 DM	
	Sunday, 3 October 2021, 6:21 PM Finished	
	Sunday, 3 October 2021, 6:45 PM	
	23 mins 23 secs	
Grade	8.00 out of 10.00 (80%)	
rint friendly format		
Question 1		
ncorrect		
Mark 0.00 out of 1.00		
<a "="" href="/addactor&lt;/th&gt;&lt;th&gt;represents a link that sould be manged by an Angular router.  "> Add </a>		
But the code is wro	r" > Add	
But the code is wro	r" > Add	
But the code is wro  Select one:  a. <a routerl<="" th=""><th>ong. Which of the following options has the correct code?  -ink="/addactor" &gt;Add </th></a>	ong. Which of the following options has the correct code?  -ink="/addactor" >Add	×
But the code is wro  Select one:  a. ka routerL  b. ka href="/	ong. Which of the following options has the correct code?  Link="/addactor" >Add   /addactor" routerLinkActive="active"> Add	×
But the code is wro  Select one:  a. ka routerL  b. ka href="/	ong. Which of the following options has the correct code?  -ink="/addactor" >Add	×
But the code is wro  Select one:  a. <a <="" <a="" b.="" c.="" class="" href="/" routerl="" th=""><th>ong. Which of the following options has the correct code?  Link="/addactor" &gt;Add </th></a> /addactor" routerLinkActive="active"> Add	ong. Which of the following options has the correct code?  Link="/addactor" >Add	×
But the code is wro  Select one:  a. <a <="" <a="" b.="" c.="" class="" href="/" routerl="" th=""><th>ong. Which of the following options has the correct code?  -ink="/addactor" &gt;Add </th></a> /addactor" routerLinkActive="active"> Add   /nav-link" href="/addactor">Add	ong. Which of the following options has the correct code?  -ink="/addactor" >Add	×
But the code is wro  Select one:  a. <a <a="" addactor"="" b.="" class="&lt;/th&gt;&lt;th&gt;ong. Which of the following options has the correct code? -ink=" d.="" href="/ c. &lt;a class=" routerl="">Add </a> /addactor" routerLinkActive="active"> Add   'nav-link" href="/addactor">Add   'nav-link" href="/addactor" routerLinkActive="active">Add	×	
But the code is wro  Select one:  a. <a <a="" answer="" b.="" c.="" class="d. &lt;a class=" d.="" href="/ c. &lt;a class=" inco<="" is="" routerl="" th="" your=""><th>ong. Which of the following options has the correct code?  ong. Which of the following options has the correct code?  one of the following options has the code of the following options has the cod</th><th>*</th></a>	ong. Which of the following options has the correct code?  ong. Which of the following options has the correct code?  one of the following options has the code of the following options has the cod	*
But the code is wro  Select one:  a. <a <a="" addactor"="" b.="" class="Your answer is inco&lt;/td&gt;&lt;td&gt;ong. Which of the following options has the correct code? ong. Which of the following options has the correct code? ong. Which of the following options has the correct code? one. ink=" d.="" href="/ c. &lt;a class=" routerl="">Add </a> one. ink="/addactor" >Add   one. inav-link" href="/addactor" >Add   one. inav-link" href="/addactor" routerLinkActive="active">Add   one. inav-link" href="/addactor" routerLinkActive="active">Add	×	
But the code is wro  Select one:  a. <a <a="" addactor"="" answer="" b.="" c.="" class="" correct="" d.="" href="/" inco="" is="" routerl="" routerlink="/ac&lt;/td&gt;&lt;td&gt;ong. Which of the following options has the correct code?  ong. Which of the following options has the correct code?  ong. Which of the following options has the correct code?  one. ink=" the="" your="">Add </a> one. ink="/addactor" >Add   one. inav-link" href="/addactor" >Add   one. inav-link" href="/addactor" routerLinkActive="active">Add   one. inav-link" href="/addactor" routerLinkActive="active">Add		
But the code is wro  Select one:  a. <a <a="" addactor"="" b.="" class="Your answer is inco&lt;/td&gt;&lt;td&gt;ong. Which of the following options has the correct code? ong. Which of the following options has the correct code? ong. Which of the following options has the correct code? one. ink=" d.="" href="/ c. &lt;a class=" routerl="">Add </a> one. ink="/addactor" >Add   one. inav-link" href="/addactor" >Add   one. inav-link" href="/addactor" routerLinkActive="active">Add   one. inav-link" href="/addactor" routerLinkActive="active">Add	*	

https://lms.monash.edu/mod/quiz/review.php?attempt=21850392&cmid=8806752

Select one or more:

a. SPAs are more secure than MPAs

The router matches that URL to the route path and displays the ----- after a Router Outlet.

## Select one:

The view of the colected module

Assume you have developed an application and you decided to deploy it on the cloud but without the complexity of building and https://lms.monash.edu/mod/quiz/review.php?attempt=21850392&cmid=8806752

Your answer is correct.

12/11/2021, 21:54

Select one: oa. laaS ob. PaaS

c. SaaS

Question 9 Correct

Mark 1.00 out of 1.00

Select one:

Your answer is incorrect. The correct answer is: PaaS

maintaining the infrastructure.

The correct answer is: Yes, but the auxiliary outlet has to get a unique name to be used in the routing paths

Question 10 Correct Mark 1.00 out of 1.00

Given this import statement from app.module.ts

RouterModule.forRoot(appRoutes),

The data type of appRouters is:

Select one:

- o a. a string represents a path
- b. an array of objects where each object represents a path
- one object represents a path
- O d. object of objects where each object represents a path

Your answer is correct.

The correct answer is: an array of objects where each object represents a path

## ■ Week 9 Pre-Reading Quiz

Jump to...

Week 11 Pre-reading Quiz ▶