| Test Script ID | BASICS-QA-LIMS-02 | Title | Certificate of Analysis (CoA) |
|---|---|---|---|
| Description | Verify the Certificate of Analysis report content. | Run Number | 0 |

## Setup Steps

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 1 | Ensure the following Test Accounts are available and record the usernames of the accounts:<br>- USER1 (Security Profile: LIMS User, LIMS Roles: Results Entry)<br>- USER2 (Security Profile: LIMS User, LIMS Roles: QA)<br>- USER3 (Security Profile: Veeva Admin, LIMS Roles: none) | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 2 | MAT1 is an active Material with the following attributes:<br><br>The Description field is populated with at least two rows of text.<br><br>All fields in the CoA field Suppression section are UNCHECKED.<br><br>Include screenshot(s) of all MAT1 fields. | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 3 | MAT2 is an active Material with the following attributes:<br><br>The Description field is populated<br><br>All fields in the CoA field Suppression section are CHECKED.<br><br>Include screenshot(s) of all MAT2 fields. | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 4 | MAT3 is an active Material with the following attributes:<br><br>The Description field is NOT populated<br><br>All fields in the CoA field Suppression section are UNCHECKED .<br><br>Include screenshot(s) of all MAT3 fields. | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 5 | MAT4 is an active Material with the following attributes:<br><br>The Description field is NOT populated<br><br>All fields in the CoA field Suppression section are UNCHECKED except for the Manufacturer Address is CHECKED.<br><br>Include screenshot(s) of all MAT4 fields. | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 6 | ORG1 is an external organization record in the Initiated state.<br><br>All fields in the details section of the organization record are populated.<br><br>Include screenshot(s) of all ORG1 Details fields | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 7 | ORG2 is an external site organization record in the Initiated state.<br><br>The only fields populated in the details section of the organization record are the Organization Name, Parent Organization (ORG1), and Address Line 1.<br><br>Include screenshot(s) of all ORG2 Details fields | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 8 | Spec Execution SPEX1 is in the Approved state with the following attributes:<br><br>1) On the Batch (BATCH1), the following fields are POPULATED:<br>a) Material = MAT1<br>b) Manufacturing Site = ORG1<br>c) Country<br>d) Amount<br>e) Unit of Measure<br>f) Manufacture Date<br>g) Expiration Date (note: this date is different than the Manufacture Date)<br><br>2) SPEX1 has the following:<br>a) 2 samples, each having a different Testing Location<br>b) Each sample has at least 1 test, and there are at least 5 results per sample<br>c) At least 1 test has a Variation and at least one test does not have a Variation.<br>d) At least 1 test has the Test Method populated, at least one Test has the Test Method blank.<br>e) There are 10 criteria evaluation (limit) records with purpose including 'CoA'. Each record has the order field populated with a unique number (e.g., 1 to 10)<br>f) There is a least 1 criteria evaluation (limit) record with purpose NOT including 'CoA'<br><br>All samples & tests are approved.<br><br>3) The CoA is version 1.0, state = Final<br>4) The CoA Comments field is populated on SPEX1.<br>5) USER2 performed QA approval for SPEX1<br><br>Include screenshot(s) of BATCH1 & SPEX1 to show the setup fields/details outlined above, ensuring to also include the fields below.<br><br>Limits sections:<br>Purpose<br>Order (click the header to order the records by the order value)<br>Test<br>Test Definition<br>Evaluated Result<br>Criteria<br>Evaluated Value | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| | Conforms<br><br>Sample section:<br>Testing Location<br><br>Test section:<br>Test Method<br>Name<br>Test Definition Variation | | |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 9 | Spec Execution SPEX2 is in the Approved state and has the following attributes:<br><br>1) On the Batch (BATCH2), the following fields are POPULATED:<br>a) Material = MAT1<br><br>On BATCH2, the following fields are NOT POPULATED:<br>a) Manufacturing Site<br>b) Country<br>c) Amount<br>d) Unit of Measure<br>e) Manufacture Date<br>f) Expiration Retest Date<br><br>2) SPEX2 has the following:<br>a) 2 samples, neither sample has the Testing Location field populated<br>b) Each sample has at least 1 test, and there are at least 5 results per sample<br>c) There are 10 criteria evaluation (limit) records with purpose including 'CoA' (5 per test)<br>d) There is a least 1 criteria evaluation (limit) record with purpose NOT including 'CoA'<br><br>One of the samples and it's test are Rejected. The other sample and test are Approved.<br>(NOTE: use the sample workflow to reject the sample and test prior to Spec Execution Approval).<br><br>3) The CoA is version 1.0, state = Final<br><br>4) The CoA Comments field is blank on SPEX2.<br><br>Include screenshot(s) of BATCH2 & SPEX2 to show the setup fields/details outlined above, ensuring to also include the fields below.<br><br>Limits sections:<br>Purpose<br>Order (click the header to order the records by the order value)<br>Test<br>Test Definition<br>Evaluated Result<br>Criteria<br>Evaluated Value<br>Conforms | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| | Sample section:<br>Testing Location<br><br>Test section:<br>Test Method<br>Name<br>Test Definition Variation | | |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 10 | Spec Execution SPEX3 is in the Approved** state and has the following attributes:<br><br>1) On the Batch (BATCH3), the following fields are POPULATED:<br>a) Material = MAT2<br>b) Manufacturing Site = ORG1<br>c) Country<br>d) Amount<br>e) Unit of Measure<br>f) Manufacture Date<br>g) Expiration Date (note: this date is different than the Manufacture Date)<br><br>2) SPEX3 has the following:<br>a) 2 samples, each having a different Testing Location<br>b) Each sample has at least 1 test, and there are at least 5 results per sample<br>c) There are 10 criteria evaluation (limit) records with purpose including 'CoA'<br>d) There is a least 1 criteria evaluation (limit) record with purpose NOT including 'CoA'<br>**e) The spec execution was reactivated (i.e. it was initially rejected, then it was reactivated and it now approved. All samples and tests are approved.)<br><br>3) The CoA is version 1.0 , state = Final<br><br>4) The CoA Comments field is blank on SPEX3.<br><br>Include screenshot(s) of BATCH3 & SPEX3 to show the setup fields/details outlined above, ensuring to also include the fields below.<br><br>Limits sections:<br>Purpose<br>Order (click the header to order the records by the order value)<br>Test<br>Test Definition<br>Evaluated Result<br>Criteria<br>Evaluated Value<br>Conforms<br><br>Sample section:<br>Testing Location<br><br>Test section: | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| | Test Method<br>Name<br>Test Definition Variation | | |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 11 | Spec Execution SPEX4 is in the Rejected state and has the following attributes:<br><br>1) On the Batch (BATCH4), the following fields are POPULATED:<br>a) Material = MAT1<br>b) Manufacturing Site = ORG1<br>c) Country<br>d) Amount<br>e) Unit of Measure<br>f) Manufacture Date<br>g) Expiration Date (note: this date is different than the Manufacture Date)<br><br>2) SPEX4 has the following:<br>a) 2 samples, each having a different Testing Location<br>b) Each sample has at least 1 test, and there are at least 5 results per sample<br>c) There are 10 criteria evaluation (limit) records with purpose including 'CoA'<br>d) There is a least 1 criteria evaluation (limit) record with purpose NOT including 'CoA'<br><br>3) All samples and tests are rejected<br><br>4) The CoA is version is < 1.0, state = Initial<br><br>5) The CoA Comments field is POPULATED on SPEX4.<br><br>6) USER2 performed the QA rejection for SPEX4<br><br>Include screenshot(s) of BATCH4 and SPEX4 to show the setup fields/details outlined above. | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 12 | Spec Execution SPEX5 is in the Approved state and has the following attributes:<br><br>1) On the Batch (BATCH5), the following fields are POPULATED:<br>a) Material = MAT3<br>b) Manufacturing Site = ORG2<br><br>2) SPEX5 has the following:<br>a) At least1 sample and at least 1 test. No Samples have a Testing Location defined.<br>b) At least 1 criteria evaluation (limit) record but none of the records have 'CoA' in the Purpose field<br><br>All samples and tests are approved.<br><br>3) The CoA is version 1.0, state = Final<br><br>4) The CoA Comments field is blank on SPEX5.<br><br>5) USER2 performed the QA approval for SPEX5<br><br>Include screenshot(s) of BATCH5 and SPEX5 to show the setup fields/details outlined above. | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 13 | Spec Execution SPEX6 is in the Testing Complete state and has the following attributes:<br><br>1) On the Batch (BATCH6), the following fields are POPULATED:<br>a) Material = MAT4<br>b) Manufacturing Site = ORG1<br><br>2) SPEX6 has the following:<br>a) At least 1 sample and at least 1 test. No Samples have a Testing Location defined.<br>b) At least 1 criteria evaluation (limit) record but none of the records have 'CoA' in the Purpose field<br><br>All samples and tests are in the Testing Complete state.<br><br>3) The CoA is version is <1.0, state = Initial<br><br>4) The CoA Comments field is blank on SPEX6.<br><br>Include screenshot(s) of BATCH6 and SPEX6 to show the setup fields/details outlined above. | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 14 | The Basics customer record has the following fields populated<br><br>Customer Name<br>Address<br>CoA Release Statement<br>Company Logo<br><br>Include screenshot(s) of the Basics customer fields, including the company logo image. | | No |

| Step | Procedure | Actual Results | Complete? |
|---|---|---|---|
| 15 | Confirm that the Vault Token: Virtual Vault? = true | | No |

## Execution Steps

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 1 | Log into Vault as USER1. From the LIMS tab collection, navigate to Release Testing > Spec Executions. Click into SPEX1. | Spec Execution SPEX1 is displayed. It is in the Approved state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 2 | Using the CoA link, open the CoA document in another tab. | The SPEX1 CoA is opened, it is version 1.0 and is in the Final state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 3 | On each page of the CoA, verify that the header correctly displays the following:<br><br>1) On the left side: Company Logo from the Basics Customer record<br>2) In the center: Customer Name and below it Address from the Basics Customer record | On each page of the CoA, the header correctly displays the following:<br><br>1) On the left side: Company Logo from the Basics Customer record<br>2) In the center: Customer Name and below it Address from the Basics Customer record | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 4 | Below the header of the CoA, verify the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Approved<br>3) Batch = BATCH1<br>4) Material = MAT1<br>5) Material Description = Description field from MAT1<br>6) Country = Country field from BATCH1<br>7) Manufacturer = ORG1:<br>8) Manufacturer Address = the following fields from ORG1 (each field on it's one line/row):<br>Address Line 1<br>Address Line 2<br>City<br>State<br>Country<br>Postal Code<br><br>9) Manufacture Date = Manufacture Date from BATCH1<br>10) Expiration Date = Expiration Date from BATCH1<br>11) Quantity = the Amount and Unit of Measure from BATCH1<br>12) Specification = the Spec Data field on SPEX1<br>13) CoA Comments = CoA Comments field from SPEX1 | Below the header of the CoA, the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Approved<br>3) Batch = BATCH1<br>4) Material = MAT1<br>5) Material Description = Description field from MAT1<br>6) Country = Country field from BATCH1<br>7) Manufacturer = ORG1:<br>8) Manufacturer Address = the following fields from ORG1 (each field on it's one line/row):<br>Address Line 1<br>Address Line 2<br>City<br>State<br>Country<br>Postal Code<br><br>9) Manufacture Date = Manufacture Date from BATCH1<br>10) Expiration Date = Expiration Date from BATCH1<br>11) Quantity = the Amount and Unit of Measure from BATCH1<br>12) Specification = the Spec Data field on SPEX1<br>13) CoA Comments = CoA Comments field from SPEX1 | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 5 | Below the CoA Comments on the CoA, verify the results table is displayed with the following columns and the values for each row are correct:<br><br>Columns:<br>1) Test<br>2) Method<br>3) Test Attribute<br>4) Specification<br>5) Result<br>6) Conform<br><br>There are 10 rows in the table and the values are verified to be correct based on the mapping below (all values map to the criterial/limit records associated to the Spec Execution, unless otherwise stated)<br><br>1) Test = Test Definition<br>2) Method = Test Method (from the Test)<br>3) Test Attribute = Evaluated Result<br>4) Specification = Criteria<br>5) Result = Evaluated Value (with unit, if applicable)<br>6) Conform = Conforms<br><br>The rows are ordered based on the Order field on the criteria evaluation/limit records.<br><br>Any cell without a value displays as "--". | Below the CoA Comments on the CoA, the results table is displayed with the following columns and the values for each row are correct:<br><br>Columns:<br>1) Test Attribute<br>2) Method<br>3) Testing Location<br>4) Specification<br>5) Result<br>6) Conform<br><br>There are 10 rows in the table and the values are verified to be correct based on the mapping below (all values map to the criterial/limit records associated to the Spec Execution, unless otherwise stated)<br><br>1) Test Attribute = Evaluated Result<br>2) Method = Test Method (from the Test)<br>3) Testing Location = Testing Location (from the Sample)<br>4) Specification = Criteria<br>5) Result = Evaluated Value (with unit, if applicable)<br>6) Conform = Conforms<br><br>The rows are ordered based on the Order field on the criteria evaluation/limit records.<br><br>Any cell without a value displays as "--". | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 6 | Below the results table on the CoA, verify that "Testing location(s):" is displayed in bold and the two testing locations from the SPEX1 samples are listed below, each in a row. | Below the results table on the CoA, "Testing location(s):" is displayed in bold and the two testing locations from the SPEX1 samples are listed below, each in a row. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 7 | Below the Testing locations on the CoA, verify that the CoA release statement from the Basics customer record is displayed. | Below the Testing locations on the CoA, the CoA release statement from the Basics customer record is displayed. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 8 | Below the CoA release statement on the CoA, verify there is:<br><br>1) "Certificate authorized by:" in bold text<br>2) one signature listed and it has the following details:<br><br>USER2<br>The Date and Time<br>SPEX1 was approved<br>Spec Execution Approval Decision | Below the CoA release statement on the CoA, there is one signature listed and it has the following details:<br><br>USER2<br>The Date and Time<br>SPEX1 was approved<br>Spec Execution Approval Decision | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 9 | On each page of the CoA, verify that the footer correctly displays the following:<br><br>1) On the left side: Report Date: aligns with the Approved Date of SPEX1<br>2) In the center: CONFIDENTIAL<br>3) On the right side: Page X of Y | On each page of the CoA, the footer correctly displays the following:<br><br>1) On the left side: Report Date: aligns with the Approved Date of SPEX1<br>2) In the center: CONFIDENTIAL<br>3) On the right side: Page X of Y | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 10 | From the LIMS tab collection, navigate to Release Testing > Spec Executions. Click into SPEX2. | Spec Execution SPEX2 is displayed. It is in the Approved state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 11 | Using the CoA link, open the CoA document in another tab. | The SPEX2 CoA is opened, it is version 1.0 and is in the Final state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 12 | Below the header of the CoA, verify the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Approved<br>3) Batch = BATCH2<br>4) Material = MAT1<br>5) Material Description: Description field from MAT1<br>6) Specification = the Spec Data field on SPEX2<br><br>There are no other fields listed before the results table. | Below the header of the CoA, the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Approved<br>3) Batch = BATCH2<br>4) Material = MAT1<br>5) Material Description: Description field from MAT1<br>6) Specification = the Spec Data field on SPEX2<br><br>There are no other fields listed before the results table. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 13 | Below the Specification on the CoA, verify the results table has 5 rows and the values are verified to be correct based on the mapping below (all values map to the criterial/limit records associated to the Spec Execution, unless otherwise stated)<br><br>1) Test = Test Definition<br>2) Method = Test Method (from the Test)<br>3) Test Attribute = Evaluated Result<br>4) Specification = Criteria<br>5) Result = Evaluated Value (with unit, if applicable)<br>6) Conform = Conforms<br><br>The rows are ordered based on the Order field on the criteria evaluation/limit records.<br><br>Any cell without a value displays as "--". | Below the Specification on the CoA, the results table has 5 rows and the values are verified to be correct based on the mapping below (all values map to the criterial/limit records associated to the Spec Execution, unless otherwise stated)<br><br>1) Test = Test Definition<br>2) Method = Test Method (from the Test)<br>3) Test Attribute = Evaluated Result<br>4) Specification = Criteria<br>5) Result = Evaluated Value (with unit, if applicable)<br>6) Conform = Conforms<br><br>The rows are ordered based on the Order field on the criteria evaluation/limit records.<br><br>Any cell without a value displays as "--". | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 14 | Below the results table on the CoA, verify that there are no "Testing location(s):" displayed. | Below the results table on the CoA, there are no "Testing location(s):" displayed. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 15 | From the LIMS tab collection, navigate to Release Testing > Spec Executions. Click into SPEX3. | Spec Execution SPEX3 is displayed. It is in the Approved state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 16 | Using the CoA link, open the CoA document in another tab. | The SPEX3 CoA is opened, it is version 1.0 and is in the Final state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 17 | Below the header of the CoA, verify the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Approved<br>3) Batch = BATCH3<br>4) Material = MAT2<br><br>There are no other fields listed before the results table. | Below the header of the CoA, the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Approved<br>3) Batch = BATCH3<br>4) Material = MAT2<br><br>There are no other fields listed before the results table. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 18 | Below the Material on the CoA, verify the results table has 10 rows and the values are verified to be correct based on the mapping below (all values map to the criterial/limit records associated to the Spec Execution, unless otherwise stated)<br><br>1) Test = Test Definition<br>2) Method = Test Method (from the Test)<br>3) Test Attribute = Evaluated Result<br>4) Specification = Criteria<br>5) Result = Evaluated Value (with unit, if applicable)<br>6) Conform = Conforms<br><br>The rows are ordered based on the Order field on the criteria evaluation/limit records.<br><br>Any cell without a value displays as "--". | Below the Material on the CoA, the results table has 10 rows and the values are verified to be correct based on the mapping below (all values map to the criterial/limit records associated to the Spec Execution, unless otherwise stated)<br><br>1) Test = Test Definition<br>2) Method = Test Method (from the Test)<br>3) Test Attribute = Evaluated Result<br>4) Specification = Criteria<br>5) Result = Evaluated Value (with unit, if applicable)<br>6) Conform = Conforms<br><br>The rows are ordered based on the Order field on the criteria evaluation/limit records.<br><br>Any cell without a value displays as "--". | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 19 | Below the results table on the CoA, verify that there are no "Testing location(s):" displayed. | Below the results table on the CoA, there are no "Testing location(s):" displayed. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 20 | From the LIMS tab collection, navigate to Release Testing > Spec Executions. Click into SPEX4. | Spec Execution SPEX4 is displayed. It is in the Rejected state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 21 | Using the CoA link, open the CoA document in another tab. | The SPEX4 CoA is opened, the version is < 1.0 and is in the Initial state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 22 | Below the header of the CoA, verify the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Rejected<br>3) Batch = BATCH4<br>4) Material = MAT1<br>5) Material Description = Description field from MAT1<br>6) Country = Country field from BATCH4<br>7) Manufacturer = ORG1:<br>8) Manufacturer Address = the following fields from ORG1 (each field on it's one line/row):<br>Address Line 1<br>Address Line 2<br>City<br>State<br>Country<br>Postal Code<br><br>9) Manufacture Date = Manufacture Date from BATCH4<br>10) Expiration Date = Expiration Date from BATCH4<br>11) Quantity = the Amount and Unit of Measure from BATCH4<br>12) Specification = the Spec Data field on SPEX4<br>13) CoA Comments = CoA Comments field from SPEX4 | Below the header of the CoA, the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Rejected<br>3) Batch = BATCH4<br>4) Material = MAT1<br>5) Material Description = Description field from MAT1<br>6) Country = Country field from BATCH4<br>7) Manufacturer = ORG1:<br>8) Manufacturer Address = the following fields from ORG1 (each field on it's one line/row):<br>Address Line 1<br>Address Line 2<br>City<br>State<br>Country<br>Postal Code<br><br>9) Manufacture Date = Manufacture Date from BATCH4<br>10) Expiration Date = Expiration Date from BATCH4<br>11) Quantity = the Amount and Unit of Measure from BATCH4<br>12) Specification = the Spec Data field on SPEX4<br>13) CoA Comments = CoA Comments field from SPEX4 | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 23 | Below the CoA Comments on the CoA, verify there is no results table and no Testing locations, and instead there is the following text:<br><br>"Refer to LIMS for the testing results". | Below the CoA Comments on the CoA, there is no results table and no Testing locations, and instead there is the following text:<br><br>"Refer to LIMS for the testing results". | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 24 | Below the statement verified in the previous step, verify that the CoA Release Statement from the Basics Customer record is NOT listed. | Below the statement verified in the previous step, the CoA Release Statement from the Basics Customer record is NOT listed. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 25 | Below “Refer to LIMS for the testing results.” on the CoA, verify there is:<br><br>1) "Certificate authorized by:" in bold text<br>2) one signature listed and it has the following details:<br><br>USER2<br>The Date and Time<br>SPEX4 was rejected<br>Spec Execution Approval Decision | Below “Refer to LIMS for the testing results.” on the CoA, there is one signature listed and it has the following details:<br><br>USER2<br>The Date and Time<br>SPEX4 was rejected<br>Spec Execution Approval Decision | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 26 | From the LIMS tab collection, navigate to Release Testing > Spec Executions. Click into SPEX5. | Spec Execution SPEX5 is displayed. It is in the Approved state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 27 | Using the CoA link, open the CoA document in another tab. | The SPEX5 CoA is opened, it is version 1.0 and is in the Final state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 28 | Below the header of the CoA, verify the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Approved<br>3) Batch = BATCH5<br>4) Material = MAT3<br>5) Manufacturer = ORG2:<br>6) Manufacturer Address = the following field from ORG2:<br>Address Line 1<br>7) Specification = the Spec Data field on SPEX5 | Below the header of the CoA, the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Approved<br>3) Batch = BATCH5<br>4) Material = MAT3<br>5) Manufacturer = ORG2:<br>6) Manufacturer Address = the following field from ORG2:<br>Address Line 1<br>7) Specification = the Spec Data field on SPEX5 | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 29 | Verify there is no results table displayed on the CoA for SPEX5. | There is no results table displayed on the CoA for SPEX5. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 30 | From the LIMS tab collection, navigate to Release Testing > Spec Executions. Click into SPEX6. | Spec Execution SPEX6 is displayed. It is in the Testing Complete state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 31 | Using the CoA link, open the CoA document in another tab. | The SPEX6 CoA is opened, the version is < 1.0 and is in the Initial state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 32 | Below the header of the CoA, verify the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Testing Complete<br>3) Batch = BATCH6<br>4) Material = MAT4<br>5) Manufacturer = ORG1:<br>6) Specification = the Spec Data field on SPEX6 | Below the header of the CoA, the following information is listed correctly and in this order:<br><br>1) Certificate of Analysis<br>2) Batch status: Testing Complete<br>3) Batch = BATCH6<br>4) Material = MAT4<br>5) Manufacturer = ORG1:<br>6) Specification = the Spec Data field on SPEX6 | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 33 | Verify there is no results table displayed on the CoA for SPEX6. | There is no results table displayed on the CoA for SPEX6. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 34 | Below the Specification, verify that the CoA release statement from the Basics customer record is displayed. | Below the Specification, the CoA release statement from the Basics customer record is displayed. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 35 | Log into Vault as USER3. From the Business Admin tab collection, navigate to Objects > Basics Customers. Click into the record.<br><br>Click the pencil icon and clear out the following fields:<br><br>Address<br>Company Logo<br>CoA Release Statement<br><br>Click Save. | The fields are cleared out on the Basics Customer record. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 36 | Log into Vault as USER1. From the LIMS tab collection, navigate to Release Testing > Spec Executions. Click into SPEX6.<br><br>From the All Actions menu, select Refresh CoA. Then Click Continue. | The Refresh CoA action is performed for SPEX6. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 37 | Wait until a notification is received indicating The Generate Document from Formatted Output action for SPEX6 was successful.<br><br>Refresh SPEX6. Using the CoA link, open the CoA document in another tab. | The SPEX6 CoA is opened, the version is < 1.0 and is in the Initial state. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 38 | In the CoA header, verify that there is no logo and no address, only the Basics Customer record name is listed. | In the CoA header, there is no logo and no address, only the Basics Customer record name is listed. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 39 | Below the Specification, verify that the CoA release statement is no longer displayed. | Below the Specification, the CoA release statement is no longer displayed. | | |

| Step | Procedure | Expected Results | Actual Results | Pass / Fail / N/A |
|---|---|---|---|---|
| 40 | Log into Vault as USER3. From the Business Admin tab collection, navigate to Objects > Basics Customers. Click into the record.<br><br>Click the pencil icon and populate the following fields with the previous values (refer to the pre-test setup):<br><br>Address<br>Company Logo<br>CoA Release Statement<br><br>Click Save. | The fields are populated on the Basics Customer record. | | |

## Discrepancies

## Signatures