```
cuelistfile XML structure.
<?xml version="1.0"?>
<show>
<cue num="000">
  <Move>0</Move>
  < Id > 0 < /Id >
  <Act>0</Act>
  <Scene> 0</Scene>
  <Page>0</Page>
  <Title>Top of Show</Title>
  <Cue>None</Cue>
  <Entrances></Entrances>
  <Exits></Exits>
  <On Stage></On Stage>
  <Note 1></Note 1>
  <Note 2></Note 2>
  <Note 3></Note 3>
</cue>
<cue num="099">
  <Move>99</Move>
  <Id>74B</Id>
  <Act>2</Act>
  <Scene> 9</Scene>
  <Page>74</Page>
  <Title>Cratchit's House</Title>
  <Cue>Cratchit House Revolves</Cue>
  <Entrances>ch1, ch2, ch11, ch4, ch12, ch3 </Entrances>
  <Exits></Exits>
  <On Stage>ch1, ch2, ch11, ch4, ch12, ch3 </On Stage>
  <Note 1></Note 1>
  <Note 2></Note 2>
  <Note 3></Note 3>
</cue>
</show>
```

Cuel ist

cuelist: etree

mutestate: dictionary levelstate: dictionary currentcueindex: integer previewcueindex: integer

__init__(self,

cuefilename: filename string,

chancount: integer)

setcurrentcuestate(self, cueindex: integer)

setpreviewcuestate(self, cueindex: integer)