



REGIONWIDE INTEGRATED KNOWLEDGE MANAGEMENT SYSTEM

RIKMS Agency User Manual

Agency Administrator

Managing institutional research, reports, access requests, and agency settings

Version 1.0 | 5 August 2026

Prepared from the implemented RIKMS v2 workflows and controls.

Use only with an authorized RIKMS account. Protect credentials, restricted records, exports, and recovery codes according to organizational policy.

Contents

Select a heading in Word to jump to that section. Update the table if pagination changes after editing.

1. About this manual.....	4
Your role.....	4
Before you begin.....	4
2. Sign in and protect your account	5
Sign in	5
Forgotten password	5
Two-factor authentication.....	5
3. Navigate the agency workspace	6
4. Use the Agency Research Dashboard.....	7
Dashboard areas	7
Recommended daily review	7
5. Choose an upload workflow.....	8
6. Upload a research study	9
Access choices.....	9
7. Upload terminal and accomplishment reports	10
8. Manage the Research Repository	11
Find a record	11
Record lifecycle	11
9. Edit records, files, and AI results	12
10. Decide access requests	13
11. Archive and restore agency research	14
Archive a record	14
Restore a record.....	14
12. Use Analytics.....	15
Repository Analytics.....	15
Project Report Analytics.....	15
13. Manage notifications	16

14. Maintain the Agency Profile..... 17

15. Configure agency settings 18

16. Troubleshooting and safe practice 19

 Safe-use checklist..... 19

Appendix A. Agency quick paths 20

1. About this manual

This manual is for authorized Agency Administrators who maintain their institution's records in the Regionwide Integrated Knowledge Management System (RIKMS).

Your role

- Create and maintain research studies, terminal reports, and project accomplishment reports for your assigned agency.
- Review AI-assisted metadata before applying it to an official record.
- Choose public metadata and document access rules.
- Submit complete records for Super Admin review and publication.
- Decide access requests for restricted records owned by your agency.
- Maintain the agency profile, notification preferences, password, two-factor authentication, and sessions.

Scope: Agency Administrators can work only within their assigned agency. RIKMS blocks cross-agency record, file, request, and archive access.

Before you begin

- Use a current desktop browser and a stable internet connection.
- Prepare the source document as a valid PDF. The effective upload limit is controlled by the platform and server configuration.
- Confirm the title, authors, publication year, abstract, keywords, SDG alignment, ownership, and access classification before submission.
- Never share your password, authentication code, or recovery codes.

2. Sign in and protect your account

Agency users enter through the Agency Portal. The agency selected at sign-in must match the agency assigned to the account.

Sign in

1. Open the RIKMS base address supplied by your organization, then go to /agency/login.
2. Select your agency from the Agency list.
3. Enter your agency email address and password.
4. Select Remember Me only on a private, trusted device.
5. Select Sign In to Portal. A successful sign-in opens the Agency Research Dashboard.

Sign-in failure: If the agency selection is wrong, RIKMS rejects the login even when the email and password are correct. Recheck the agency first, then the credentials.

Forgotten password

1. Select Forgot Password? on the Agency Portal.
2. Select the agency and enter the registered email address.
3. Follow the reset message sent by the configured mail service. If no message arrives, check spam and contact the RIKMS support contact.

Two-factor authentication

1. Open Settings, then Two-factor authentication.
2. Select Enable 2FA and scan the QR code with a TOTP-compatible authenticator app.
3. Confirm the code, then store the recovery codes in a secure location separate from your device.
4. Use Disable 2FA only when your organization permits it and you still control the account.

3. Navigate the agency workspace

The top bar provides repository search, notifications, agency identity, and sign-out. The left sidebar provides the main modules and can be collapsed on desktop screens.

Menu	Use it for
Dashboard	Metrics, charts, recent uploads, pending requests, and quick actions.
Research Repository	Search, filter, view, edit, submit, revise, or archive agency records.
Upload Research	Start a Research Study, Terminal Report, or Project Accomplishment Report workflow.
Access Requests	Review requester details and approve or deny pending requests.
Archive	Find archived agency research, restore eligible records, or permanently delete when permitted.
Analytics	Analyze repository use and project report performance; export supported reports.
Notifications	Filter notices and mark them read or unread.
Agency Profile	Maintain the public-facing agency description, contact details, website, address, and logo.
Settings	Manage account information, password, notification preferences, security, sessions, and deactivation requests.

Top-bar search: The search box is intended for research records. Module pages also provide their own filters; use those filters when you need status, year, SDG, category, or access-level criteria.

4. Use the Agency Research Dashboard

The dashboard is the daily starting point for agency work and uses current agency-scoped data.

Dashboard areas

- Quick actions: Upload New Research, Manage Research, and View Access Requests.
- Metric cards: current repository totals grouped by operational state.
- Research by Year and Research by Category charts.
- Recent Research Uploads with view, edit, and archive shortcuts.
- Pending Access Requests with direct Approve action and a path to the full request page.

Recommended daily review

1. Review pending access requests and open the complete request before making sensitive decisions.
2. Check recent uploads for drafts that still need metadata or files.
3. Open Notifications for returned, approved, published, archive, access, or security-related updates.
4. Use the repository to resolve records that are incomplete or awaiting action.

5. Choose an upload workflow

Select *Upload Research* from the sidebar. RIKMS offers one six-step research workflow and two nine-step report workflows.

Document type	Workflow
Research Study	Doc Type > Upload > AI Metadata > SDG Tagging > Access > Review
Terminal Report	Doc Type > Details > AI Metadata > Performance > PAP Classification > Financials > Highlights > SDG Tagging > Review
Project Accomplishment Report	Doc Type > Details > AI Metadata > Performance > PAP Classification > Financials > Highlights > SDG Tagging > Review

- Use Research Study for scholarly or technical research records.
- Use Terminal Report for final project reporting.
- Use Project Accomplishment Report for periodic or accomplishment-based reporting.
- Use Save Draft where available before leaving a long workflow.

File requirement: The current backend accepts PDF research uploads. Renaming another file type to .pdf does not make it valid; invalid or unsafe files are rejected.

6. Upload a research study

The Research Study wizard keeps the official record relational while allowing optional AI-assisted PDF parsing, metadata extraction, and SDG suggestions.

1. Doc Type: confirm Research Study.
2. Upload: attach the PDF and optionally provide a manual title. Continue only after the file passes validation and upload.
3. AI Metadata: wait for processing when enabled. Review the detected title, abstract, methodology, related literature, framework, results, keywords, and authors. Edit incorrect values and select which eligible fields may be public.
4. SDG Tagging: review suggestions and select the Sustainable Development Goals that genuinely match the study.
5. Access: choose Public, Request Access, Restricted, Embargoed, or External Link as presented. Supply a future embargo date or valid external URL when required. Confirm the research owner; the owner email is not publicly displayed.
6. Review: verify the document, metadata, SDGs, public fields, and access rule. Save as draft or submit using the available final action.

AI is assistive: AI output is never a substitute for agency review. Apply only accurate suggestions. If AI is disabled or unavailable, the PDF can still be stored and the metadata can be completed manually.

Access choices

Choice	Meaning
Public	Public users can access the record according to the published public-file rules.
Request Access	Public users submit a request that your agency must decide.
Restricted	Hidden from normal public access workflows.
Embargoed	Access remains limited until the future embargo date.
External Link	The record points users to a validated external repository URL.

7. Upload terminal and accomplishment reports

Both report types use the same full reporting structure but retain their own document type and reporting context.

1. Details: attach the PDF and enter the report title, description, project dates, reporting period, reporting year, and agency context.
2. AI Metadata: review extracted fields, select public metadata, and confirm that the metadata has been validated.
3. Performance: add project or activity rows with targets, actual values, accomplishment percentage, status, and remarks. Review the report-level physical accomplishment value separately.
4. PAP Classification: choose the appropriate Program, Activity, or Project categories and beneficiary sectors. Apply AI suggestions only when they are correct.
5. Financials: enter allocated, released, obligated, and utilized amounts plus the financial as-of date. Confirm the calculated remaining balance and utilization rate.
6. Highlights: summarize accomplishments, issues, and outcomes; add supporting files when allowed and mark a featured highlight only when appropriate.
7. SDG Tagging: choose the relevant goals and validate the selection.
8. Review: inspect every section, save the draft if more work is needed, or submit the completed report.

Calculation warning: Completeness, workflow status, physical accomplishment, and budget utilization are separate measures. Do not interpret one as proof of another. Correct source data instead of overriding a warning with unsupported values.

8. Manage the Research Repository

The repository lists records owned by your agency and supports grid or list view, filters, record details, and permitted actions.

Find a record

1. Enter a title, author, keyword, agency, or document type in Search.
2. Refine the result by document type, status, SDG, access type, category, or other displayed facets.
3. Switch between Grid view and List view if one is easier to scan.
4. Open the record to review metadata, files, AI results, status, and access settings.

Record lifecycle

Status	Agency action
Draft	Edit metadata and files, review AI results, then submit.
Submitted / Under review	Monitor the record. Editing is limited while moderation is in progress.
Approved	Await publication or the next Super Admin action.
Published	The public record is locked. Create a draft revision for changes.
Rejected / Returned	Read the moderation note, correct the draft or revision, and resubmit.
Archived	Use Archive to inspect and restore if allowed.
Superseded	Retained for version history; use the current revision for ongoing work.

Publication authority: Submitting a record does not publish it. Publication is performed through the Super Admin moderation workflow after review.

9. Edit records, files, and AI results

Open a repository record to work with its bibliographic data, files, access rules, and AI-assisted results.

1. Edit the research title, abstract, publication year, authors and emails, keywords, category, SDGs, public metadata, and access control as applicable.
2. Upload an authorized PDF file. Download the current file to verify it, or remove an incorrect file only when the action is permitted.
3. Open AI results to inspect PDF parsing, metadata extraction, and SDG classification status.
4. Mark a result reviewed, or apply selected suggestions to the draft. Verify the saved values afterward.
5. Select Save Changes before leaving the page.
6. When the draft is complete, select Submit for Review and confirm the action.

Published records: A published record is locked to protect the public version. Use Create Draft Revision, make the change in the new draft, and submit that revision for moderation.

Private downloads: Do not forward private or restricted file links. RIKMS checks authorization at download time, and access decisions are auditable.

10. Decide access requests

The Access Requests page shows requests for research owned by your agency. Decisions are recorded and may trigger requester email notification when mail is configured.

1. Open Access Requests and filter by status, date, organization, or search terms.
2. Open View Details. Verify the requester name, email, organization, request date, requested research, and purpose.
3. Confirm the request is legitimate and consistent with the record's policy and any legal, privacy, contractual, or embargo restrictions.
4. For approval, select Approve and confirm. For denial, select Deny, enter a clear public denial reason, and optionally add agency-only context.
5. Check the resulting status and any email-delivery feedback. Record alternative communication if the email could not be sent.

Decision quality: A denial reason is shown to the requester and is required. Keep internal or sensitive analysis in the agency-only note, not in the public reason.

Status	Meaning
Pending	No final agency decision has been recorded.
Approved	Access was granted through the approved-access workflow.
Denied	Access was refused with a recorded reason.
Expired / Cancelled	The request is no longer active; follow the displayed record history.

11. Archive and restore agency research

Archiving removes an eligible record from active agency views while preserving its history. The Archive page supports search, filters, restoration, and permitted permanent deletion.

Archive a record

1. Open the record or repository action and select Archive.
2. Review the confirmation and enter the required reason when requested.
3. Confirm only after verifying that the record is eligible and no active public workflow depends on it.

Restore a record

1. Open Archive and locate the record by search, document type, or archive date.
2. Select Restore, review the record details, and confirm.
3. Return to the repository and verify the restored status and files.

Permanent deletion: Permanent deletion is destructive and may be blocked by retention or relationship rules. Use it only under an approved records-management process. Restoration is the normal recovery action.

12. Use Analytics

Agency Analytics contains Repository Analytics and Project Report Analytics. Filters change the current view and supported export output.

Repository Analytics

- Summary metrics and yearly publications.
- Category and SDG contribution distributions.
- Download activity, access-request status, and most-accessed research.
- Filters for year, document type, category, SDG, access type, and status.
- Export options presented by the Export Report dialog.

Project Report Analytics

- Report counts, completeness, workflow status, physical accomplishment, and financial-data coverage.
- Budget totals for allotted, released, obligated, utilized, remaining balance, and utilization.
- Filters for report type, year, reporting period, workflow, completeness, budget classification, accomplishment, funding source, and date range.
- A record list that opens a detail view for report information, completeness sections, accomplishment, budget performance, and performance rows.

Interpretation: Analytics are calculated from persisted records. Missing report sections or financial fields affect completeness and coverage metrics; investigate the source record before reporting an anomaly.

13. Manage notifications

Notifications provide workflow updates for uploads, access requests, archives, analytics, settings, and related actions.

1. Open Notifications from the sidebar or bell icon.
2. Filter All, Unread, Uploads, Access Requests, Archive, Analytics, or Settings; use Search to narrow the list.
3. Open the notification's action link when one is available.
4. Mark a notice read or unread, or select Mark all as read when the queue has been reviewed.

Email delivery: In-app status and email delivery are separate. Email depends on platform and mail configuration; the recorded RIKMS decision remains authoritative.

14. Maintain the Agency Profile

The Agency Profile controls the institution information used in agency views and eligible public surfaces.

1. Open Agency Profile and select Edit Profile.
2. Review the agency name and short name. Change only fields your organization authorizes.
3. Update the description, website, contact email, and office address.
4. Upload a valid agency logo, preview it, and remove it only when a replacement or approved fallback is intended.
5. Save Changes and review the profile preview.

Public information: Use official, current contact information. Do not place personal or confidential content in the agency description, address, or public contact fields.

15. Configure agency settings

Settings centralizes account, password, notification, security, session, and deactivation controls.

Area	Available controls
Account information	Profile photo, full name, email, role and agency reference, with current-password confirmation for sensitive changes.
Password	Current password, new password, and confirmation.
Notifications	Email preferences for new requests, decisions, and uploads. Browser notifications and scheduled digest/report delivery are labeled unavailable during the pilot.
Security	Two-factor authentication link and session/security preferences.
Active sessions	Review devices and revoke sessions you do not recognize.
Danger zone	Submit an account deactivation request.

Account deactivation: Deactivation is not a casual sign-out. It requests that access be disabled while institutional history is preserved. Confirm ongoing duties and transfer responsibility before requesting it.

16. Troubleshooting and safe practice

Most errors are caused by validation, status restrictions, expired sessions, platform configuration, or a file that does not meet upload rules.

Problem	What to do
Login rejected	Verify the agency selection, active account status, email, and password. Use password reset or contact the Super Admin.
Page returns to login	The session may have expired. Sign in again and repeat only the unsaved action.
PDF upload fails	Confirm it is a real PDF, within the effective limit, not corrupted, and not blocked by the security scanner.
AI result is skipped or failed	Continue manually. The platform may have AI disabled or the external service may be unavailable.
Cannot edit a record	Check the workflow status. Published and in-review records are intentionally locked; create a revision when available.
Cannot archive or restore	The record may be ineligible, outside agency scope, or protected by a linked workflow. Read the displayed error and escalate with the record identifier.
Email did not arrive	Check spam and the in-app result. Mail delivery is infrastructure-dependent; do not repeat a decision without first checking its recorded status.
Analytics look incomplete	Check filters and missing metadata, report sections, or financial fields in the source records.

Safe-use checklist

- Verify the record and agency before every submit, archive, restore, or access decision.
- Use the least-public access setting consistent with the approved policy.
- Treat AI suggestions as unverified until reviewed by an authorized person.
- Sign out on shared devices and revoke unfamiliar sessions.
- Report suspected unauthorized access, malware, or data exposure immediately.

Appendix A. Agency quick paths

Paths are relative to the RIKMS base address provided by your organization.

Task	Path
Agency sign-in	/agency/login
Dashboard	/agency/dashboard
Research repository	/agency/research
Upload chooser	/agency/upload
Access requests	/agency/access-requests
Archive	/agency/archive
Analytics	/agency/analytics
Notifications	/agency/notifications
Agency profile	/agency/profile
Settings	/agency/settings

Support request: When reporting an issue, include the page, record identifier, time, action attempted, displayed message, and whether the problem can be reproduced. Never send passwords, authentication codes, recovery codes, or confidential file contents.